

JATOO PRAKASH
Referred by: Dr. RAMLUGON

M / 52 YRS

Date: 18.03.2026

MRI of the CERVICAL- THORACIC- LUMBAR SPINE

Technique: Sagittal STIR, T1 and T2, coronal T2 were complemented with axial T1, T2 sequences. Complementary sagittal oblique views done at the cervical spine.

Indication : Neck pain radiating to lower limbs . Low back pain radiating to lower limbs.

Findings:

Cervical spine:

Loss of the cervical lordosis with straightening of the cervical spine.

Normal alignment of the vertebrae.

Normal height & signal of the vertebral bodies.

Desiccated cervical intervertebral discs.

C4-C5 & C5-C6 posterior disc osteophytic protrusions indenting on the theca.

No cord or nerve root compression seen.

The cervical cord signal & caliber appear normal. No medullary lesion detected.

The dimensions of the central canal are normal.

Lt C6-C7 neural foraminal narrowing by uncovertebral osteophytosis seen.

Paravertebral soft tissues appear normal.

Posterior elements appear normal.

There is no cerebellar tonsillar herniation

Thoracic spine:

Normal thoracic kyphosis & normal vertebral alignment.

The thoracic vertebrae appear of normal height & signal.

Desiccated mid thoracic intervertebral discs.

T8-T9 & T9-T10 thoracic discal bulging.

No cord & no nerve root compression seen.

No paravertebral soft tissue thickening or mass lesion seen.

The dimensions of the central vertebral canal & the neural foramina are normal.

Normal caliber & signal of the thoracic spinal cord.

Lumbar spine:

Normal lumbar lordosis.

Normal alignment of the vertebral bodies.

Normal height & signal of the vertebral bodies and the intervertebral discs.

L4-L5 discal bulging.

No thecal sac & no nerve root compression seen.

Paravertebral soft tissues appear normal.

Posterior facets & ligamentum flavum appear normal.

Normal caliber of the central vertebral canal & neural foramina.

The conus medullaris appears normal & is situated at the level of T12/L1.



Address: 102-104 SIR EDGAR LAURENT STREET, PORT LOUIS, MAUTITIUS
Tel(230)2061600

Services: 1.5T MRI Scan, 128-Slice CT Scan, Colour Doppler Ultrasound, Digital X rays, Mammography, Densitometry

Impression:

Loss of the cervical lordosis with straightening of the cervical spine.

C4-C5 & C5-C6 posterior disc osteophytic protrusions indenting on the theca.

Lt C6-C7 neural foraminal narrowing by uncovertebral osteophytosis seen.

T8-T9 , T9-T10 & L4-L5 discal bulging.

No thecal sac, no cord & no nerve root compression seen.

Regards,

Consultant Radiologist

Dr. Shabbir Ghanty
MD (Marseille) DES (Liege)