Binary Tree Traversals (Inorder, Preorder, Postorder, Level Order) Data Structures

> **Definition: Tree Traversal** is the systematic process of visiting (reading, processing, or printing) every node in a tree data structure exactly once.

---

1. Detailed Technical Explanation

```

[ 1 ]

### 1. Depth-First Traversals (DFS):

1. **Preorder Traversal (Root -> Left -> Right):**

- Vis

### 2. Breadth-First Traversal (BFS / Level Order):

- Visits nodes level-by-level from top to bottom, and left to right at each level using a **FIFO Queue**.

- *Ex

---

## 2. Complete Executable C Program for Traversals

```c

#incluc

struct Node {

int data

struct Node* createNode(int val) {

struct I

// 1. Inorder Traversal: Left -> Root -> Right

void in

// 2. Preorder Traversal: Root -> Left -> Right

void pr

// 3. Postorder Traversal: Left -> Right -> Root

void po

int main() {

// Cons

printf("Preorder  : "); preorder(root);  printf("\n");

printf("

---

## 3. Reconstructing Unique Binary Tree from Traversals

- A unique binary tree can be constructed if and only if **INORDER** is given along with either **PREORDER** or **POSTORDER**.

- Ino

---

## 4. Must-Write Points for Exams

- Inorder traversal of BST gives non-decreasing sorted order.

- Tim

---

## 5. Quick Recall Flow

```

Preord
```