

# Double-Ended Queue (Deque) Introduction

**Q.** What is a Double-Ended Queue (Deque)? Explain its types and how it differs from a standard queue and stack. Provide real-world applications.

---

> **Definition to Remember**

> A **Deque** is a data structure that allows insertion and deletion from both ends. It is a generalization of a queue and a stack. It can perform all the operations of a queue and a stack. It is a single-ended queue.

---

## 1. Operations in a Deque

Unlike standard queues (insert Rear, delete Front) or stacks (insert Top, delete Top), a Deque supports **four primary operations**:

1. Insertion

**Visual Representation:**

```text

## 2. Types of Restricted Deques

To enforce specific behaviors, Deques are classified into two restricted variants:

| Type | Restriction | Allowed Operations |

| :--- | :--- | :--- |

## 3. Comparison with Stack and Queue

| Data Structure | Insertion Point | Deletion Point | Principle |

| :--- | :--- | :--- | :--- |

## 4. Real-World Applications

- **Web Browser History:** When navigating back and forth, URLs are added/removed from one end. If history exceeds the max limit, oldest URLs are dropped from the other end.

- **Undo/Redo:**

---

> **Must-Write Points (for 10 marks)**

> 1. A

---

> **Quick Recall**

> `Dec  
Undo/