

Topic: Join Operation

Q. Explain the Join operation in Relational Algebra. Describe the different types of Joins including Theta Join, Equi Join, Natural Join, and the Outer Joins.

[DEF] Definition to Remember

A Join Operation (JOIN) combines related tuples from two relations into a single relation based on a common condition. It is fundamentally a Cartesian Product followed by a Selection (σ). Joins are the most important and frequently used operations in normalized relational databases.

Join Operations (JOIN)

(Return only rows with a matching counterpart in both tables)

A. Theta Join (JOIN_ { })

B. Equi Join

C. Natural Join (JOIN)

2. Types of Outer Joins

(Preserve unmatched rows -- missing values are filled with NULL)

STUDENT	ENROLLMENT
Roll Name	Roll Course
101 John	101 CS101
102 Emma	102 MATH
103 Luke	
(Luke has no enrollment)	

Join Type	What is Returned
Left Outer Join	**All rows from LEFT** table + matched
Right Outer Join	**All rows from RIGHT** table + matched
Full Outer Join	**All rows from BOTH** tables. Unmatched

Example (Left Outer Join): STUDENT Left Join ENROLLMENT -> Shows ALL students. Luke has no enrollment -> his Course column = NULL.

3. Summary: All Join Types

Join Type	Returns	Duplicates
Theta Join	Matching tuples (any condition)	Both join-columns kept
Equi Join	Matching tuples (= only)	Both join-columns kept
Natural Join	Matching tuples (same-named cols)	Duplicate column removed
Left Outer	All left + matched right	NULL for unmatched
Right Outer	All right + matched left	NULL for unmatched
Full Outer	All from both	NULL for unmatched

[MUST-WRITE] Must-Write Points (for 10 marks)

1. Join = Cartesian Product + Selection; used to combine data from normalized tables.
2. Theta Join: general condition (any operator); Equi Join: equality (=) only.
3. Natural Join: automatic join on same-named columns; removes duplicate column.
4. Equi Join keeps the join column twice; Natural Join keeps it only once.
5. Outer Joins preserve unmatched rows -- NULL is placed for missing data.
6. Left Outer: all rows from left; Right Outer: all rows from right; Full Outer: all from both.
7. Joins are essential for querying normalized databases where data is split across multiple tables.

[RECALL] Quick Recall

Join = Cross Product + Selection -> Theta (any condition) -> Equi (= only, duplicate col) -> Natural (same name, no duplicate) -> Left/Right/Full Outer (NULLs for unmatched)