

Dayville Fire Company

Rescue 163

Date _____

Page 1 of 6

ENGINE COMPARTMENT

CHECK OIL	() YES	() NO
WINDSHIELD WASHER FLUID	() YES	() NO
COOLANT	() YES	() NO
TRANSMISSION FLUID	() YES	() NO
BATTERIES (BOTH TIGHT AND CLEAN)	() YES	() NO
WINDSHIELD WIPERS	() YES	() NO
TIRE PRESSURE	() YES	() NO
- FRONT	L _____	R _____
- REAR	L _____	R _____

DRIVER SEAT

FUEL (ABOVE $\frac{3}{4}$)	() YES	() NO
LIGHTS		
- EMERGENCY	() YES	() NO
- HIGH/LOW BEAMS	() YES	() NO
- TURN SIGNAL	() YES	() NO
- HAND LIGHTS (FRONT AND BACK)	() YES	() NO
PORTABLE RADIOS (2 FRONT)	() YES	() NO
ERG	() YES	() NO
GPS	() YES	() NO

DRIVERS BACK SEAT

2 O2 BOTTLES	() YES	() NO
KEYS + ELEVATOR KEY	() YES	() NO
1 HIGH VISIBILITY VEST	() YES	() NO

PASSENGER BACK SEAT

BLANKETS	() YES	() NO
CAUTION TAPE	() YES	() NO
FLARES	() YES	() NO
TRIANGLES	() YES	() NO
EMERGENCY RESPONSE GUIDEBOOKS	() YES	() NO
ACCOUNTABILITY BOARD	() YES	() NO
1 HIGH VISIBILITY VEST	() YES	() NO
MARRIED SET IRONS	() YES	() NO
K TOOL	() YES	() NO
SMART TRIAGE PACK	() YES	() NO
MEGA MOVER	() YES	() NO

Officer: _____

Dayville Fire Company

Rescue 163

Date _____

Page 2 of 6

REAR**BACKBOARD COMPARTMENT**

FLASHLIGHT	() YES	() NO
BACKBOARD	() YES	() NO
COLLAR BAG	() YES	() NO
- 3 STRAPS	() YES	() NO
- ROLL TAPE	() YES	() NO
- 2 ADULT COLLARS	() YES	() NO
- 2 CHILD COLLARS	() YES	() NO
HEAD BLOCKS	() YES	() NO
EVAC SPLINTS	() YES	() NO
KED	() YES	() NO

MEDICAL BAG

CLEAN	() YES	() NO
-------	---------	--------

MEDICAL BAG: RIGHT SIDE

2 COLD PACKS	() YES	() NO
2 HOT PACKS	() YES	() NO
LARGE SAM SPLINT	() YES	() NO
SMALL SAM SPLINT	() YES	() NO
3 COMBINATION PADS	() YES	() NO
2 4" STRETCH GAUZE	() YES	() NO
2 LARGE 4.5" GAUZE ROLLS	() YES	() NO
2 EMERGENCY BLANKETS	() YES	() NO
4 TRIANGULAR BANDAGES	() YES	() NO
2 VOMIT BAGS	() YES	() NO
2 2" GAUZE ROLLS	() YES	() NO
10 4x4 GAUZE	() YES	() NO
10 3x3 GAUZE	() YES	() NO
10 2x2 GAUZE	() YES	() NO

MEDICAL BAG: MIDDLE

2 ADULT AMBU WITH MASK	() YES	() NO
PULSE OXIMETER (FUNCTIONAL AND CHARGED)	() YES	() NO
SET OF 6 NASOPHARYNGEAL AIRWAYS (WITH LUBE)	() YES	() NO
SET OF 6 OROPHARYNGEAL AIRWAYS	() YES	() NO
4 ADULT NON-REBREATHERS	() YES	() NO
2 ADULT NASAL CANNULAS	() YES	() NO
GLOVES (ALL SIZES)	() YES	() NO
PEN LIGHT	() YES	() NO
STETHOSCOPE	() YES	() NO
OXYGEN TANK WITH REGULATOR	() YES	() NO
- OXYGEN TANK PSI (MUST BE OVER 500)	_____	PSI

Officer: _____

Dayville Fire Company

Rescue 163

Date _____

Page 3 of 6

MEDICAL BAG: MIDDLE FLAP

INFANT SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
CHILD SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
ADULT SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
LARGE ADULT SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
THIGH CUFF SPHYGMOMANOMETER (BP CUFF)	() YES	() NO

MEDICAL BAG: LEFT SIDE

EMS FIELD GUIDE	() YES	() NO
BLOOD GLUCOSE LEVEL MONITOR W/ STRIPS AND LANCETS	() YES	() NO
- STRIPS AND LANCETS EXPIRY DATE	____/____	____/____
BABY ASA	() YES	() NO
- EXPIRY DATE	____/____	____/____
2 INSTANT GLUCOSE, UNEXPIRED	() YES	() NO
- EXPIRY DATES	____/____	____/____
SCISSORS	() YES	() NO
3 SAFETY GLASSES	() YES	() NO
NALOXONE/NARCAN WITH NASAL TIP	() YES	() NO
- EXPIRY DATE	____/____	____/____
2 RING CUTTERS	() YES	() NO
1 JUNIOR EPI-PEN (EPINEPHRINE AUTO-INJECTOR)	() YES	() NO
- EXPIRY DATE	____/____	____/____
1 ADULT EPI-PEN (EPINEPHRINE AUTO-INJECTOR)	() YES	() NO
- EXPIRY DATE	____/____	____/____

MEDICAL BAG: TOP

2 12x30 TRAUMA PADS	() YES	() NO
1 TOURNIQUET	() YES	() NO

GREEN KED BAG

KED	() YES	() NO
KENDRCK TRACTION	() YES	() NO
TAPE	() YES	() NO
3 STRAPS	() YES	() NO

COLLAR BAG

2 ADULT ADJUSTABLE COLLARS	() YES	() NO
2 PEDI ADJUSTABLE COLLARS	() YES	() NO
3 STRAPS	() YES	() NO

DOOR

FIRE EXTINGUISHER	() YES	() NO
- EXPIRY DATE	____/____	____/____
SANI WIPES	() YES	() NO
- EXPIRY DATE	____/____	____/____

Officer: _____

Dayville Fire Company

Rescue 163

Date _____

Page 4 of 6

PEDI BAG

PEDI AMBU BAG WITH INFANT AND CHILD MASKS	() YES	() NO
SET OF 6 NASOPHARYNGEAL AIRWAYS (WITH LUBE)	() YES	() NO
SET OF 6 OROPHARYNGEAL AIRWAYS	() YES	() NO
2 LARGE 4.5" GAUZE ROLLS	() YES	() NO
2 PEDI NON-REBREATHERS	() YES	() NO
2 PEDI NASAL CANNULAS	() YES	() NO
SCISSORS	() YES	() NO
PEN LIGHT	() YES	() NO
1 ICE PACK	() YES	() NO
1 HOT PACK	() YES	() NO
CHILD SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
INFANT SPHYGMOMANOMETER (BP CUFF)	() YES	() NO
STETHOSCOPE	() YES	() NO
OB KIT	() YES	() NO
2 TRIANGULAR BANDAGES	() YES	() NO
4 EYE PATCH BANDAGES	() YES	() NO
10 3x3 GAUZE	() YES	() NO
10 4x4 GAUZE	() YES	() NO
2 5x9" GAUZE PADS	() YES	() NO
2 ABD PADS	() YES	() NO
3 2" GAUZE ROLLS	() YES	() NO

BLUE BAG

SMALL EVAC SPLINT	() YES	() NO
MEDIUM EVAC SPLINT	() YES	() NO
LARGE EVAC SPLINT	() YES	() NO
PUMP	() YES	() NO

BACK SECTIONS

FLASHLIGHT	() YES	() NO
BACKBOARD WITH ADULT ADJUSTABLE COLLAR	() YES	() NO
2 HEAD BLOCKS	() YES	() NO
DEFIBRILLATOR WITH ADULT AND PEDI PADS	() YES	() NO
- ADULT PAD EXPIRY DATE	_____ / _____	
- PEDI PAD EXPIRY DATE	_____ / _____	
RAZOR	() YES	() NO
BIG CLIPBOARD WITH RUN FORMS AND REFUSALS	() YES	() NO
HAND SANITIZER	() YES	() NO
MANUAL SUCTION	() YES	() NO
ELECTRIC SUCTION WITH SETUP	() YES	() NO

Officer: _____

Dayville Fire Company

Rescue 163

Date _____

Page 5 of 6

BIG DRAWER: 1ST COMPARTMENT

BURN KIT	() YES	() NO
- 2 2x20" GAUZE PADS	() YES	() NO
- 2 12x12" GAUZE PADS	() YES	() NO
- 2 15x20" GAUZE PADS	() YES	() NO
- 2 FACE MASKS	() YES	() NO
- 2 SALINE WATERS	() YES	() NO
- --> EXPIRY DATE	____/____	____/____
- 3 LARGE 4.5" GAUZE ROLLS	() YES	() NO
- 1" TAPE	() YES	() NO
- 2" TAPE	() YES	() NO
2 PPE KITS	() YES	() NO
2 XL TYVEK SUITS	() YES	() NO

BIG DRAWER: 2ND COMPARTMENT

SHARPS CONTAINER	() YES	() NO
N95 MASKS	() YES	() NO
4 HOT PACKS	() YES	() NO
4 COLD PACKS	() YES	() NO
2 EMERGENCY BLANKETS	() YES	() NO
SET OF 6 NASOPHARYNGEAL AIRWAYS (WITH LUBE)	() YES	() NO
SET OF 6 OROPHARYNGEAL AIRWAYS	() YES	() NO
4 2" GAUZE ROLLS	() YES	() NO
4 ABD PADS	() YES	() NO
4 ADULT NON-REBREATHERS	() YES	() NO
4 ADULT NASAL CANNULAS	() YES	() NO
1 PEDI NON-REBREATHES	() YES	() NO
1 PEDI NASAL CANNULA	() YES	() NO
4 LARGE 4.5" GAUZE ROLLS	() YES	() NO

BIG DRAWER: 3RD COMPARTMENT

2 MULTI TRAUMA DRESSINGS	() YES	() NO
OB KIT	() YES	() NO
6 FACE SHIELDS	() YES	() NO
ROLL OF BIO HAZARD BAGS	() YES	() NO
ADULT/PEDI DEFIBRILLATOR PAD	() YES	() NO
- EXPIRY DATE	____/____	____/____
PEDI DEFIBRILLATOR PAD	() YES	() NO
- EXPIRY DATE	____/____	____/____
1 SUCTION CANNISTER	() YES	() NO
SHOE COVERS	() YES	() NO
4 COMBI PADS	() YES	() NO

Officer: _____

Dayville Fire Company
Rescue 163

Date _____

Page 6 of 6

SMALL DRAWER

XL GLOVES	() YES	() NO
LARGE GLOVES	() YES	() NO
MEDIUM GLOVES	() YES	() NO
SMALL GLOVES	() YES	() NO
5 SAFETY GLASSES	() YES	() NO
VICS	() YES	() NO
PENS	() YES	() NO

DATE INSPECTED _____

PERSONNEL COMPLETING INSPECTION _____

OFFICER SIGNATURE _____

COMMENTS

Officer: _____