


WRITE UP WEEKLY CTF PRACTICE 01



NAMA: PUTU SATRIA NARAYANA WIDIARTHA

NIM: 260530911105

DIVISI: CYBER SECURITY

DAFTAR ISI


KATEGORI UMUM.....	3
STRINGS IT	3
LOG HUNT.....	5
WAVE A FLAG	7
BINHEXA.....	10
MULTI CODE.....	12
NICE NETCAT	15
SUPER SSH.....	18
PIECE BY PIECE	19
KATEGORI WEB EXPLOITATION	21
OLD SESSIONS	21
CRACK THE GATE 1	24
WEB DECODE.....	28
INSPECT HTML	32
LOGON.....	34
KATEGORI REVERSE ENGINEERING.....	37
FLAG HUNTERS	37
TRANSFORMATION	39
KATEGORI CRYPTOGRAPHY.....	41
HASHCRACK	41
13.....	44
MOD 26.....	46
INTERENCDEC	48
KATEGORI FORENSIC	51
CANYOUSEE.....	51
VERIFY	54
HIDDEN IN PLAINSIGHT	56

KATEGORI UMUM

STRINGS IT

Mempelajari cara melakukan inspeksi sederhana terhadap file menggunakan command line, kemudian memukan informasi yang tersembunyi di dalam file.

Link: <http://learn.cylabacademy.org/library/37>



```
(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$ wget https://challenge-files.cylabacademy.net/library/00eff95594e2931ce4281a6a62f27bc99bcd138b38c18fe5f6e160c268ff8620/strings
--2026-09-25 21:57:26-- https://challenge-files.cylabacademy.net/library/00eff95594e2931ce4281a6a62f27bc99bcd138b38c18fe5f6e160c268ff8620/strings
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.86, 18.67.175.23, 18.67.175.73, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.86|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 783696 (765K) [application/octet-stream]
Saving to: 'strings'

strings                               100%[=====] 765.33K  2.95MB/s   in 0.3s

2026-09-25 21:57:27 (2.95 MB/s) - 'strings' saved [783696/783696]

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$ file strings
strings: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib64/ld-linux-x86-64.so.2, BuildID [sha1]=13291601775303685f423be69b8d248cf773f6ba, for GNU/Linux 3.2.0, not stripped

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$
```

Download file yang diberikan menggunakan command:

```
wget [url]
```

Kemudian setelah file terdownload, lakukan analisa terhadap file dengan menggunakan command:

```
file [nama_file]
```

Setelah menganalisa file, didapatkan sebuah informasi bahwa file “strings” merupakan file ELF 64-bit yang executable. Tetapi karena di arahan CTFnya kita disuruh mencari flag di dalam file “strings” tanpa menjalankan programnya, kita bisa menggunakan cara lain.



```
s3250
s3215
s2296
s4178
s4139
s4674
s8744
s8374
.symtab
.strtab
.shstrtab
.interp
.note.gnu.property
.note.gnu.build-id
.note.ABI-tag
.gnu.hash
.dynsym
.dynstr
.gnu.version
.gnu.version_r
.rela.dyn
.rela.plt
.init
.plt.got
.plt.sec
.text
.fini
.rodata
.eh_frame_hdr
.eh_frame
.init_array
.fini_array
.dynamic
.data
.bss
.comment
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$
```

Gunakan perintah:

```
strings [nama_file]
```

Untuk menampilkan semua strings dari file tersebut. Lalu gunakan command:

```
strings [nama_file] | grep [filter]
```

Untuk memfilter strings yang ingin kita cari. Karena format dari flag cylabacademy itu berupa academy{flag}, gunakan filter “academy” untuk mendapatkan flagnya.

```
strings strings | grep academy
```

```
.rela.plt
.init
.plt.got
.plt.sec
.text
.fini
.rodata
.eh_frame_hdr
.eh_frame
.init_array
.fini_array
.dynamic
.data
.bss
.comment

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$ strings strings | grep academy
academy{5tRIng5_1T_8552bB3B}

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/stringsit]
$
```

Flag berhasil didapatkan.

Flag: academy{5tRIng5_1T_8552bB3B}

LOG HUNT

Menganalisis file log yang diberikan dan melakukan pencarian terhadap informasi yang relevan untuk menemukan flag.

Link: <https://learn.cylabacademy.org/library/527>

The screenshot shows the CyLab Security Academy website. A modal window titled "Log Hunt" is open, displaying the challenge details. The challenge is categorized as "General Skills" and "Easy". It was created by Yahaya Meddy and placedMini by CMU-Africa. The description states: "Our server seems to be leaking pieces of a secret flag in its logs. The parts are scattered and sometimes repeated. Can you reconstruct the original flag? Download the [logs](#) and figure out the full flag from the fragments." The hints section contains two hints: "1. You can use **grep** to filter only matching lines from the log." and "2. Some lines are duplicates; ignore extra occurrences." The flag section has a text input field with three dots and a "Submit" button. Below the input field, there is a debug info line: "debug info: [u:1148752 e: p: c:527 1239529]". At the bottom of the modal, there are buttons for "Bookmark", "44,255" (likes), "95%" (rating), and "Open in Workspace". The background shows the "Challenge Lib" sidebar with a search bar and a list of challenges, including "Trust But Verify", "Perception Train", and "Hole in Middle".

```

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/loghunt
$ wget https://challenge-files.cylabacademy.net/library/fe3c39d7d9da79e3c3f78f0d7f12f520ca703a48a89falcac6856a5c2127a4e9/server.log
--2026-09-25 22:09:33-- https://challenge-files.cylabacademy.net/library/fe3c39d7d9da79e3c3f78f0d7f12f520ca703a48a89falcac6856a5c2127a4e9/server.log
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.95, 18.67.175.86, 18.67.175.23, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.95|:443... connect
ed.
HTTP request sent, awaiting response... 200 OK
Length: 108322 (106K) [application/octet-stream]
Saving to: 'server.log'

server.log          100%[=====>] 105.78K   523KB/s   in 0.2s

2026-09-25 22:09:34 (523 KB/s) - 'server.log' saved [108322/108322]

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/loghunt
$ file server.log
server.log: ASCII text

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/loghunt
$ grep academy server.log
[1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:32] INFO FLAGPART: academy{us3_

```

Download file yang diberikan menggunakan command:

```
wget [url]
```

Kemudian setelah file terdownload, lakukan analisa terhadap file dengan menggunakan command:

```
file [nama file]
```

Setelah menganalisa file, didapatkan sebuah informasi bahwa file “server.log” merupakan file ASCII text.

Gunakan perintah:

```
grep [filter] [nama file]
```

Untuk mencari dan memfilter bagian text khusus yang ingin kita cari. Setelah mencoba memfilter kata “academy” yang merupakan format flag, muncul beberapa kalimat Panjang terduplikasi berupa INFO FLAGPART: academy{us3...

Untuk menyaringnya lagi, saya menggunakan command yang sama dengan memfilter langsung strings “INFO FLAGPART”

```
grep “INFO FLAGPART” server.log
```

```

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/loghunt]
$ grep "INFO FLAGPART:" server.log
[1990-08-09 10:00:10] INFO FLAGPART: academy{us3_
[1990-08-09 10:02:55] INFO FLAGPART: y0urlinux_
[1990-08-09 10:05:54] INFO FLAGPART: skills_
[1990-08-09 10:05:55] INFO FLAGPART: skills_
[1990-08-09 10:10:54] INFO FLAGPART: cedfa5fb}
[1990-08-09 10:10:58] INFO FLAGPART: cedfa5fb}
[1990-08-09 10:11:06] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:04:27] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:29] INFO FLAGPART: academy{us3_
[1990-08-09 11:04:37] INFO FLAGPART: academy{us3_
[1990-08-09 11:09:16] INFO FLAGPART: y0urlinux_
[1990-08-09 11:09:19] INFO FLAGPART: y0urlinux_
[1990-08-09 11:12:40] INFO FLAGPART: skills_
[1990-08-09 11:12:45] INFO FLAGPART: skills_
[1990-08-09 11:16:58] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:16:59] INFO FLAGPART: cedfa5fb}
[1990-08-09 11:17:00] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:19:23] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:29] INFO FLAGPART: academy{us3_
[1990-08-09 12:19:32] INFO FLAGPART: academy{us3_
[1990-08-09 12:23:43] INFO FLAGPART: y0urlinux_
[1990-08-09 12:23:45] INFO FLAGPART: y0urlinux_
[1990-08-09 12:23:53] INFO FLAGPART: y0urlinux_
[1990-08-09 12:25:32] INFO FLAGPART: skills_
[1990-08-09 12:28:45] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:28:49] INFO FLAGPART: cedfa5fb}
[1990-08-09 12:28:52] INFO FLAGPART: cedfa5fb}

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/loghunt]
$ academy{us3_y0urlinux_skills_cedfa5fb}

```

Terdapat tampilan duplicate text “INFO FLAGPART”, Sambungkan beberapa kata dari duplicate text tersebut untuk mendapatkan flag utuhnya.

Flag: academy{us3_y0urlinux_skills_cedfa5fb}

WAVE A FLAG

Menjalankan program binary yang diberikan dan menganalisis perilakunya untuk menemukan informasi yang diperlukan.

Link: <https://learn.cylabacademy.org/library/170>

Dashboard
Resources
Learn
Classroom
Events

SA

Challenge Lib

Progress Tracker

Search

Search challenges...

☐ Hide Solved

Trust But Verify

by L1 'syreal' Jones

Easy

AI Foundations I

Perception Train

Hole in Middle

by L1 'syreal' Jones

Perception Train

Classic 2 Alpha

by L1 'syreal' Jones

Perception Train

Classic 1

by L1 'syreal' Jones

Wave a flag

General Skills
Easy

by syreal · picoCTF 2021

Can you invoke help flags for a tool or binary? This program has extraordinarily helpful information... warm

HINTS

1 Reveal hint

2 Reveal hint

3 Reveal hint

4 Reveal hint

5 Reveal hint

FLAG

Bookmark
220,849
92%

Open in Workspace

```

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag]
$ wget https://challenge-files.cylabacademy.net/library/66dd9288cd84ecc152a833ed9b86decfb99f8f652f2989fa5bd37801de613ed6/warm
--2026-09-25 22:12:46-- https://challenge-files.cylabacademy.net/library/66dd9288cd84ecc152a833ed9b86decfb99f8f652f2989fa5bd37801de613ed6/warm
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.23, 18.67.175.95, 18.67.175.73, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.23|:443... connect
ed.
HTTP request sent, awaiting response... 200 OK
Length: 17368 (17K) [application/octet-stream]
Saving to: 'warm'

warm                                100%[=====>] 16.96K  --.-KB/s   in 0s

2026-09-25 22:12:47 (123 MB/s) - 'warm' saved [17368/17368]

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag]
$ file warm
warm: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib64/ld-linux
-x86-64.so.2, BuildID[sha1]=cf6ec4227d2ad1cf6a2a349e13d0d2cdb2e159f7, for GNU/Linux 3.2.0, with debug_info, no
t stripped

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag]
$ ls -l
total 20
-rw-r--r-- 1 zvk zvk 17368 Sep 23 10:30 warm

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag]
$

```

Download file yang diberikan menggunakan command:

```
wget [url]
```

Kemudian setelah file terdownload, lakukan analisa terhadap file dengan menggunakan command:

```
file [nama file]
```

Setelah menganalisa file, didapatkan sebuah informasi bahwa file “warm” merupakan file ELF 64-bit yang executable.

Gunakan perintah:

```
ls -l
```

Untuk melihat info status permission dari file tersebut. Izin file default adalah -rw-r--r--. Dimana setiap izin memiliki nilai numerik yang ditetapkan untuk itu:

r (baca) memiliki nilai 4

w (menulis) memiliki nilai 2

x (execute) memiliki nilai 1

Nilai-nilai ini bersifat aditif untuk setiap "triplet", yang berarti bahwa izin file dari rw- memiliki nilai 6 dan rwx memiliki nilai 7. Untuk kasus di atas, nilai defaultnya adalah 644 (rw-r--r--), yang berarti bahwa pemilik file dapat membaca dan menulis, dan semua yang lain hanya dapat membaca file ini.

```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ file warm
warm: ELF 64-bit LSB pie executable, x86-64, version 1 (SYSV), dynamically linked, interpreter /lib64/ld
-linux-x86-64.so.2, BuildID[sha1]=cf6ec4227d2ad1cf6a2a349e13d0d2cdb2e159f7, for GNU/Linux 3.2.0, with de
bug_info, not stripped

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ ls -l
total 20
-rw-r--r-- 1 zvk zvk 17368 Sep 23 10:30 warm

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ chmod +x warm

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ ls -l
total 20
-rwxr-xr-x 1 zvk zvk 17368 Sep 23 10:30 warm

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ ./warm
Hello user! Pass me a -h to learn what I can do!

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$ ./warm -h
Oh, help? I actually don't do much, but I do have this flag here: academy{blscults_4nd_gr4vy_57d8c79}

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/waveaflag
$
```

Agar pemilik file dapat menjalankan program ini, gunakan perintah:

```
chmod +x [nama_file]
```

Atau

```
chmod 744 [nama_file]
```

Saat menjalankan program warm, terdapat suruhan untuk menggunakan -h. Jadi jalankan program dengan menggunakan -h untuk mendapatkan flagnya.


Flag: academy{b1scu1ts_4nd_gr4vy_57d8c79}

Referensi: <https://www.redhat.com/en/blog/introduction-chmod>

BINHEXA

Menjalankan program binary yang diberikan dan menganalisis perilakunya untuk menemukan informasi yang diperlukan.

Link: <https://learn.cylabacademy.org/library/404>



Hubungkan server soal dengan command:

```
nc [ip_address] [port]
```

Kemudian setelah terhubung, akan muncul challenge untuk melakukan operasi bilangan biner. Kerjakan operasi tersebut untuk mendapatkan flagnya.

```
(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/binhexa]  
$ nc xebec.cylabacademy.net 28752
```

Welcome to the Binary Challenge!"

Your task is to perform the unique operations in the given order and find the final result in hexadecimal that yields the flag.

Binary Number 1: 00110011

Binary Number 2: 11100000

Question 1/6:

Operation 1: '+'

Perform the operation on Binary Number 1&2.

Enter the binary result: 100010011

Correct!

Question 2/6:

Operation 2: '&'

Perform the operation on Binary Number 1&2.

Enter the binary result: 00100000

Correct!

Question 3/6:

Operation 3: '<<'

Perform a left shift of Binary Number 1 by 1 bits.

Enter the binary result: 001100110

Correct!

Question 4/6:

Operation 4: '*'

Perform the operation on Binary Number 1&2.

Enter the binary result: 10110010100000

Correct!

Question 5/6:

Operation 5: '>>'

Perform a right shift of Binary Number 2 by 1 bits .

Enter the binary result: 01110000

Correct!

Question 6/6:

Operation 6: '|'

Perform the operation on Binary Number 1&2.

Enter the binary result: 11110011

```

Perform the operation on Binary Number 1&2.
Enter the binary result: 10110010100000
Correct!

Question 5/6:
Operation 5: '>>'
Perform a right shift of Binary Number 2 by 1 bits .
Enter the binary result: 01110000
Correct!

Question 6/6:
Operation 6: '|'
Perform the operation on Binary Number 1&2.
Enter the binary result: 11110011
Correct!

Enter the results of the last operation in hexadecimal: F3

Correct answer!
The flag is: academy{b1tw^3se_0p3eR@tI0n_su33essFuL_fa4ec583}

(zvk Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/binhexa]
$ |

```

Keterangan operasi bilangan biner:

+ Merupakan operasi penjumlahan bilangan biner, misal penjumlahan 4 bit $0001 + 00010 = 0011$.

* Merupakan operasi perkalian bilangan biner, misal $0001 * 0010 = 0010$.

& Merupakan operasi gerbang logika AND untuk 2 input biner, misal $0011 \& 0001 = 0001$.

| Merupakan operasi gerbang logika OR untuk 2 input biner, misal $0011 | 0001 = 0011$.

>> Merupakan operasi pergeseran bilangan biner ke kanan, misal $1001 \gg$ sebanyak 1 bit = 0100

<< Merupakan operasi pergeseran bilangan biner ke kiri, misal $1001 \ll$ sebanyak 1 bit = 10010 .


Untuk operasi terakhir adalah mengkonversi bilangan biner ke dalam heksadesimal.

Flag: academy{b1tw^3se_0p3eR@tI0n_su33essFuL_fa4ec583}

MULTI CODE

Menghadapi data yang menggunakan lebih dari satu bentuk encoding dan menentukan cara yang tepat untuk memperoleh informasi berikutnya.

Link: <https://learn.cylabacademy.org/library/710>



```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode
$ wget https://challenge-files.cylabacademy.net/Library/ca0410c36c04330adadd07c6ddb6037499e2e10d5998d48a44bbb4321f3ee5c/message.txt
--2026-09-26 00:16:49-- https://challenge-files.cylabacademy.net/Library/ca0410c36c04330adadd07c6ddb6037499e2e10d5998d48a44bbb4321f3ee5c/message.txt
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.23, 18.67.175.73, 18.67.175.95, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.23|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 101 [application/octet-stream]
Saving to: 'message.txt'

message.txt                               100%[=====] 101 --.-KB/s
in 0s

2026-09-26 00:16:50 (67.0 MB/s) - 'message.txt' saved [101/101]

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode
$ file message.txt
message.txt: ASCII text

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode
$ cat message.txt
NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQlZjM2NzIzNDM5NmUzODM3MzkyNTM3NDQ=

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode
$ |
```

Download file yang diberikan menggunakan command:

```
wget [url]
```

Kemudian setelah file terdownload, lakukan analisa terhadap file dengan menggunakan command:


```
file [nama file]
```

Setelah menganalisa file, didapatkan sebuah informasi bahwa file “message.txt” merupakan file ASCII text.

Gunakan perintah:

```
cat [nama file]
```

Untuk melihat isi teks yang terdapat dalam file message.txt. Isi dari file tersebut adalah “NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQlZjM2NzIzNDM5NmUzODM3MzkyNTM3NDQ=” yang merupakan teks hasil dari encoding berlapis lapis dari ROT13, URL encoding, hex dan Base64.



Untuk melakukan decoding dari teks tersebut, kita bisa menggunakan tools online seperti <https://toolbox.itsec.tamu.edu/> lalu melakukan decoding dari Base64, hex, URL decoding dan ROT13 untuk mendapatkan flagnya.

```

GNU nano 9.0 script.py
import base64
import urllib.parse
import codecs

msg = "NmU3MDZlNzE3MjdhNmMyNTM3NDI2MTcyNjY2NzcyNzE1ZjcyNjE3MDMwNzE3NjYxNzQ1Zj"

decodebase64 = base64.b64decode(msg)
decodehex = bytes.fromhex(decodebase64.decode('utf-8'))
decodeurl = urllib.parse.unquote(decodehex.decode('utf-8'))
decoderot13 = codecs.decode(decodeurl, 'rot_13')
hasil = decoderot13

print(hasil)

```

[Read 13 lines]

[^]G Help [^]O Write Out [^]F Where Is [^]K Cut [^]T Execute
[^]X Exit [^]R Read File [^]\ Replace [^]U Paste [^]J Justify

Saya juga mencoba membuat script python sederhana untuk mencoba mendecode teks hasil encoding berlapis tersebut. Library yang digunakan yaitu base64, urllib.parse dan codecs.

```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode]
$ nano script.py

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode]
$ python script.py
academy{nested_enc0ding_6e49a879}

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/multicode]
$ |
```

Berikut hasil run scriptnya dan flag pun didapatkan.


Flag: academy{nested_enc0ding_6e49a879}

Referensi: <https://docs.python.org/3/library/base64.html>,
<https://docs.python.org/3/library/urllib.parse.html>,
<https://docs.python.org/3/library/codecs.html>

NICE NETCAT

Menggunakan netcat untuk berinteraksi dengan service yang disediakan oleh challenge.

Link: <https://learn.cylabacademy.org/library/156>



```
(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[6] nicensetcat]
$ nc xebec.cylabacademy.net 20466
97
99
97
100
101
109
121
123
103
48
48
100
95
107
49
116
116
121
33
95
110
49
99
51
95
107
49
116
116
121
33
95
102
54
55
51
57
```

Hubungkan server soal dengan command:

```
nc [ip_address] [port]
```

Kemudian setelah terhubung, akan muncul deretan angka desimal yang sepertinya perlu diconvert ke ASCII untuk mendapatkan flagnya.

REPOSTSEO Plagiarisme Checker Pemeriksa DA Parafrase Summarizer Penulis Esai Gambar Untuk Teks Humanizer NEW

Konverter Desimal ke ASCII

Untuk menggunakan Prepostseo Desimal ke ASCII Konverter, Masukkan Angka Desimal di bawah ini

Desimal Ke Ascii

Konverter Desimal Ke Biner

Desimal Ke Hex

Desimal Ke Oktal

Ascii Ke Desimal

Memuat data sampel

95
102
54
55
51
57
125
10

Mengkonversi Reset

☐ awalan 0x/0b

Pembatas angka

Space

39

teks ASCII

academy(g00d_k1ttyL_n1c3_k1ttyL_f6739)

Hex (byte)

61 63 61 64 65 6D 79 7B 67 30 30 64 5F 6B 31 74 74
79 21 5F 6E 31 63 33 5F 6B 31 74 74 79 21 5F 66 36
37 33 39 7D 0A

Untuk melakukan konversi dari desimal ke ASCII, kita bisa menggunakan tools online seperti <https://www.prepostseo.com/tool/decimal-to-ascii> lalu lakukan konversi untuk mendapatkan flagnya.

```
GNU nano 9.0 script.py
desimal = "97 99 97 100 101 109 121 123 103 48 48 100 95 107 49 116 116 121 3>
hasil = "".join(chr(int(angka)) for angka in desimal.split())
print(hasil)
```

[Read 3 lines]

^G Help ^O Write Out ^F Where Is ^K Cut ^T Execute
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify

Saya juga mencoba membuat script python sederhana mengkonversi kumpulan angka desimal tersebut menjadi ASCII.

```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/nicenetcat]
$ nano script.py

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/nicenetcat]
$ python script.py
academy{g00d_k1tty!_n1c3_k1tty!_f6739}

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/nicenetcat]
$ |
```

Berikut hasil run scriptnya dan flag pun didapatkan.


Flag: academy{g00d_k1tty!_n1c3_k1tty!_f6739}

Referensi: <https://www.geeksforgeeks.org/python/convertng-an-integer-to-ascii-characters-in-python/>

SUPER SSH

Menggunakan SSH untuk mengakses environment yang disediakan dan menyelesaikan challenge melalui remote system.

Link: <https://learn.cylabacademy.org/library/424>



```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/superssh]
$ ssh ctf-player@chatelaine.cylabacademy.net -p 36055
The authenticity of host '[chatelaine.cylabacademy.net]:36055 ([18.227.187.235]:36055)' can't be established.
ED25519 key fingerprint is: SHA256:kVN52XVvkz2iIK4aejnbGutjII8pR3AC32uXQ9QHITDI
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[chatelaine.cylabacademy.net]:36055' (ED25519) to the list of known hosts.
ctf-player@chatelaine.cylabacademy.net's password:
Welcome ctf-player, here's your flag: academy{s3cur3_c0nn3ct10n_65c81745}
Connection to chatelaine.cylabacademy.net closed.

(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/superssh]
$
```

Untuk menggunakan SSH, gunakan perintah:

```
ssh [username@ip address] -p [port]
```


Kemudian setelah itu, jika ditanyakan are you sure you want to continue? Ketik yes lalu masukan password yang sudah diberikan. Flag pun berhasil didapatkan.

Flag: academy{s3cur3_c0nn3ct10n_65c81745}

PIECE BY PIECE

Menyelesaikan challenge dengan menganalisis informasi yang diberikan secara bertahap dan menggabungkan hasil dari setiap langkah.

Link: <https://learn.cylabacademy.org/library/740>



```
(zvk@Boeing-737)~[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/piecebypiece]
$ ssh ctf-player@xebec.cylabacademy.net -p 13087
The authenticity of host '[xebec.cylabacademy.net]:13087 ([3.14.181.178]:13087)' can't be established.
ED25519 key fingerprint is: SHA256:WA7PfZ3HBheVJW53Vy8120QYomN6JJqxglEn7ItEphE
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[xebec.cylabacademy.net]:13087' (ED25519) to the list of known hosts.
ctf-player@xebec.cylabacademy.net's password:
Welcome to Ubuntu 24.04.4 LTS (GNU/Linux 7.0.0-1013-aws x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

This system has been minimized by removing packages and content that are
not required on a system that users do not log into.

To restore this content, you can run the 'unminimize' command.

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

ctf-player@academy-chall$ ls
instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$
```

Login menggunakan SSH, dengan perintah:

```
ssh [username@ip_address] -p [port]
```

Kemudian setelah itu, jika ditanyakan are you sure you want to continue? Ketik yes lalu masukan password yang sudah diberikan. Setelah masuk ke ubuntu serve dengan ssh, gunakan command:

```
ls
```

untuk melihat semua file yang ada di dalamnya. Untuk kasus ini, terdapat beberapa file berupa instructions.txt, part_aa, part_ab, part_ac, part_ad, dan part_ae.

```

applicable law.

ctf-player@academy-chall$ ls
instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$ cat instructions.txt
Hint:

- The flag is split into multiple parts as a zipped file.
- Use Linux commands to combine the parts into one file.
- The zip file is password protected. Use this "supersecret" password to extract the zip file.
- After unzipping, check the extracted text file for the flag.

ctf-player@academy-chall$ ls -l
total 24
-rw-r--r-- 1 ctf-player ctf-player 282 Sep 23 00:59 instructions.txt
-rw-r--r-- 1 ctf-player ctf-player 51 Sep 23 07:00 part_aa
-rw-r--r-- 1 ctf-player ctf-player 51 Sep 23 07:00 part_ab
-rw-r--r-- 1 ctf-player ctf-player 51 Sep 23 07:00 part_ac
-rw-r--r-- 1 ctf-player ctf-player 51 Sep 23 07:00 part_ad
-rw-r--r-- 1 ctf-player ctf-player 35 Sep 23 07:00 part_ae
ctf-player@academy-chall$ cat part_* > flag.zip
ctf-player@academy-chall$ ls
flag.zip instructions.txt part_aa part_ab part_ac part_ad part_ae
ctf-player@academy-chall$ unzip -P supersecret flag.zip
Archive:  flag.zip
  extracting: flag.txt
ctf-player@academy-chall$ cat flag.txt
ctf-player@academy-chall$ cat flag.txt
academy{z1p_and_spl1t_f1l3s_4r3_fun_6af185ac}ctf-player@academy-chall$ |

```

Karena ada file berformat txt, coba lihat isi file tersebut dengan command:

```
cat [nama file]
```

Lalu tampil beberapa baris text yang menunjukkan hint dari challenge ini. Hint tersebut menjelaskan bahwa flagnya displit menjadi beberapa part sebagai zip file dan terproteksi dengan password "supersecret" untuk mengekstraknya.

Untuk menyatukan beberapa part terpisah menjadi satu file zip utuh, gunakan command:

```
cat part * > flag.zip
```

Pada "part *" tanda "*" berarti menselect all file yg namanya mengandung "part_" diawalnya. Lalu fungsi ">" adalah untuk operator output dari gabungan file-file tersebut. Setelah itu, terlihat akan muncul file baru dengan nama "flag.zip" yang telah dibuat. Untuk mengekstrak file tersebut, gunakan command:

```
unzip -P [password] [nama file]
```

Flag pun berhasil didapatkan.

Flag: academy{z1p_spl1t_f1l3s_4r3_fun_6af185ac}



(Untuk kategori seterusnya, karena write up bersifat opsional, jadi write up untuk sementara tidak saya isikan analisis dan proses penyelesaian karena keterbatasan waktu. Nanti kalau udah punya mood baru saya tambahkan analisis dan penjelasan lengkapnya :v)


KATEGORI WEB EXPLOITATION

OLD SESSIONS

Link: <https://learn.cylabacademy.org/library/739>


Menemukan endpoint tersembunyi yang membocorkan ID sesi aktif, lalu melakukan cookie injection untuk membajak akun admin tanpa menggunakan kredensial login.





1) session:eHFpjmWxu45QVLCwROc3XynHIV6oDTypYqO7LFvEtA, {'_permanent': True, 'key': 'admin'}

2) session:hAGlyWBYWLDpp1Q7QKDPBnZbAIs2aagwJIKreAYyUM4, {'_permanent': True, 'key': 'satria'}



Flag: academy{s3t_s3ss10n_3xp1rat10n5_e3a46efc}

CRACK THE GATE 1

Link: <https://learn.cylabacademy.org/library/520>

Membypass sistem otentikasi login portal web tanpa kata sandi dengan cara memodifikasi header HTTP berdasarkan petunjuk tersembunyi yang ditinggalkan developer di source code balaman.


```
GNU nano 9.0 script.py
import codecs


msg = "<!-- ABGR: WnpX - grzcbeNe1 olcnff: hfr urnqre 'K-Qri-Npprff: lrf' -->"
decode = codecs.decode(msg, 'rot_13')
print(decode)


[ Read 5 lines ]
^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[10] crackthegate1]
$ nano script.py

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[10] crackthegate1]
$ python script.py
<!-- NOTE: Jack - temporary bypass: use header 'X-Dev-Access: yes' -->

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[10] crackthegate1]
$ |
```





Flag: academy{brut4_f0rc4_cf2e78d0}

WEB DECODE

Link: <https://learn.cylabacademy.org/library/427>

Memeriksa source code halaman web menggunakan fitur Inspect Element guna menemukan dan mendekode teks rahasia berbasis Base64.


```
GNU nano 9.0 script.py *
import base64


msg = "YWNhZGVteXt3ZWJfc3VjYzNzc2Z1bGx5X2QzYzBkZWRFM2NkMTQ0ZTV9"
decode = base64.b64decode(msg)
print(decode)|

^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute    ^C Location
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[11] webdecode]
$ nano script.py

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[11] webdecode]
$ python script.py
b'academy{web_succ3ssfully_d3c0ded_3cd144e5}'

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[11] webdecode]
$ |
```




Flag: academy{web_succ3ssfully_d3c0ded_3cd144e5}

INSPECT HTML

Link: <https://learn.cylabacademy.org/library/275>


Menggunakan fitur Developer Tools pada browser untuk memeriksa source code halaman statis dan menemukan flag yang disembunyikan di dalam komentar.



On Histiaeus

However, according to Herodotus, Histiaeus was unhappy having to stay in Susa, and made plans to return to his position as King of Miletus by instigating a revolt in Ionia. In 499 BC, he shaved the head of his most trusted slave, tattooed a message on his head, and then waited for his hair to grow back. The slave was then sent to Aristagoras, who was instructed to shave the slave's head again and read the message, which told him to revolt against the Persians.

Source: Wikipedia on Histiaeus




Flag: academy{1n5p3t0r_of_h7ml_cdc35adf}

LOGON

Link: <https://learn.cylabacademy.org/library/46>

Menemukan celah keamanan, memanipulasi parameter, atau melakukan bypass halaman log masuk guna mendapatkan akses ilegal ke dalam sistem.



Factory Login

[Home](#) [Sign Out](#)

I'm sorry Joe's password is super secure. You're not getting in that way.

Sign In

The screenshot shows a web browser window with the 'Factory Login' page. The page has a 'Home' button and a 'Sign Out' button. A flag is displayed: `academy{th3_c0nsp1r4cy_11v3s_0e363b57}`. The Chrome DevTools Application tab is open, showing the 'Cookies' section. The cookies are:

Name	Value	D...	P...	Ex...	Si...	H...	S...	S...	P...	Cr...	Pr...
admin	True	xe...	/	S...	9						M...
password	Joe	xe...	/	S...	11						M...
username	Joe	xe...	/	S...	11						M...

The 'password' cookie is selected, and its value '1234' is displayed in the 'Cookie Value' field. The 'Factory Login' page also shows a flag: `academy{th3_c0nsp1r4cy_11v3s_0e363b57}`.

Flag: academy{th3_c0nsp1r4cy_11v3s_0e363b57}

KATEGORI REVERSE ENGINEERING

FLAG HUNTERS

Link: <https://learn.cylabacademy.org/library/472>

Memanipulasi alur program pembaca lirik musik agar bisa mencetak sebuah bait rahasia.

Flag Hunters
Reverse Engineering Easy
by syreal | picoCTF 2025

Lyrics jump from verses to the refrain kind of like a subroutine call. There's a hidden refrain this program doesn't print by default. Can you get it to print it? There might be something in it for you.

The program's source code can be downloaded [here](#). Connect to the program with netcat:

```
$ nc xebec.cylabacademy.net 36370
```

INSTANCE ⓘ
Expires in 14:29 [Restart Instance](#)

HINTS ⓘ

- 1 This program can easily get into undefined states. Don't be shy about Ctrl-C.
- 2 Unsanitized user input is always good, right?
- 3 Is there any syntax that is ripe for subversion?

[Bookmark](#) 27,362 88% [Open in Workspace](#)

```
(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[14] flaghunters]
$ wget https://challenge-files.cylabacademy.net/library/f80370282cd4baf0ad8e8ed41402ccddb55aea0038d174673324709755639912/lyric-reader.py
--2026-09-26 18:46:15-- https://challenge-files.cylabacademy.net/library/f80370282cd4baf0ad8e8ed41402ccddb55aea0038d174673324709755639912/lyric-reader.py
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.23, 18.67.175.95, 18.67.175.86, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)[18.67.175.23]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3381 (3.3K) [application/octet-stream]
Saving to: 'lyric-reader.py'

lyric-reader.py          100%[=====] 3.30K --.-KB/s in 0s

2026-09-26 18:46:15 (325 MB/s) - 'lyric-reader.py' saved [3381/3381]

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[14] flaghunters]
$ nc xebec.cylabacademy.net 36370
Command line wizards, we're starting it right,
Spawning shells in the terminal, hacking all night.
Scripts and searches, grep through the void,
Every keystroke, we're a cypher's envoy.
Brute force the lock or craft that regex,
Flag on the horizon, what challenge is next?

We're flag hunters in the ether, lighting up the grid,
No puzzle too dark, no challenge too hid.
With every exploit we trigger, every byte we decrypt,
We're chasing that victory, and we'll never quit.
Crowd: |
```

```
GNU nano 9.0 lyric-reader.py

END;
'''

MAX_LINES = 100

def reader(song, startLabel):
    lip = 0
    start = 0
    refrain = 0
    refrain_return = 0
    finished = False

    # Get list of lyric lines
    song_lines = song.splitlines()

    # Find startLabel, refrain and refrain return
    for i in range(0, len(song_lines)):
        if song_lines[i] == startLabel:
            start = i + 1
        elif song_lines[i] == '[REFRAIN]':
            refrain = i + 1
        elif song_lines[i] == 'RETURN':
            refrain_return = i

    # Print lyrics
    line_count = 0
    lip = start
    while not finished and line_count < MAX_LINES:
        line_count += 1
        for line in song_lines[lip].split(';'):
            if line == '' and song_lines[lip] != '':
                continue
            if line == 'REFRAIN':
                song_lines[refrain_return] = 'RETURN ' + str(lip + 1)

^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute    ^C Location   ^U Undo       ^M-A Set Mark
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_/ Go To Line ^E Redo       ^M-G Copy

GNU nano 9.0 lyric-reader.py
import re
import time

# Read in flag from file
flag = open('flag.txt', 'r').read()

secret_intro = \
'''Pico warriors rising, puzzles laid bare,
Solving each challenge with precision and flair.
With unity and skill, flags we deliver,
The ether's ours to conquer, '''
+ flag + '\n'

song_flag_hunters = secret_intro + \
'''

[REFRAIN]
We're flag hunters in the ether, lighting up the grid,
No puzzle too dark, no challenge too hid.
With every exploit we trigger, every byte we decrypt,
We're chasing that victory, and we'll never quit.
CROWD (Singalong here!);
RETURN

[VERSE1]
Command line wizards, we're starting it right,
Spawning shells in the terminal, hacking all night.
Scripts and searches, grep through the void,
Every keystroke, we're a cypher's envoy.
Brute force the lock or craft that regex,
Flag on the horizon, what challenge is next?

REFRAIN;
```

```

No puzzle too dark, no challenge too hid.
With every exploit we trigger, every byte we decrypt,
^C

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[14] flaghunters]
$ nano lyric-reader.py

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[14] flaghunters]
$ nc xebec.cylabacademy.net 36370
Command line wizards, we're starting it right,
Spawning shells in the terminal, hacking all night.
Scripts and searches, grep through the void,
Every keystroke, we're a cypher's envoy.
Brute force the lock or craft that regex,
Flag on the horizon, what challenge is next?

We're flag hunters in the ether, lighting up the grid,
No puzzle too dark, no challenge too hid.
With every exploit we trigger, every byte we decrypt,
We're chasing that victory, and we'll never quit.
Crowd: S;RETURN 0

Echoes in memory, packets in trace,
Digging through the remnants to uncover with haste.
Hex and headers, carving out clues,
Resurrect the hidden, it's forensics we choose.
Disk dumps and packet dumps, follow the trail,
Buried deep in the noise, but we will prevail.

We're flag hunters in the ether, lighting up the grid,
No puzzle too dark, no challenge too hid.
With every exploit we trigger, every byte we decrypt,
We're chasing that victory, and we'll never quit.
Crowd: S
Pico warriors rising, puzzles laid bare,
Solving each challenge with precision and flair.
With unity and skill, flags we deliver,
The ether's ours to conquer, academy{70637h3r_f0r3v3r_ee47a5df}

```

Flag: academy{70637h3r_f0r3v3r_ee47a5df}

TRANSFORMATION

Link: <https://learn.cylabacademy.org/library/104>

Memecahkan algoritma perangkat software untuk menemukan kerentanan atau flag yang tersembunyi.

CyLab SECURITY ACADEMY

Dashboard Resources Learn Classroom Events

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

Flag Hunters

by syreal

Easy

picoCTF 2025

Secure Password Database

Reverse Engineering

Bypass Me

Reverse Engineering

Autoirev 1

Reverse Engineering

by Prince Niyonshuti N.

by SkruoLawa

Transformation

Reverse Engineering Easy

by macStacks picoCTF 2021

I wonder what this really is... **enc**

```
''.join([chr((ord(flag[i]) << 8) + ord(flag[i + 1])) for i in range(0, len(flag), 2))
```

HINTS

You may find some decoders online

FLAG

Submit

debug info: (u:1148762 s: p: a:104 (300702)

Bookmark 77,311 65%

Open in Workspace

```
(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[15] transformation]
$ wget https://challenge-files.cylabacademy.net/library/dc17749d8d457a4caa6caa09c664f5143959611291adc36e2fac64193d1472f9/enc
--2026-09-26 18:57:22-- https://challenge-files.cylabacademy.net/library/dc17749d8d457a4caa6caa09c664f5143959611291adc36e2fac64193d1472f9/enc
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.73, 18.67.175.86, 18.67.175.95, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)[18.67.175.73]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 57 [application/octet-stream]
Saving to: 'enc'

enc                               100%[=====] 57 --.-KB/s in 0s


2026-09-26 18:57:23 (5.52 MB/s) - 'enc' saved [57/57]

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[15] transformation]
$ ls
enc

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[15] transformation]
$ file enc
enc: Unicode text, UTF-8 text, with no line terminators

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[15] transformation]
$ cat enc
憤慫駭禍ㄣ形棉穉精獵ㄣ搜涼踴強恁牠ㄣ敲

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[15] transformation]
$
```



Flag: academy{16_bits_inst34d_of_8_790ba37e}

Referensi: <https://gchq.github.io/CyberChef>

KATEGORI CRYPTOGRAPHY

HASHCRACK

Link: <https://learn.cylabacademy.org/library/475>

Memecahkan tiga jenis hash kata sandi yang lemah (MD5, SHA-1, dan SHA-256) menggunakan tools decoder untuk mendapatkan flag.

CyLab

SECURITY ACADEMY

Dashboard

Resources

Learn

Classroom

Events

>

SA

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

StegoRSA

by Yanaya Meddy

Easy

pic0CTF 2026

EVEN RSA CAN BE BROKEN???

by Michael Crotty

hashcrack

Cryptography Easy

by Nana Ama Atombi-Sackey · pic0CTF 2025

A company stored a secret message on a server which got breached due to the admin using weakly hashed passwords. Can you gain access to the secret stored within the server? Access the server using `nc xebec.cy1abacademy.net 38061`

INSTANCE

Expires in 14:04

Restart Instance

HINTS

1 Understanding hashes is very crucial. [Read more here](#).

2 Can you identify the hash algorithm? Look carefully at the length and structure of each hash identified.

3 Tried using any hash cracking tools?

Bookmark

50,382

96%

Open in Workspace

(zvk@Boeing-737)~/.Documents/Weekly-CTF-CyberSec-TecArt/week1/[16] hashcrack

\$ nc xebec.cy1abacademy.net 38061

Welcome!! Looking For the Secret?

We have identified a hash: 482c811da5d5b4bc6d497ffa98491e38

Enter the password for identified hash: |



TOOL CATEGORIES

HTML Formatter

CSS Formatter

JavaScript Formatter

MD5 Encrypt/Decrypt

SHA1 Encrypt/Decrypt

SHA224 Encrypt/Decrypt

SHA256 Encrypt/Decrypt

SHA384 Encrypt/Decrypt

SHA512 Encrypt/Decrypt

JWT Encoder/Decoder

JSON Tree Viewer

Color Tools

Social Media Tools

Miscellaneous Tools

MD5 Encrypt/Decrypt

Share

Add to Favs

Report Bug

Encrypter

Decrypter

MD5 Hash

482c811da5d5b4bc6d497ffa98491e38

>>

Text

password123

Elapsed Time: 0.251s

Trial Count: 469

Decryption Settings >

Decrypt >

Reset

Copy

MD5 is a one-way hashing algorithm. There is no direct method for MD5 decryption. MD5 is decrypted by using Trial & Error methodology. It may take some time if either the text that will be decrypted or the character set that will be used for decryption is long.

Note: This service is used for educational purposes or in security research to demonstrate the importance of strong encryption.

Comments



Comment



TOOL CATEGORIES

HTML Formatter

CSS Formatter

JavaScript Formatter

MD5 Encrypt/Decrypt

SHA1 Encrypt/Decrypt

SHA224 Encrypt/Decrypt

SHA256 Encrypt/Decrypt

SHA384 Encrypt/Decrypt

SHA512 Encrypt/Decrypt

JWT Encoder/Decoder

JSON Tree Viewer

Color Tools

Social Media Tools

Miscellaneous Tools

SHA1 Encrypt/Decrypt

Share

Add to Favs

Report Bug

Encrypter

Decrypter

SHA1 Hash

b7a875f1ea228b9061041b7cec4bd3c52ab3ce3

>>

Text

letmein

Elapsed Time: 0.21s

Trial Count: 192

Decryption Settings >

Decrypt >

Reset

Copy


SHA1 is a one-way hashing algorithm. There is no direct method for SHA1 decryption. SHA1 is decrypted by using Trial & Error methodology. It may take some time if either the text that will be decrypted or the character set that will be used for decryption is long.

Note: This service is used for educational purposes or in security research to demonstrate the importance of strong encryption.

Comments



Comment



```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[16] hashcrack]
$ nc xebec.cylabacademy.net 38061
Welcome!! Looking For the Secret?

We have identified a hash: 482c811da5d5b4bc6d497ffa98491e38
Enter the password for identified hash: password123
Correct! You've cracked the MD5 hash with no secret found!

Flag is yet to be revealed!! Crack this hash: b7a875fc1ea228b9061041b7cec4bd3c52ab3ce3
Enter the password for the identified hash: letmein
Correct! You've cracked the SHA-1 hash with no secret found!

Almost there!! Crack this hash: 916e8c4f79b25028c9e467f1eb8eee6d6bbdff965f9928310ad30a8d88697745
Enter the password for the identified hash: qwerty098
Correct! You've cracked the SHA-256 hash with a secret found.
The flag is: academy{UseStr0nG_h@shEs_&PaSswDs!_6bbfe014}

(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[16] hashcrack]
$
```

Flag: academy{UseStr0nG_h@shEs_&PaSswDs!_6bbfe014}

Referensi: <https://10015.io/tools/>

Link: <https://learn.cylabacademy.org/library/62>

Memecahkan sebuah teks terencode sederhana dengan menerapkan metode rotasi alfabet tradisional bernama ROT13 untuk mendapatkan kode flag.

CyLab
SECURITY ACADEMY

DashboardResourcesLearnClassroomEvents

SA

Challenge Lib

Progress Tracker

Search

Hide Solved

StegoRSA
by Yahaya Meedy
Easy
picoCTF 2026

EVEN RSA CAN BE
BROKEN???

13

CryptographyEasy
by Alex Fulton/Daniel Tunitis · picoCTF 2019

Cryptography can be easy, do you know what ROT13 is? `npnqrz1{abg_gbb_onq_bs_n_ceboyrz}`

HINTS

1 This can be solved online if you don't want to do it by hand!

FLAG

...

Submit

debug info: {u:1148752 e: 0:62 t:299955}

Bookmark113,48688%Open in Workspace

Cryptography

interencdec
by NGIRIMANA Schadrack

Cryptography

Mod 26
by Pandu

Cryptography

GNU nano 9.0script.py *

import codecs

msg = "npnqrz1{abg_gbb_onq_bs_n_ceboyrz}"

decode = codecs.decode(msg, 'rot_13')

print(decode)

HelpExit

Write OutRead File

Where IsReplace

CutPaste

ExecuteJustify

LocationGo To Line

```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[17] 13]
$ nano script.py

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[17] 13]
$ python script.py
academy{not_too_bad_of_a_problem}

(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[17] 13]
$ |
```

Flag: academy{not_too_bad_of_a_problem}

MOD 26

Link: <https://learn.cylabacademy.org/library/2>

Memecahkan sebuah teks terencode sederhana dengan menerapkan metode rotasi alfabet tradisional bernama ROT13 untuk mendapatkan kode flag.

Dashboard
Resources
Learn
Classroom
Events

SA

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

StegoRSA

by Yahaya Meedy

Easy

picoCTF 2026

EVEN RSA CAN BE BROKEN???

by Michael Crotty

interencdec

by NGIRIMANA Schadrack

Mod 26

by Pandu

Mod 26

Cryptography Easy

by Pandu · picoCTF 2021

Cryptography can be easy, do you know what ROT13 is? [values.txt](#)

HINTS

1 This can be solved online if you don't want to do it by hand!

FLAG

...

Submit

Bookmark

319,932

93%

Open in Workspace

debug info: (u:1148752 e: p: 144 i:302564)

```

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ wget https://challenge-files.cylabacademy.net/library/fc427fb225d9657be0340ed4901b3d535daba7ded16c4413818cd252a04b0b89/values.txt
--2026-09-27 17:19:46-- https://challenge-files.cylabacademy.net/library/fc427fb225d9657be0340ed4901b3d535daba7ded16c4413818cd252a04b0b89/values.txt
Resolving challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)... 18.67.175.73, 18.67.175.95, 18.67.175.86, ...
Connecting to challenge-files.cylabacademy.net (challenge-files.cylabacademy.net)|18.67.175.73|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 55 [application/octet-stream]
Saving to: 'values.txt'

values.txt          100%[=====]          55 --.-KB/s    in 0s

2026-09-27 17:19:47 (3.43 MB/s) - 'values.txt' saved [55/55]

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ file values.txt
values.txt: ASCII text

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ cat values.txt
npnqrzl{arkg_gvzr_V'yy_gel_2_ebhaqf_bs_ebg13_5p5s5o36}

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ nano script.py

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ nano script.py

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[18] mod26]
$ python script.py
academy{next_time_I'll_try_2_rounds_of_rot13_5c5f5b36}

```

```
GNU nano 9.0 script.py
import codecs

msg = "nqnqrz1{arkg_gvzr_V'yy_gel_2_ebhaqf_bs_ebg13_5p5s5o36}"
decode = codecs.decode(msg, 'rot_13')
print(decode)
```

[Read 5 lines]

^G Help	^O Write Out	^F Where Is	^K Cut	^T Execute	^C Location
^X Exit	^R Read File	^_\ Replace	^U Paste	^J Justify	^/ Go To Line

Flag: academy{next_time_I'll_try_2_rounds_of_rot13_5c5f5b36}

INTERENCDEC

Link: <https://learn.cylabacademy.org/library/418>

Menemukan flag dengan melakukan decode teks berformat Base64 beberapa kali, kemudian memecahkan teks hasil akhirnya menggunakan metode Caesar Cipher.



CyLab
SECURITY ACADEMY

Dashboard

Resources

Learn

Classroom

Events

>

SA

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

StegoRSA

by Yanaya Meddy

Easy

picoCTF 2026

EVEN RSA CAN BE
BROKEN???

by Michael Crotty

interencdec

Cryptography Easy

by NGIRIMANA Schadrack · picoCTF 2024

Can you get the real meaning from this file.

Download the file [here](#).

HINTS

1  Reveal hint

FLAG

...

Submit

debug info: {u:1148762 e: p: c:418 i:298838}

base64 browser_webshell_solvable caesar

 Bookmark

 64,427

 90%

 Open in Workspace

Open Workspace →

ents

Cryptography

key

96% 50,383 solves

Cryptography

```
GNU nano 9.0 script.py *
import base64

msg = "aGpoa2x0ZntqaGx6aHlfazNqeTL3YTNrXzk5NDhrbWgyfQ=="
decode = base64.b64decode(msg)
print(decode)

^G Help      ^O Write Out  ^F Where Is   ^K Cut        ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^\ Replace    ^U Paste      ^J Justify    ^_ Go To Line  M-E Redo

(zvk@Boeing-737) ~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[19] interencdec
$ nano script.py

(zvk@Boeing-737) ~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[19] interencdec
$ python script.py
b'b'aGpoa2x0ZntqaGx6aHlfazNqeTL3YTNrXzk5NDhrbWgyfQ=='\n'

(zvk@Boeing-737) ~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[19] interencdec
$ nano script.py

(zvk@Boeing-737) ~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[19] interencdec
$ python script.py
b'hjhkltf{jhlzhy_k3jy9wa3k_9948kmh2}'

(zvk@Boeing-737) ~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[19] interencdec
$
```

Caesar cipher: Encode and decode online

Method in which each letter in the plaintext is replaced by a letter some fixed number of positions down the alphabet. The method is named after Julius Caesar, who used it in his private correspondence.

Trifid cipher Morse code to text Alphabetical substitution Beaufort cipher Hex to ascii85

Open in **ciphereditor**

Flag: academy{caesar_d3cr9pt3d_9948dfa2}

Referensi: <https://cryptii.com/pipes/caesar-cipher/>

KATEGORI FORENSIC

CANYOUSEE

Link: <https://learn.cylabacademy.org/library/408>

Memeriksa metadata dari sebuah file gambar JPG normal guna menemukan dan mendekode kode Base64 yang menyembunyikan flag

Dashboard

Resources

Learn

Classroom

Events

SA

Challenge Lib

Progress Tracker

Search

Hide Solved

Binary Digits

Flag in Flame

CanYouSee

Forensics Easy

by Mubarak Mikail · picoCTF 2024

How about some hide and seek?

Download this file [here](#)

HINTS

1 How can you view the information about the picture?

2 If something isn't in the expected form, maybe it deserves attention?

FLAG

Submit

bookmark 47,798 94%

Open in Workspace

Open Workspace

ents

ight Forensics

95% 33,606 solves

Forensics

```

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ explorer.exe .

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ exiftool ukn_reality.jpg
ExifTool Version Number      : 13.55
File Name                    : ukn_reality.jpg
Directory                   : .
File Size                    : 2.3 MB
File Modification Date/Time  : 2026:09:23 13:17:47+08:00
File Access Date/Time       : 2026:09:27 18:45:26+08:00
File Inode Change Date/Time  : 2026:09:27 18:45:09+08:00
File Permissions             : -rw-r--r--
File Type                    : JPEG
File Type Extension          : jpg
MIME Type                    : image/jpeg
JFIF Version                 : 1.01
Resolution Unit              : inches
X Resolution                  : 72
Y Resolution                  : 72
XMP Toolkit                  : Image::ExifTool 12.76
Attribution URL              : YWnhZGVteXtNRTc0RDQ3QV9ISUREM05fYTgxZDk0MzF9Cg==
Image Width                  : 4308
Image Height                  : 2875
Encoding Process              : Baseline DCT, Huffman coding
Bits Per Sample               : 8
Color Components              : 3
Y Cb Cr Sub Sampling         : YCbCr4:2:0 (2 2)
Image Size                   : 4308x2875
Megapixels                   : 12.4

(zvk@Boeing-737)-[~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$

```



```
File Type           : JPEG
File Type Extension : jpg
MIME Type           : image/jpeg
JFIF Version        : 1.01
Resolution Unit      : inches
X Resolution         : 72
Y Resolution         : 72
XMP Toolkit          : Image::ExifTool 12.76
Attribution URL     : YWNhZGVteXtNRTc0RDQ3QV9ISUREM05fYTgxZDk0MzF9Cg==
Image Width          : 4308
Image Height         : 2875
Encoding Process     : Baseline DCT, Huffman coding
Bits Per Sample      : 8
Color Components     : 3
Y Cb Cr Sub Sampling : YCbCr4:2:0 (2 2)
Image Size           : 4308x2875
Megapixels           : 12.4
```

```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ echo "YWNhZGVteXtNRTc0RDQ3QV9ISUREM05fYTgxZDk0MzF9Cg==" | base64 -d
academy{ME74D47A_HIDD3N_a81d9431}
```

```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ nano script.py
```

```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ nano script.py
```

```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$ python script.py
b'academy{ME74D47A_HIDD3N_a81d9431}\n'
```

```
(zvk@Boeing-737) - [~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[20] canyousee]
$
```

Flag: academy{ME74D47A_HIDD3N_a81d9431}

VERIFY

Link: <https://learn.cylabacademy.org/library/450>

Memeriksa metadata dari sebuah file gambar JPG normal guna menemukan dan mendekode kode Base64 yang menyembunyikan flag

CyLab
SECURITY ACADEMY

DashboardResourcesLearnClassroomEvents

>_⚙️SA

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

Binary Digits
by Yahaya Meddy

Easy

picoCTF 2026

Flag in Flame
by Prince Niyonshuti N.

Easy

Verify

Forensics Easy

by Jeffery John · picoCTF 2024

People keep trying to trick my players with imitation flags. I want to make sure they get the real thing! I'm going to provide the SHA-256 hash and a decrypt script to help you know that my flags are legitimate. `ssh -p 40829 ctf-player@xobec.cylabacademy.net`

Using the password `8d1db23b`. Accept the fingerprint with `yes`, and `ls` once connected to begin. Remember, in a shell, passwords are hidden!

Checksum: `f6f0ad659940b7235f39f88d3168a6586645fb8f59a95b7f497c5c55a68f59af`

To decrypt the file once you've verified the hash, run `./decrypt.sh files/<file>`.

INSTANCE ⓘ

Expires in 13:26 Restart Instance

HINTS ⓘ

Bookmark 62,448 87%

Open in Workspace

Open Workspace →

Forensics

13:27

```
ctf-player@academy-chall$ ls
checksum.txt  decrypt.sh  files
ctf-player@academy-chall$ cat checksum.txt
f6f0ad659940b7235f39f88d3168a6586645fb8f59a95b7f497c5c55a68f59af
ctf-player@academy-chall$ sha256sum files
sha256sum: files: Is a directory
ctf-player@academy-chall$ sha256sum files/
sha256sum: files/: Is a directory
ctf-player@academy-chall$ cd files/
ctf-player@academy-chall$ ls
0EJ3ydrj  60EB2DzZ  AYmYzV1Z  Fn18Ilyy  LfTtKqeLs  QJEGVebD  WHqQV7dY  bQzTy90R  hYyDokI9  oIqekiD9  vQ3MNoQ5
0MsIJXcC  69h9eRfC  AfWXR1la  FnaVTww7  LHNe5zjL  QcBw9GrA  WNkuDhoR  bTOEvkab  hnk5Q3Gn  oMbPsCXG  vXRCGYPy
0ccELypa  6PaYAtqf  AiblteOZ  GMXeYmFC  MAj9vf0G  QkPyxy4P  WutPEafQ  bcfV94Tg  hrnedFHe  odDkI724  vh7sXtBo
0hCurQJd  6PbvKILN  B0w0F2Z0  GUeRYKU1  MWZH7hju  QLAqJ2bX  Wyo0muw5  bognnIiN  i5pu679E  og00KjnP  vLU75RcP
0sXUeavl  6SNQjpIQ  BV8NJQG5  GnZCsrrI  MZix9mF2  Qlkdl3kM  X5Ky2FZ9  brnUWNyo  i8jNLYF1  p4BUMBv1  w7MiIomN
1HrWUyD2  6i2tjdgQ  BZ11h1jV  GtoLU0GY  MoEm14IF  QrguWfAS  XJoStqR  btKiGMI5  iBvhHB3p  pJ4aKEBn  wSaaKjEq
1Wd8mh43  6oGhs6uk  Beel6GF5  H9vNdH19  MwybMmnH  R2PLzxxr  Y0t5TYi4  c0SRRyao  iBzptCZ2  pdwE6KoN  wni506sb
1ct0dTTq  6rDSWksc  BqnfILgN  HUqYTNls  N0NY8aGU  RFsqPh1I  YLiKY73p  cmVauRQ7  ifa4P4tj  q6nvvyLo  wr5xaPRh
2Bqh9vHj  7005uAQc  C6owVevg  HV2Z17QE  NC0uI7uL  RXg9TLqR  YNith7NR  dSUWeMIc  iznfHlwT  qMayOSzi  wrJLCrJY
2NJduDkz  7Bwy09dZ  CKKw9TOh  HJjKQqP0  NMG2PkGW  Ri7Yk7WR  Z4wC2Btc  djT0eEHl  jPY3qwJG  qTzE1L2r  xAAK9loE
2W9mnXzt  7EGYFKDB  CaKS09Tw  HvB4gTJO  NUznB48e  RqJExTqj  ZDcYnwrB  dttz86h8  jVIyybKR  qckS6hA6  xVS7Skku
2luQkGk5  7J48ly07  CJyZkMQP  HxroT9eS  NwcEcXfo  Ruuv5H76  ZEQUWU2un  e2eDSpu7  juPwsPpH  rBN7cMpU  xVer8qv2
3VbKwml5  7ReJxPS9  CvXiUouk  I8dhXBoy  NdISdPCC  S4E0eH63  ZJt0GVLp  e9gJtCMI  k7lQuZmu  rJYScEkz  xcdJIHgt
3hXuLfWu  7Ll5TszY  D0U0ZpYd  IInUMPOq  NhHudEa6  S0uR80Z4  ZVCAJoBZ  eRrxpKZB  k7b7aZXs  r0Doo6ax  xJL1CGw0
45qU6bpF  8CXVqVjk  DArpJt8e  IKWuLqmn  NynS5E15  SXdl7fXN  ZVNNwE0e  euwxl44L  kBccV5xU  rU2I0g4Q  xlpSaVj
4A7INTsP  8DKtJ3w1  DRfz6ATf  IQSVbKbX  OGZ86QXC  SoI0pSoc  Zm6Dchbv  fGwzCFSh  kf3MrJzQ  re5pQ07b  y2ZlpdKR
4I2oMk2U  8E8fSpJf  Dmv4KBUQ  IURhJX8X  Om4rkniU  Sosa8AMX  ZzVgJyfm  fNmWt7pL  kfXTxEaE  reZaF5e8  y9M7Wuyi
4UfRuRNV  8FNQy9Cy  DpJoZUPb  Im76k8JE  OnS0FKJH  T07Zo9w3  a1859a21  fPsYBMrR  lJEgrWKv  risRNhNd  z2TuWkth
4a672rIY  8QZwrzp9  DwXbDEwQ  Is1rWNDB  P7QnDvAN  TtoeZvcz  a8SZPcts  fWSJth5d  lKhmqhIu  s5ANMRyB  zCLRQTxs
4fBp4hML  8RBIEQW9  Dx4w3A08  JOyRh9BL  PMEmUZmX  U00ozBxE  aHwbjyH4  fysMC5HJ  LLUNVfBA  sqp0wmle  zK7Yak9c
4kZ8Z2p7  90RwvPII  E09ymUtK  JgmWCVKU  PSgOZJ7b  U18yU1Fs  aMP11V0o  g0gk2AwI  lwNX8I4v  t0zXtE2Q  zqgBRy12
50VNIp64  94ySIEA8  EI3CUNSX  JhFXauWZ  PY0F0B0S  UNBIYVDJ  aWw5JJEL  g9imMW7a  mmLFoDQF  tLfaSPev  thWU000V
510RBN80  9GumxUOE  EYL34IJV  K3xXcm9Z  PivbbyD6  UWzXUr7b  al6VhkiZ  gJc1iomL  mwrF6Dwa  thWU000V
```

```
ctf-player@academy-chall$ cd ..
ctf-player@academy-chall$ sha256sum files/*
56782b3a8bebd689147ff5f57a2158bbeacd15b280d0a76c3b63f7563ebc4fe files/0EJ3ydrj
7abfbfb2319274b6b06c1dcd5bc2d64874c3f872ae40c32bfd7a3dcbcb6af489 files/0MsIJXcC
ea101ac2628e970c85edaad2a929b716917607c8e4b5a7206e5ec36314664eea files/0ccELypa
ae37c284d81ed25f15beb103687f4317fc7b78086ea8def905ca6aac6e4815b4a files/0hCurQJd
83e79cfc4fb3e5fbba4eb4ba8695b3df8be38e7c32d436deeb5895065af23da9 files/0sXUeavl
b6f98302914757381fdc38d7a17cb829081fe5255b9dc092304118c0cf9b852f files/1HrWUYd2
55f7ab9ffbc563edf5e3bb7b24f8132d57f7391f46a4c2ca23da83a2efff3c50 files/1WdBMh43
4328d1b3f74a0e5e88665ea72ea0a7335070b34592d822be0c422607f95e004f files/1ct0dTtq
e587e1015f0cf7ac8a1eeec8f504129c83589744eafcfel12da1495d18b00a73 files/2Bqh9vHj
4ac3a80a2a2ced083c91a177c2998ea88c19f1312c58121d8fb1de3affd35cf4 files/2NJuDXkZ
1a6cf0de309a31b75299700bac9ccbb196e24cde7ffdddf9c818e49fa85fd150c files/2W9mnXzt
8a8048840be2854d8a886ac51a90bb804cb61c2476baf0935e4ebdf99572e36f files/2LuQkGk5
d52005ce91bae698ad725cda1837b2f595655c7826b7b45113f07a24f38e0694 files/3VbKwml5
13cb4a200c357bfbe2b6286f7dd4f4b804ab7ac47c0c259e02978e241bc7da021 files/3hXuLfwU
0364f5de2ec33a184ed249a962662e3b52b0d980840c0152018f0da0d61efa66 files/45qU6bpf
4b0b0ac00ed2d53cad167c3cd3477700f646c4bf0a16e340bb92dc940f8ce72b files/4A7INTsP
243c73f993b46aa3ec13f7f9a70764dffd4a3931c8c804a3a632af78e52507873 files/4IToMk2U
49cfel13d595529bcd5a76f69f3da63d4aab74a685faed8e3b47ed329fca97000 files/4UfRuRNV
802ef0d79950ddfbdb6c6f29dc394e53ca67ee81828b257c6a895432bcc7142 files/4a672rIY
6f7674a534bd99f9e1d1a5b587d101b79d627bdc5113de798adcd22252d4c585 files/4fBp4hML
328d1bd9711fb3dc09c1e30b3070425ba397046c5ccada7e696a7e6f1f59001 files/4kZ8Z2p7
11fb650f04afde347c3cdf361d55c3bcfe1aea842c6343f4580cd413d9d0dbe files/50VNIP64
6d6bea5d5978d9009f6e86470848a3dffe7051da227cc4168664b6bfff437c563 files/51ORBN80
b0d56a6398fc6fea55e3b15f07beca70bf9ea064f5925f4474f72b9ad94c5ed files/51zTzURB
5e1c834495a5491ad1d2152cc4b1a8721773f35c3f5b2298166dd102566d8555 files/57vzGzFJ
c1563e6ee89f44e0a4efb1c34205862a2974e829e6a74422e09c5fab2f59cb4cf files/5LvEc6VF
93fb1cb266d8d4226ba12a226cec841d09fdeabd87b2f28742fe6b48428b8fc files/5MXijbwP
ea7d8d3902aa2ed01cdd6e7b71e9c512408acad37759fe80975adc0edeceaa54d files/5QYqXve5
4f3858be4700a2b80a1b8717177b4b92dea9df281c557aca91caf2103768ff6a5 files/60EB2DzZ
1623689c3dbdf893080e2ae6719050643d91c6b8db976ec8a6294a703923ee77 files/69h9eRfC
b700a0b94770134554f7306144f25ef9f95557e9a270d2763390b8e2a036e7baf files/6PaYATqf
6f37c5f096b97073b7d711412ea089785f3aff2c40ad47b400eda2f2916e91fa files/6PbvKILN

850856e570b6d87ff55da3b8ef894c7429bb8bad19b433e81198b00c701c6f49 files/u9j0FX13
902bb3a6831c14770932685369c3352f7dcb8a55659ac4abf991f8a0ecf98076 files/uFFJN2tQ
f303f37b77b849766539c0321a99a0678a89b09ba238ee449cc3fac8641a03cf files/uMnDsTf8
2c113656a5097aed85da9078d90451fb2ceb6cb01ff3917a5d6d8db9332c9ea files/vAsWQmAY
096d03a020c06a1b887de4915b5a8af9b68caf988aa102ad2a17ad015a13c49 files/vIOdnBC
9d499edd51bbb4878adb318701272c6cd96989a6fff353b4e077345c21af9d747 files/vQ3MNoQ5
d0b7b8ec37b74cfa3ba5067b2b3fd643955c7ebbf3942f91dfaf781d87ba68b5 files/vXRCGYPy
85a462484a1c6120505f1de3da4bf950e5aa550c0411440003fa37297e7224540 files/vh7sXtBo
bef99413a9c480fe488b79e809ff84110f02f30673b65bb13b47e49a86bd48ae files/vLU75RcP
ee16d33feb9057ec206e8c940a746380270e2dc8d263509f329c4286b0e732c8 files/w7MiIomN
54f074ea22b5f1010e4c5dbfd76d123539b4e90c185354b1c409dda0bba221a5 files/wSaaKjEq
03c2a4cd7a1146652b169e733f148020cbd8310db9392e384b430c06d92827af files/wni506sb
0e0b2d8ac9ce0ab9c3918d066e8f689e31771333e9e6461bb7ac64accc49035 files/wr5xaPRh
91a1601a2f6e602c4537f52c486b463e8af9ba928df06f43ca45d95b7a20d7ae files/wrJLCrJY
bf9e4684d308ae3325244512a38388fa2967f36d02fb19b7b940ab555cf7a1907 files/xAAK9loE
98db5943e1bf216f37c436b3c2ebe252178e7ca892c1714e0ec0f03f7a9d1c7b files/xVS7SkkU
d173db5e322269548e13f2afd8d24d25369a86ee4d71f0247e814d205d81a72 files/xVer8qv2
10a8cca0f66e07fe7bab37a6c5bedfa7bcee2407501418560bf43dc3301a484c files/xcdJIHgt
3adbefac2903c821315871312688d2a4dc2f6f21c560beb17e3da2ed71e889c9 files/xjL1CGw0
1e2b8f3c5afac536f7cbbecbaadea60aed0cc90fbb36a358dc40f484edf75b files/xLxpSavj
43c5c608977bf307c6c9da5b77a5777136dbe3661372da20598fee7dc7fd5b50 files/y2ZLpdKR
55b545e8fc5a80f1a142019c85eb329a985cddca20994d6ee4924494e76be742 files/y9M7Wuyi
9c53641c711ebad3561a414e43b0f5ec8b4728afdac431f33a396c31bbbd5413 files/z2TuWkth
d016fae25916aa991f5ff990199acb1f4c86e848003438361395fcff906ac927 files/zCLRQTx5
2b4e1a430ad6152c9735158ace9259c2a4e1625e6a8c741cecd67e8bd753c0d7 files/zK7YaK9c
99d41aebca9a54f99759df5802a2638635d5dd14fdefbd43a27b1ee502add092 files/zqgBRy12

ctf-player@academy-chall$ sha256sum files/* | grep "f6f0ad659940b7235f39f88d3168a6586645fb8f59a95b7f497c5c55a68f59af"
f6f0ad659940b7235f39f88d3168a6586645fb8f59a95b7f497c5c55a68f59af files/a1859a21
ctf-player@academy-chall$ ./decrypt.sh files/a1859a21
academy{trust_but_verify_a1859a21}
ctf-player@academy-chall$ |
```

Flag: academy{trust_but_verify_a1859a21}

HIDDEN IN PLAINSIGHT

Link: <https://learn.cylabacademy.org/library/524>

Menganalisis metadata gambar menggunakan tools seperti ExifTool, mengekstrak petunjuk berbasis Base64, lalu menggunakan tool steganografi seperti Steghide untuk mengeluarkan flag.

CyLab

SECURITY ACADEMY

Dashboard

Resources

Learn

Classroom

Events

>

SA

Challenge Lib

Progress Tracker

Search

Search challenges...

Hide Solved

Binary Digits

by Yahaya Meddy

Easy

picoCTF 2026

Flag in Flame

by Prince Niyoshurt N.

Hidden in plaintext

Forensics

Easy

by Yahaya Meddy · picoMini by CMU-Africa

You're given a seemingly ordinary JPG image. Something is tucked away out of sight inside the file. Your task is to discover the hidden payload and extract the flag. Download the jpg image [here](#) ↗

HINTS 1

1 Download the jpg image and read its metadata

FLAG 1

...

Submit

debug info: [u:1148762 e: p: c:524 i:293618]

browser_webshell_solvable

Bookmark

33,609

95%

Open in Workspace


Open Workspace →

ents

sight Forensics

95% 33,609 solves

Forensics



```
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ echo "c3RLZ2hpZGU6Y0VGNmVuZHZjbVE9" | base64 -d
steghide:cEF6endvcmQ=
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ echo "cEF6endvcmQ=" | base64 -d
pAzzword
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ steghide --info img.jpg
"img.jpg":
  format: jpeg
  capacity: 4.0 KB
Try to get information about embedded data ? (y/n) y
Enter passphrase:
  embedded file "flag.txt":
    size: 34.0 Byte
    encrypted: rijndael-128, cbc
    compressed: yes
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ ls
img.jpg
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ steghide extract -sf img.jpg -p pAzzword
wrote extracted data to "flag.txt".
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$ cat flag.txt
academy{h1dd3n_1n_1m4g3_71ae1957}
(zvk@Boeing-737)~/Documents/Weekly-CTF-CyberSec-TecArt/week1/[22] hiddeninplainsight
$
```

Flag: academy{h1dd3n_1n_1m4g3_71ae1957}