beonic

API - Metrics - Counter Data

Beonic Support
1 year ago · Updated

Follow

Architecture	REST
Protocol	HTTPS
Method	GET
Request/Response Format	JSON
Endpoint	Regional
Security	TLS, Basic Authentication
Scope	Metrics

Introduction

This page describes in more detail an API that returns counter data for specific counters. You can find generic information about querying metrics in this article: API - Metrics

Pre-requisites

1. Should have created your API key.
2. Know the counterIds for which data is needed.

Response

- The metrics returned depend on the configured counter. The entire set of metrics that maybe returned are listed on the Metric Definitions page.

Example

The below request is an example of fetching counter data for

- counterId 6980
- date range - 2020-08-13 00:00:00 to 2020-08-13 23:59:59
- resolution - hourly

```
GET /v1/api/accounts/{accountId}/metrics/counters/data?resolution={resolution}&fr

eg:
  GET /v1/api/accounts/8/metrics/counters/data?resolution=hourly&from=2020-08-138

[
  {
    "datetime": "2020-08-13T00:00:00+10:00",
    "keys": [
      {
        "name": "counterId",
        "value": "6980"
      }
    ],
    "fields": [
      {
        "name": "entries",
        "value": "5"
      },
      {
        "name": "exits",
```

```
        "value": "2"
      },
      {
        "name": "occupancy",
        "value": "0.0"
      }
    ]
  },
  {
    "datetime": "2020-08-13T01:00:00+10:00",
    "keys": [
      {
        "name": "counterId",
        "value": "6980"
      }
    ],
    "fields": [
      {
        "name": "entries",
        "value": "10"
      },
      {
        "name": "exits",
        "value": "8"
      },
      {
        "name": "occupancy",
        "value": "3.0"
      }
    ]
  },
  ...,
  ...,
  ...
]
```


Request Notes:

- *key.counterId* can be a comma separated list of multiple counterIds.
- *from* is the start date for the date range. Metrics are returned from the start of that day. (00:00:00)
- *to* is the end date for the date range. Metrics are returned till the end of that day. (23:59:59)
- *resolution* is the resolution for which metrics are needed.

- valid values are - 1Min, 5Min, 15Min, Hourly, Weekly, Daily, Monthly, Yearly.
- Every counter type has a certain resolution and date range that it can support. These limits are specified below.

Response Notes:

For the first entry of the response:-

- Datetime has a value of: 2020-08-13T00:00:00+10:00
- For the first hour, i.e. 00:00:00 until 00:59:59, there were 5 entries and 2 exits.
- The occupancy though, refers to a value at the start of the interval. So, for the given example, at the time 00:00:00, the occupancy was 0 as there was no one in the venue at that time.
- The occupancy of the next hour though, will be 3, that is the entries minus the exits of the previous hour.

Validations:

Roll-up Frequency and Supported date ranges

Rollup Frequency	Supported Date Ranges	Supports Entry-exit counters with derived occupancy
1Min	< 31 days	Yes
5Min	< 31 days	Yes
15Min	< 31 days	Yes
Hourly	< 31 days	Yes
Daily	No Limit	No
Weekly	No Limit	No
Monthly	No Limit	No
Yearly	No Limit	No

Was this article helpful?

✓ Yes ✕ No

0 out of 0 found this helpful

Have more questions? Submit a request

Return to top

Recently viewed articles

Webhook - Receive Visit Events

API - Venues and floors V5

API Retrieve a list of Count Sensors

Related articles

Insights API

API - Portal Deployment

Entity API

API - Live metrics

API - Metrics

Comments

0 comments

Be the first to write a comment.

Beonic English (GB)