

Syntax

Child: >

```
nav>ul>li
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

```
div+p+bq
<div></div>
<p></p>
<blockquote></blockquote>
```

Climb-up: ^

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
<blockquote></blockquote>
</div>
```

Grouping: ()

```
div>(header>ul>li*2>a)+footer>p
<div>
  <header>
    <ul>
      <li><a href=""></a></li>
      <li><a href=""></a></li>
    </ul>
  </header>
  <footer>
    <p></p>
  </footer>
</div>
```

Multiplication: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Item numbering: \$

```
div+div>p>span+em^bq
<div></div>
<div>
  <p><span></span><em></em></p>
<blockquote></blockquote>
  (div>d1>(dt+dd)*3)+footer>p
  <div>
    <d1>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
      <dt></dt>
      <dd></dd>
    </d1>
  </div>
  <footer>
    <p></p>
  </footer>

```

```
ul>li.item$*5
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
</ul>

ul>li.item$@-*5
<ul>
  <li class="item5"></li>
  <li class="item4"></li>
  <li class="item3"></li>
  <li class="item2"></li>
  <li class="item1"></li>
</ul>

p.class1.class2.class3
<p class="class1 class2 class3"></p>
```

Custom attributes

```
p[title="Hello world"]
<p title="Hello world"></p>
```

Text: {}

```
a{Click me}
<a href="">Click me</a>
```

Implicit tag names

```
.class
<div class="class"></div>
```

```
table>.row>.col
<table>
  <tr class="row">
    <td class="col"></td>
  </tr>
</table>
```

HTML

All unknown abbreviations will be transformed to tag, e.g. foo → <foo></foo>.

```
h$[title=item$][Header $]*3
<h1 title="item1">Header 1</h1>
<h2 title="item2">Header 2</h2>
<h3 title="item3">Header 3</h3>

ul>li.item$@3*5
<ul>
  <li class="item3"></li>
  <li class="item4"></li>
  <li class="item5"></li>
  <li class="item6"></li>
  <li class="item7"></li>
</ul>

.title
<div class="title"></div>

td[rowspan=2 colspan=3 title]
<td rowspan="2" colspan="3" title=""></td>

p>{Click }+a{here}+{ to continue}
<p>Click <a href="">here</a> to continue</p>

em>.class
<em><span class="class"></span></em>
```

```
ul>li.item$$$*5
<ul>
  <li class="item001"></li>
  <li class="item002"></li>
  <li class="item003"></li>
  <li class="item004"></li>
  <li class="item005"></li>
</ul>

form#search.wide
<form id="search" class="wide"></form>

[a='value1' b="value2"]
<div a="value1" b="value2"></div>

ul>.class
<ul>
  <li class="class"></li>
</ul>
```

i	Alias of <code>html:5</code> <code><!DOCTYPE html></code> <code><html lang="en"></code> <code><head></code> <code><meta charset="UTF-8" /></code> <code><title>Document</title></code> <code></head></code> <code><body></code> <code></body></code> <code></html></code>	a	<code></code> a:mail <code></code> acronym, acr <code><acronym title="#"></acronym></code> basefont <code><basefont /></code> frame <code><frame /></code> bdo <code><bdo dir="#"></bdo></code> col <code><col /></code> link:print <code><link rel="stylesheet" href="print.css" media="print" /></code> link:rss <code><link rel="alternate" type="application/rss+xml" title="RSS" href="rss.xml" /></code> meta <code><meta /></code> meta:vp <code><meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0, maximum-scale=1.0, minimum-scale=1.0" /></code> script:src <code><script src="#"></script></code> img:sizes, img:z <code></code> source:src, src:sc <code><source src="#" type="#" /></code> source:type, src:t <code><source srcset="#" type="image/" /></code> source:sizes,type, src:zt <code><source sizes="#" srcset="#" type="image/" /></code>	a:link <code></code> abbr <code><abbr title="#"></abbr></code> base <code><base href="#" /></code> br <code>
</code> hr <code><hr /></code> bdo:r <code><bdo dir="rtl"></bdo></code> link <code><link rel="stylesheet" href="#" /></code> link:favicon <code><link rel="shortcut icon" type="image/x-icon" href="favicon.ico" /></code> link:atom <code><link rel="alternate" type="application/atom+xml" title="Atom" href="atom.xml" /></code> meta:utf <code><meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /></code> meta:compat <code><meta http-equiv="X-UA-Compatible" content="IE=7" /></code> style <code><style></style></code> img <code></code> picture <code><picture></picture></code> source:srcset, src:s <code><source srcset="#" /></code> source:sizes, src:z <code><source sizes="#" srcset="#" /></code> source:media:type, src:mt <code><source media="(min-width:)" srcset="#" type="image/" /></code> iframe <code><iframe src="#" frameborder="0"></iframe></code> embed <code><embed src="#" type="#" /></code>
---	--	---	---	--

object	<code><object data="" type="" /></object></code>	param	<code><param name="" value="" /></code>	map	<code><map name="" /></map></code>
area	<code><area shape="" coords="" href="" alt="" /></code>	area:d	<code><area shape="default" href="" alt="" /></code>	area:c	<code><area shape="circle" coords="" href="" alt="" /></code>
area:r		area:p	<code><area shape="poly" coords="" href="" alt="" /></code>	form	<code><form action="" /></form></code>
form:get	<code><form action="" method="get"></form></code>	form:post	<code><form action="" method="post"></form></code>	label	<code><label for="" /></label></code>
input	<code><input type="text" /></code>	inp	<code><input type="text" name="" id="" /></code>	input:hidden, input:h	Alias of <code>input[type=hidden name]</code> <code><input type="hidden" name="" /></code>
input:text, input:t		input:search		input:email	Alias of <code>inp[type=email]</code> <code><input type="email" name="" id="" /></code>
Alias of inp		Alias of <code>inp[type=search]</code>		input:password, input:p	Alias of <code>inp[type=password]</code> <code><input type="password" name="" id="" /></code>
<code><input type="text" name="" id="" /></code>		<code><input type="search" name="" id="" /></code>		input:datetime-local	Alias of <code>inp[type=datetime-local]</code> <code><input type="datetime-local" name="" id="" /></code>
input:datetime		input:date		input:time	Alias of <code>inp[type=time]</code> <code><input type="time" name="" id="" /></code>
Alias of <code>inp[type=datetime]</code>		Alias of <code>inp[type=date]</code>		input:color	Alias of <code>inp[type=color]</code> <code><input type="color" name="" id="" /></code>
<code><input type="datetime" name="" id="" /></code>		<code><input type="date" name="" id="" /></code>		input:range	Alias of <code>inp[type=range]</code> <code><input type="range" name="" id="" /></code>
input:month		input:week		input:image, input:i	<code><input type="image" src="" alt="" /></code>
Alias of <code>inp[type=month]</code>		Alias of <code>inp[type=week]</code>		isindex	<code><isindex /></code>
<code><input type="month" name="" id="" /></code>		<code><input type="week" name="" id="" /></code>		select:disabled, select:d	Alias of <code>select[disabled.]</code> <code><select name="" id="" disabled="" /></select></code>
input:tel		input:number			
Alias of <code>inp[type=tel]</code>		Alias of <code>inp[type=number]</code>			
<code><input type="tel" name="" id="" /></code>		<code><input type="number" name="" id="" /></code>			
input:checkbox, input:c		input:radio, input:r			
Alias of <code>inp[type=checkbox]</code>		Alias of <code>inp[type=radio]</code>			
<code><input type="checkbox" name="" id="" /></code>		<code><input type="radio" name="" id="" /></code>			
input:file, input:f		input:submit, input:s			
Alias of <code>inp[type=file]</code>		<code><input type="submit" value="" /></code>			
<code><input type="file" name="" id="" /></code>		input:button, input:b			
		<code><input type="button" value="" /></code>			
input:reset		select			
Alias of <code>input:button[type=reset]</code>		<code><select name="" id="" /></select></code>			
<code><input type="reset" value="" /></code>					

option, opt	<code><option value=" " > </option></code>	textarea	<code><textarea name=" " id=" " " cols=" 30" rows=" 10" > </textarea></code>	marquee	<code><marquee behavior=" " " direction=" " > </marquee></code>
menu:toolbar, menu:t	Alias of menu[type=toolbar]> <menu type="toolbar"> </menu>	video	<code><video src=" " > </video></code>	menu:context, menu:c	Alias of menu[type=context]> <menu type="context"> </menu>
button:submit, button:s	Alias of button[type=submit] <button type="submit"> </button>	html:xml	<code><html xmlns="http://www.w3.org/1999/xhtml"> </html></code>	audio	<audio src=" " > </audio>
fieldset:disabled, fieldset:d, fset:d, fst:d	Alias of fieldset[disabled.] <fieldset disabled="disabled"> </fieldset>	button:reset, button:r, btn:r	Alias of button[type=reset] <button type="reset"> </button>	keygen	<keygen />
figc	Alias of figcaption <figcaption> </figcaption>	bq	Alias of blockquote <blockquote> </blockquote>	command	<command />
emb	Alias of embed <embed src=" " type=" " />	pic	Alias of picture <picture> </picture>	button:disabled, button:d, btn:d	Alias of button[disabled.] <button disabled="disabled"> </button>
colg	Alias of colgroup <colgroup> </colgroup>	obj	Alias of object <object data=" " type=" " > </object>	fig	Alias of figure <figure> </figure>
optg	Alias of optgroup <optgroup> </optgroup>	fst, fset	Alias of fieldset <fieldset> </fieldset>	ifr	Alias of iframe <iframe src=" " frameborder="0"> </iframe>
art	Alias of article <article> </article>	tarea	Alias of textarea <textarea name=" " id=" " " cols=" 30" rows=" 10" > </textarea>	cap	Alias of caption <caption> </caption>
adr	Alias of address <address> </address>	hdr	Alias of header <header> </header>	btn	Alias of button <button> </button>
		dlg	Alias of dialog <dialog> </dialog>	leg	Alias of legend <legend> </legend>
				sect	Alias of section <section> </section>
				fttr	Alias of footer <footer> </footer>
				str	Alias of strong

prog	Alias of progress <progress> </progress>	mn	Alias of main <main> </main>	tem	Alias of template <template> </template>
datag	Alias of datagrid <datagrid> </datagrid>	data1	Alias of datalist <datalist> </datalist>	kg	Alias of keygen <keygen />
det	Alias of details <details> </details>	cmd	Alias of command <command />	out	Alias of output <output> </output>
doc4	Alias of html>{head>meta[http-equiv="Content-Type" content="text/html; charset=\${{charset}}"]<title \${1:Document}}</body <html> <head> <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" /> <title>Document</title> </head> <body> </body> </html>	ri:dpr, ri:d	Alias of img:s ri:art, ri:a Alias of pic>src:m+img <picture> <source media="(min-width:)" srcset=" " /> </picture>	doc	Alias of html> (head>meta[charset=\${charset}]+title{\${1:Docu ment}})+body <html> <head> <meta charset="UTF-8" /> <title>Document</title> </head> <body> </body> </html>
				ri:viewport, ri:v	
				Alias of img:z ri:type, ri:t Alias of pic>src:t+img <picture> <source srcset=" " type="image/" /> </picture>	

```
html:4t
Alias of !!!4t+doc4[lang=${lang}]
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01
Transitional//EN"
"http://www.w3.org/TR/html4/loose.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

```
html:4s
Alias of !!!4s+doc4[lang=${lang}]
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"
"http://www.w3.org/TR/html4/strict.dtd">
<html lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

```
html:xt
Alias of
!!!xt+doc4[xmlns=http://www.w3.org/1999/xhtml]
xml:lang=${lang}]
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml11-
transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

html:xs

```
Alias of
!!!xs+doc4[xmlns=http://www.w3.org/1999/xhtml]
xml:lang=${lang}]
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0
Strict//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml11-
strict.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

html:xxs

```
Alias of
!!!xxs+doc4[xmlns=http://www.w3.org/1999/xhtml]
1 xml:lang=${lang}]
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.1//EN"
"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  xml:lang="en">
<head>
  <meta http-equiv="Content-Type"
content="text/html; charset=UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

ul+

```
Alias of ul>li
<ul>
  <li></li>
</ul>
```

map+

```
Alias of map>area
<map name=" " >
  <area shape=" " coords=" " href=" " alt=" " />
</map>
```

dl+

```
Alias of dl>dt+dd
<dl>
  <dt></dt>
  <dd></dd>
</dl>
```

html:5

```
Alias of !!!+doc[lang=${lang}]
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <title>Document</title>
</head>
<body>
  </body>
</html>
```

ol+

```
Alias of ol>li
<ol>
  <li></li>
</ol>
```

table+	colgroup+, colg+	tr+
Alias of table>tr>td	Alias of colgroup>col	Alias of tr>td
<table>	<colgroup>	<tr>
<tr>	<col />	<td> </td>
</tr>	</colgroup>	</tr>
</table>		optgroup+, optg+
	select+	Alias of optgroup>option
	Alias of select>option	<optgroup>
	<select name=" " id=" ">	<option value=" "> </option>
	<option value=" "> </option>	</optgroup>
	</select>	!!!4t
pic+	!!!	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN"
Alias of picture>source:srcset+img	<!DOCTYPE html>	"http://www.w3.org/TR/html4/loose.dtd">
<picture>	!!!4s	!!!xt
<source srcset=" " />	<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN"	<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
	"http://www.w3.org/TR/html4/strict.dtd">	"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
</picture>		
	!!!xs	c
	<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"	<!-- \${child} -->
	"http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">	cc:ie6
		<!--[if lte IE 6]>
		\${child}
		<![endif]-->
		cc:noie
		<!--[if !IE]><!-->
		\${child}
		<!--<![endif]-->

CSS

CSS module uses fuzzy search to find unknown abbreviations, e.g. ov:h == ov:h == oh.

If abbreviation wasn't found, it is transformed into property name: foo-bar → foo-bar: |;

You can prefix abbreviations with hyphen to produce vendor-prefixed properties: -foo

Visual Formatting

pos	position: relative;	pos:s	position:static;	pos:a	position:absolute;
t	top: ;	pos:r	position:relative;	pos:f	position:fixed;
r:a	right:auto;	t:a	top:auto;	r	right: ;
l	left: ;	b	bottom: ;	b:a	bottom:auto;
z:a	z-index:auto;	l:a	left:auto;	z	z-index: ;
		fl	float: left;	fl:n	float:none;
fl:r	float:right;		float: right;	fl:l	float:left;
		cl	clear: both;	cl:n	clear:none;

cl:l	clear:left;	cl:r	clear:right;	cl:b	clear:both;
d	display:block;	d:n	display:none;	d:b	display:block;
		d:f	display:flex;	d:if	display:inline-flex;
d:i	display:inline;	d:ib	display:inline-block;	d:li	display:list-item;
d:ri	display:run-in;	d:cp	display:compact;	d:tb	display:table;
d:itb	display:inline-table;	d:tbcp	display:table-caption;	d:tbc1	display:table-column;
d:tbc1g	display:table-column-group;	d:tbtg	display:table-header-group;	d:tbtfg	display:table-footer-group;
d:tbr	display:table-row;	d:tbrg	display:table-row-group;	d:tbc	display:table-cell;
d:rb	display:ruby;	d:rbb	display:ruby-base;	d:rbbg	display:ruby-base-group;
d:rbt	display:ruby-text;	d:rbtg	display:ruby-text-group;	v	visibility:hidden;
v:v	visibility:visible;	v:h	visibility:hidden;	v:c	visibility:collapse;
ov	overflow:hidden;	ov:v	overflow:visible;	ov:h	overflow:hidden;
		ov:s	overflow:scroll;	ov:a	overflow:auto;
ovx	overflow-x:hidden;	ovx:v	overflow-x:visible;	ovx:h	overflow-x:hidden;
		ovx:s	overflow-x:scroll;	ovx:a	overflow-x:auto;
ovy	overflow-y:hidden;	ovy:v	overflow-y:visible;	ovy:h	overflow-y:hidden;
		ovy:s	overflow-y:scroll;	ovy:a	overflow-y:auto;
ovs	overflow-style:scrollbar;	ovs:a	overflow-style:auto;	ovs:s	overflow-style:scrollbar;
ovs:mq	overflow-style:marquee;	ovs:p	overflow-style:panner;	ovs:m	overflow-style:move;
cp:a	clip:auto;	cp:r	clip(rect(top right bottom left));	cp	clip;
		rsz:h	resize:horizontal;	rsz	resize;
rsz:b	resize:both;	cur:a	cursor:auto;	rsz:n	resize:none;
cur	cursor:\${pointer};	cur:ha	cursor:hand;		resize:vertical;
cur:c	cursor:crosshair;	cur:p	cursor:pointer;	cur:he	cursor:default;
cur:m	cursor:move;			cur:t	cursor:help;
Margin & Padding					cursor:text;
m	margin;	m:a	margin:auto;	mt	margin-top;
mt:a	margin-top:auto;	mr	margin-right;	mr:a	margin-right:auto;
mb	margin-bottom;	mb:a	margin-bottom:auto;	ml	margin-left;
ml:a	margin-left:auto;	p	padding;	pt	padding-top;
pr	padding-right;	pb	padding-bottom;	pl	padding-left;
Box Sizing					
bxz	box-sizing:border-box;	bxz:cb	box-sizing:content-box;	bxz:bb	box-sizing:border-box;

bxsh	box-shadow: inset h v blur blur color ; spread rgba(0, 0, 0, .5);	bxsh:r	box-shadow: inset h v blur spread rgba(0, 0, 0, 0);	bxsh:ra	box-shadow: inset h v blur spread rgba(0, 0, 0, .5);
bxsh:n	box-shadow:none;	w	width: ;	w:a	width:auto;
h	height: ;	h:a	height:auto;	maw	max-width: ;
maw:n	max-width:none;	mah	max-height: ;	mah:n	max-height:none;
miw	min-width: ;	mih	min-height: ;		
Font					
f	font: ;	f+	font: 1em Arial,sans-serif ;	fw	font-weight: ;
fw:b	font-weight:bold;	fw:br	font-weight:bold;	fw:n	font-weight:normal;
fs	font-style:italic;	fs:n	font-style:normal;	fw:lr	font-weight:lighter;
fs:o	font-style:oblique;	fv	font-variant: ;	fs:i	font-style:italic;
fv:sc	font-variant:small-caps;	fz	font-size: ;	fv:n	font-variant:normal;
fza:n	font-size-adjust:none;	ff	font-family: ;	fza	font-size-adjust: ;
ff:ss	font-family:sans-serif;	ff:c	font-family:cursive;	ff:s	font-family:serif;
ff:m	font-family:monospace;	ff:a	font-family: Arial, "Helvetica Neue", Helvetica, sans-serif;	ff:f	font-family:fantasy;
ff:v	font-family: verdana, Geneva, sans-serif;	fef	font-effect: ;	ff:t	font-family: "Times New Roman", Times, Baskerville, Georgia, serif;
fef:o	font-effect:outline;	fef:eg	font-effect:engrave;	fef:n	font-effect:none;
femp:b	font-emphasize-position:before;	fem	font-emphasize: ;	fef:eb	font-effect:emboss;
fems:n	font-emphasize-style:none;	femp:a	font-emphasize-position:after;	femp	font-emphasize-position: ;
fems:c	font-emphasize-style:circle;	fems:ac	font-emphasize-style:accent;	fems	font-emphasize-style: ;
fsm:a	font-smooth:auto;	fems:ds	font-emphasize-style:disc;	fems:dt	font-emphasize-style:dot;
fst	font-stretch: ;	fsm:n	font-smooth:never;	fsm	font-smooth: ;
fst:ec	font-stretch:extra-condensed;	fst:n	font-stretch:normal;	fsm:aw	font-smooth:always;
fst:se	font-stretch:semi-expanded;	fst:c	font-stretch:condensed;	fst:uc	font-stretch:ultra-condensed;
fst:ue	font-stretch:ultra-expanded;	fst:e	font-stretch:expanded;	fst:sc	font-stretch:semi-condensed;
Text				fst:ee	font-stretch:extra-expanded;
va	vertical-align: top ;	va:sup	vertical-align:super;	va:t	vertical-align:top;
		va:tt	vertical-align:text-top;	va:m	vertical-align:middle;
va:bl	vertical-align:baseline;	va:b	vertical-align:bottom;	va:tb	vertical-align:text-bottom;
va:sub	vertical-align:sub;	ta	text-align: left ;	ta:l	text-align:left;
				ta:c	text-align:center;

ta:r	text-align:right;	ta:j	text-align:justify;	ta:lst	text-align-last: <input type="text" value="l"/>
tal:a	text-align-last:auto;	tal:l	text-align-last:left;	tal:c	text-align-last:center;
tal:r	text-align-last:right;	td	text-decoration: <input type="text" value="none"/>	td:n	text-decoration:none;
				td:u	text-decoration:underline;
td:o	text-decoration:overline;	td:l	text-decoration:line-through;	te	text-emphasis: <input type="text" value="l"/>
te:n	text-emphasis:none;	te:ac	text-emphasis:accent;	te:dt	text-emphasis:dot;
te:c	text-emphasis:circle;	te:ds	text-emphasis:disc;	te:b	text-emphasis:before;
te:a	text-emphasis:after;	th	text-height: <input type="text" value="l"/>	th:a	text-height:auto;
th:f	text-height:font-size;	th:t	text-height:text-size;	th:m	text-height:max-size;
ti	text-indent: <input type="text" value="l"/>	ti:-	text-indent:-9999px;	tj	text-justify: <input type="text" value="l"/>
tj:a	text-justify:auto;	tj:iw	text-justify:inter-word;	tj:ii	text-justify:inter-ideograph;
tj:ic	text-justify:inter-cluster;	tj:d	text-justify:distribute;	tj:k	text-justify:kashida;
tj:t	text-justify:tibetan;	to	text-outline: <input type="text" value="l"/>	to+	text-outline: <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="#000"/>
to:n	text-outline:none;	tr	text-replace: <input type="text" value="l"/>	tr:n	text-replace:none;
tt	text-transform: <input type="text" value="uppercase"/>	tt:n	text-transform:none;	tt:c	text-transform:capitalize;
		tt:u	text-transform:uppercase;	tt:l	text-transform:lowercase;
tw	text-wrap: <input type="text" value="l"/>	tw:n	text-wrap:normal;	tw:no	text-wrap:none;
tw:u	text-wrap:unrestricted;	tw:s	text-wrap:suppress;	tsh	text-shadow: <input type="text" value="h"/> <input type="text" value="off"/> <input type="text" value="v"/> <input type="text" value="blur"/>
tsh:r	text-shadow: <input type="text" value="h"/> <input type="text" value="v"/> <input type="text" value="blur"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="rgb(0,0,0)"/>	tsh:ra	text-shadow: <input type="text" value="h"/> <input type="text" value="v"/> <input type="text" value="blur"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="rgba(0,0,0,.5)"/>	tsh+	text-shadow: <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="#000"/>
				tsh:n	text-shadow:none;
lh	line-height: <input type="text" value="l"/>	lts	letter-spacing: <input type="text" value="l"/>	lts-n	letter-spacing:normal;
whs	white-space: <input type="text" value="l"/>	whs:n	white-space:normal;	whs:p	white-space:pre;
whs:nw	white-space:nowrap;	whs:pw	white-space:pre-wrap;	whs:pl	white-space:pre-line;
whsc	white-space-collapse: <input type="text" value="l"/>	whsc:n	white-space-collapse:normal;	whsc:k	white-space-collapse:keep-all;
whsc:l	white-space-collapse:loose;	whsc:bs	white-space-collapse:break-strict;	whsc:ba	white-space-collapse:break-all;
wob	word-break: <input type="text" value="l"/>	wob:n	word-break:normal;	wob:k	word-break:keep-all;
wob:ba	word-break:break-all;	wos	word-spacing: <input type="text" value="l"/>	wow	word-wrap: <input type="text" value="l"/>
wow:nm	word-wrap:normal;	wow:n	word-wrap:none;	wow:u	word-wrap:unrestricted;
wow:s	word-wrap:suppress;	wow:b	word-wrap:break-word;		
Background					
bg	background:# <input type="text" value="000"/>	bg+	background: <input type="text" value="#ffff"/> <input type="text" value="url(l)"/> <input type="text" value="0"/> <input type="text" value="0"/> <input type="text" value="0"/>	bg:n	background:none;
			<input type="text" value="no-repeat"/>	bgc	background-color: <input type="text" value="#fff"/>

bgc:t	background-color:transparent;	bgi	background-image:url(l);	bgi:n	background-image:none;
bgr	background-repeat: l ;	bgr:n	background-repeat:no-repeat;	bgr:x	background-repeat:repeat-x;
bgr:y	background-repeat:repeat-y;	bgr:sp	background-repeat:space;	bgr:rd	background-repeat:round;
bga	background-attachment: l ;	bga:f	background-attachment:fixed;	bga:s	background-attachment:scroll;
bgp	background-position: 0 0 ;	bgpx	background-position-x: l ;	bgpy	background-position-y: l ;
		bgbk	background-break: l ;	bgbk:bb	background-break:bounding-box;
bgbk:eb	background-break:each-box;	bgbk:c	background-break:continuous;	bgcp	background-clip: padding-box ;
bgcp:bb	background-clip:border-box;	bgcp:pb	background-clip:padding-box;	bgcp:cb	background-clip:content-box;
bgcp:nc	background-clip:no-clip;	bgo	background-origin: l ;	bgo:pb	background-origin:padding-box;
bgo:bb	background-origin:border-box;	bgo:cb	background-origin:content-box;	bgsz	background-size: l ;
bgsz:a	background-size:auto;	bgsz:ct	background-size:contain;	bgsz:cv	background-size:cover;

Color

c	color:# 000 ;	c:r	color:rgb(0 , 0 , 0);	c:ra	color:rgba(0 , 0 , 0 , .5);
---	----------------------	-----	--	------	---

op

Generated content

cnt	content:' l ';	cnt:n, ct:n	content:normal;	cnt:oq, ct:oq	content:open-quote;
cnt:noq, ct:noq	content:no-open-quote;	cnt:cq, ct:cq	content:close-quote;	cnt:ncq, ct:ncq	content:no-close-quote;
cnt:a, ct:a	content:attr(l);	cnt:c, ct:c	content:counter(l);	cnt:cs, ct:cs	content:counters(l);
ct	content: l ;	q	quotes: l ;	q:n	quotes:none;
q:ru	quotes:'\00AB' '\00BB' '\201E' '\201C';	q:en	quotes:'\201C' '\201D' '\2018' '\2019';	coi	counter-increment: l ;
				cor	counter-reset: l ;

Outline

ol	outline: l ;	ol:n	outline:none;	olo	outline-offset: l ;
olw	outline-width: l ;	olw:tn	outline-width:thin;	olw:m	outline-width:medium;
olw:tc	outline-width:thick;	ols	outline-style: l ;	ols:n	outline-style:none;
ols:dt	outline-style:dotted;	ols:ds	outline-style:dashed;	ols:s	outline-style:solid;
ols:db	outline-style:double;	ols:g	outline-style:groove;	ols:r	outline-style:ridge;
ols:i	outline-style:inset;	ols:o	outline-style:outset;	olc	outline-color:# 000 ;
olc:i	outline-color:invert;				

Tables

tbl	table-layout: l ;	tbl:a	table-layout:auto;	tbl:f	table-layout:fixed;
cps	caption-side: l ;	cps:t	caption-side:top;	cps:b	caption-side:bottom;
ec	empty-cells: l ;	ec:s	empty-cells:show;	ec:h	empty-cells:hide;

Border

bd	border: 1px solid #000;	bd+	border: 1px solid #000;	bd:n	border:none;
bdbk:c	border-break:close;	bdbk	border-break:close;	bdbk	border-break:close;
bdc1:s	border-collapse:collapse;	bdc1	border-collapse:;	bdc1:c	border-collapse:collapse;
	border-collapse:separate;	bdc	border-color:#000;	bdc:t	border-color:transparent;
bdi:n	border-image:none;	bdi	border-image:url(1);	bdi	border-image:url(1);
bdr:i	border-right-image:url(1);	bdr	border-right-image:none;	bdr:n	border-top-image:none;
bdb1:n	border-bottom-image:none;	bdb1	border-left-image:url(1);	bdb1	border-bottom-image:url(1);
bdc1	border-corner-image:url(1);	bdc1:n	border-corner-image:none;	bdc1:c	border-left-image:none;
bdt1	border-top-left-image:url(1);	bdt1	border-top-left-image:none;	bdt1:c	border-corner-image:continue;
bdt1	border-top-right-image:url(1);	bdt1:n	border-top-right-image:none;	bdt1:c	border-top-left-image:continue;
bdb1	border-bottom-right-image:url(1);	bdb1	border-bottom-right-image:none;	bdb1:c	border-top-right-image:continue;
bdb1	border-bottom-left-image:url(1);	bdb1:n	border-bottom-left-image:none;	bdb1:c	border-bottom-right-image:continue;
bdf	border-fit:repeat;	bdf:c	border-fit:clip;	bdf:r	border-bottom-left-image:continue;
bdf:ow	border-fit:overwrite;	bdf:sc	border-fit:scale;	bdf:st	border-fit:repeat;
bdlen	border-length:1px;	bdf:of	border-fit:overflow;	bdf:sp	border-fit:stretch;
bds	border-style:1px;	bdlen:a	border-length:auto;	bds:p	border-fit:space;
bds:dt	border-style:dotted;	bds:n	border-style:none;	bds:h	border-spacing:1px;
bds:db	border-style:double;	bds:ds	border-style:dashed;	bds:s	border-style:hidden;
bds:w	border-style:wavy;	bds:dt	border-style:dot-dash;	bds:dt	border-style:solid;
bds:i	border-style:inset;	bds:g	border-style:groove;	bds:dt	border-style:dot-dot-dash;
bdt, bt	border-top:1px;	bds:o	border-style:outset;	bds:r	border-style:ridge;
		bdt+	border-top:1px solid #000;	bdw	border-width:1px;
bds	border-top-style:1px;	bds:n	border-top-style:none;	bdt:n	border-top:none;
bds:dt	border-top-color:transparent;	bds:ds	border-top-style:dashed;	bdw	border-top-width:1px;
bds:db	border-top-color:none;	bds:dt	border-top-style:dot-dash;	bdtc	border-top-color:#000;
bds:w	border-right:none;	bdr, br	border-right:1px;	bdr+	border-right:1px solid #000;
bds:i	border-right-style:none;	bdrw	border-right-width:1px;	bdrst	border-right-style:1px;
bdrst:n	border-right-color:none;	bdr	border-right-color:#000;	bdr:c	border-right-color:transparent;
		bdrw	border-right-color:#000;	bdb, bb	border-bottom:1px;
bdb+	border-bottom:1px solid #000;	bdb:n	border-bottom:none;	bdbw	border-bottom-width:1px;
		bdb	border-bottom-style:1px;	bdb:n	border-bottom-style:none;
bdbc	border-bottom-color:#000;	bdbc:t	border-bottom-color:transparent;	bd1, b1	border-left:1px;
		bdl+	border-left:1px solid #000;	bd1:n	border-left:none;

bdlw	border-left-width: l ;	bdls	border-left-style: l ;	bdls:n	border-left-style:none;
bdlc	border-left-color:# 000 ;	bdlc:t	border-left-color:transparent;	bdrs	border-radius: l ;
		bdtrrs	border-top-right-radius: l ;	bdtlrs	border-top-left-radius: l ;
bdbrrs	border-bottom-right-radius: l ;	bdblrs	border-bottom-left-radius: l ;		
Lists					
lis	list-style: l ;	lis:n	list-style:none;	lisp	list-style-position: l ;
lisp:i	list-style-position:inside;	lisp:o	list-style-position:outside;	list	list-style-type: l ;
list:n	list-style-type:none;	list:d	list-style-type:disc;	list:c	list-style-type:circle;
list:s	list-style-type:square;	list:dc	list-style-type:decimal;	list:dc z	list-style-type:decimal-leading-zero;
				list	list-style-image: l ;
list:lr	list-style-type:lower-roman;	list:ur	list-style-type:upper-roman;		
list:n	list-style-image:none;				
Print					
pgbb	page-break-before: l ;	pgbb:au	page-break-before:auto;	pgbb:a1	page-break-before:always;
pgbb:l	page-break-before:left;	pgbb:r	page-break-before:right;	pgbi	page-break-inside: l ;
pgbi:au	page-break-inside:auto;	pgbi:av	page-break-inside:avoid;	pgba	page-break-after: l ;
pgba:au	page-break-after:auto;	pgba:a1	page-break-after:always;	pgba:l	page-break-after:left;
pgba:r	page-break-after:right;	orp	orphans: l ;	wid	widows: l ;
Others					
!	!important	@f	@font-face { font-family: l ; src:url(l); }	@f+	@font-face { font-family: 'FontName'; src: url('File l name.eot'); src: url('File l name.eot?#iefix') format('embedded-opentype'), url('File l name.woff') format('woff'), url('File l name.ttf') format('truetype'), url('File l name.svg#FontName') format('svg'); font-style: normal; font-weight: normal; }
@i, @import	@import url(l);				

@kf	@webkit-keyframes { from { } to { } }	@m, @media { }	ac	align-content: ;
			ac:c	align-content:center;
			ac:fe	align-content:flex-end;
			ac:s	align-content:stretch;
			ac:sb	align-content:space-between;
			ai:b	align-items:baseline;
			ai:fe	align-items:flex-end;
			ai:s	align-items:stretch;
			anim-	animation: { name duration delay direction timing-function iteration-count fill-mode };
animdel	animation-delay: {time};	animdir	animdir:a	animation-direction:alternate;
			animdir:ar	animation-direction:alternate-reverse;
animdir:n	animation-direction:normal;	animdur	animdur	animation-duration: {0}s;
animfm	animation-fill-mode: {both};	animfm:bt, animfm:bb	animfm:bt, animfm:bb	animation-fill-mode:both;
animic:i	animation-iteration-count:infinite;	animic	animic	animation-iteration-count: {1};
animps:p	animation-play-state:paused;	animps	animps	animation-play-state: {running};
animtf:cb	animation-timing-function:cubic-bezier({0.1}, {0.7}, {1.0}, {0.1});	animtf	animtf	animation-timing-function: {linear};
		animtf:ei	animtf:ei	animation-timing-function:ease-in;
		animtf:eo	animtf:eo	animation-timing-function:ease-out;
		animtf:l	animtf:l	animation-timing-function:linear;
ap	appearance:\${none};	as:a	as:a	align-self:auto;
as:b	align-self:baseline;	as:fe	as:fe	align-self:flex-end;
as:fs	align-self:flex-start;	bfv	bfv	backface-visibility: ;
bfv:h	backface-visibility:hidden;	bg:ie	bg:ie	filter:progid:DXImageTransform.Microsoft.AlphaImageLoader(src=' {x} .png', sizingMethod=' {crop} ');
cm	/* {child} */	colmc	colmc	column-count: ;
colmf	column-fill: ;	colmr	colmr	column-rule: ;
colmrc	column-rule-color: ;	colmrw	colmrw	column-rule-width: ;
colms	column-span: ;	d:ib+	d:ib+	display: inline-block; *display: inline; *zoom: 1;
fx	flex: ;	fxb	fxb	flex-basis: ;
		fxd	fxd	flex-direction: ;

fxd:c	flex-direction:column;	fxd:cr	flex-direction:column-reverse;	fxd:r	flex-direction:row;
fxd:rr	flex-direction:row-reverse;	fxf	flex-flow: l ;	fxg	flex-grow: l ;
fxsh	flex-shrink: l ;	fxw	flex-wrap: l ;	fxw:n	flex-wrap:nowrap;
fxw:w	flex-wrap:wrap;	fxw:wr	flex-wrap:wrap-reverse;	jc	justify-content: l ;
jc:c	justify-content:center;	jc:fe	justify-content:flex-end;	jc:fs	justify-content:flex-start;
jc:sa	justify-content:space-around;	jc:sb	justify-content:space-between;	mar	max-resolution: res ;
mir	min-resolution: res ;	op+	opacity: l ;	op:ie	filter:progid:DXImageTransform.Microsoft.Alpha(Opacity=100);
op:ms	-ms-filter:'progid:DXImageTransform.Microsoft.Alpha(Opacity=100)';	ord	order: l ;	ori	orientation: l ;
		ori:l	orientation:landscape;	ori:p	orientation:portrait;
ov:e	text-overflow:ellipsis;	tov	text-overflow:\${ellipsis};	tov:c	text-overflow:clip;
trf:rx	transform: rotate(angle);	trf:ry	transform: rotateY(angle);	trf:r	transform: rotate(angle);
trf:sc	transform: scale(x , y);	trf:sc3	transform: scale3d(x , y , z);	trf:rz	transform: rotateZ(angle);
trf:scy	transform: scaleY(y);	trf:scz	transform: scaleZ(z);	trf:scx	transform: scaleX(x);
trf:sky	transform: skewY(angle);	trf:t	transform: translate(x , y);	trf:skx	transform: skewX(angle);
				trf:t3	transform: translate3d(tx , ty , tz);
trf:tx	transform: translate(x);	trf:ty	transform: translateY(y);	trf:tz	transform: translateZ(z);
trfo	transform-origin: l ;	trfs	transform-style: preserve-3d ;	trs	transition: prop time ;
trsd	transition-delay: time ;	trsd	transition-duration: time ;	trsp	transition-property: prop ;
trstf	transition-timing-function: tfunc ;	us	user-select:\${none};	wfsm	-webkit-font-smoothing:\${antialiased};
wfsm:a	-webkit-font-smoothing:antialiased;	wfsm:n	-webkit-font-smoothing:none;	wfsm:s, wfsm:sa	-webkit-font-smoothing:subpixel-antialiased;
wm	writing-mode: lr-tb ;	wm:bt1	writing-mode:bt-lr;	wm:btr	writing-mode:bt-r1;
wm:rlb	writing-mode:rl-bt;	wm:rlb	writing-mode:lr-bt;	wm:lrt	writing-mode:lr-tb;
wm:tbr	writing-mode:tb-rl;	wm:rlt	writing-mode:rl-tb;	wm:tbl	writing-mode:tb-lr;

XSL

```

tmatch, tm
<xsl:template match="l" mode="l"></xsl:template>

ap
<xsl:apply-templates select="l" mode="l" />

inc
<xsl:include href="l" />

call
<xsl:call-template name="l" />

imp
<xsl:import href="l" />

xsl:when, wh
<xsl:when test="l"></xsl:when>

```


ot <xml:otherwise>|</xml:otherwise>
pare <xml:param name="|" select="|" />
wp <xml:with-param name="|" select="|" />
attr <xml:attribute name="|">|</xml:attribute>
co <xml:copy-of select="|" />
tex <xml:text>|</xml:text>
fall <xml:fallback>|</xml:fallback>
pres <xml:preserve-space elements="|" />
sort <xml:sort select="|" order="|" />

!!! <?xml version="1.0" encoding="UTF-8"?>

if <xml:if test="|">|</xml:if>
var <xml:variable name="|">|</xml:variable>
key <xml:key name="|" match="|" use="|" />
attrs <xml:attribute-set name="|">|</xml:attribute-set>
val <xml:value-of select="|" />
com <xml:comment>|</xml:comment>
num <xml:number value="|" />

strip <xml:strip-space elements="|" />

choose+
Alias of xml:choose>xml:when+xml:otherwise
<xml:choose>
 <xml:when test="|">|</xml:when>
 <xml:otherwise>|</xml:otherwise>
</xml:choose>

par <xml:param name="|">|</xml:param>
vare <xml:variable name="|" select="|" />
elem <xml:element name="|">|</xml:element>
cp <xml:copy select="|" />
each, for <xml:for-each select="|">|</xml:for-each>
msg <xml:message terminate="no">|</xml:message>
nam <namespace-alias stylesheet-prefix="|" result-prefix="|" />
proc <xml:processing-instruction name="|">|</xml:processing-instruction>

xml
Alias of !!!+xml:stylesheet[version=1.0
xmlns:xml=http://www.w3.org/1999/XSL/Transform
m]>{
 |}
<?xml version="1.0" encoding="UTF-8"?>
<xml:stylesheet version="1.0"
xmlns:xml="http://www.w3.org/1999/XSL/Transform">|
</xml:stylesheet>