

SQLintersection

Session: Sunday, June 8, 2021 9:00 AM

Tips and Tricks for the PowerShell DBA (1)

Ben J Miller ben@benmiller.net

SQL Server & Azure SQL Conference

POWERED BY

Microsoft & Next Gen



Get Mova for all 4 conferences

Official Event App

- Access links to join all sessions and keynotes virtually
- Explore the **professional profiles** of event speakers and attendees
- Send in-app messages and exchange contact info
- Network and find attendees with common affiliations, educations, shared networks, and social profiles
- Receive update notifications from organizers
- Access the **event agenda**, GPS guidance, maps, and parking directions at your fingertips

Download Whova and take your event mobile.

Get Whova from the App Store or Google Play.





Please sign up for the app with your social media account or email.

The event invitation code is: damah

You will be asked for an event invitation code after installing Whova.



Sponsors & Exhibitors

Platinum Sponsors







Booth 6

Gold Sponsors



Silver Sponsors



Booth 5

Exhibitors





Speaker: Ben Miller - DBAduck

- Data Platform MVP since 2009
- Microsoft Certified Master in SQL Server
- Author https://dbaduck.com
 - MVP Deep Dives #2
 - PowerShell MVP Deep Dives
 - PowerShell Stairway on SQLServerCentral.com
- Email : ben@benmiller.net
- Twitter: @DBAduck
- GitHub: github.com/dbaduck







SQL Server® 2008

Introduction

- Transcripting
- Array vs. ArrayList
- Strings vs. Stringbuilder
- 1..X iteration
- .ForEach() usage
- Splatting (what is this?)
- -eq vs. –ceq
- Pipelining
- Object Creation tips

SQL Server & Azure SQL Conference POWERED BY Microsoft & Next Gen

Transcripting

- Think of it as a log that is automatic. What IT sees, it records.
- Just a file
- Start-Transcript
- Path gets fully created even if it does not exist
- Make sure that you do Stop-Transcript before you exit
 - Content is buffered and may just not record if you X out of your window

Array vs. ArrayList

- [System.Collections.ArrayList]
- .NET type
- Add(object) to add to the array list
- Memory Buffer
- Array (native to PowerShell)
 - @() is a blank Array, @(1,2,3) is Predefined, 1,2,3 is dynamic
- \$ary += \$obj to add to the array
- Immutable cannot be changed

String vs. StringBuilder

```
$obj = "String"
$obj = "String" + " " + "Builder"
$obj = "$obj Builder"
Strings are Immutable – cannot be changed
```

```
[System.Text.StringBuilder]
$obj = new-object -typename System.Text.StringBuilder -Args 4096
$obj.Append(" ") or $obj.AppendLine(" ")
$obj.AppendFormat("{0} {1}", "one", "two")
```

1...X Syntax For Iteration

- 1..5 produces an array of 1 5 one at a time
- Can be used with Foreach()
- Increments by 1 so you can start at any number
- Can be done in reverse order
- 5..1 and it will produce 5,4,3,2,1
- Useful and kind of like GO 5 except that it does not always have to go in reverse, and you can use the number in PowerShell
- 1..5 | Foreach { \$_ }

ForEach() on an Object

- Dynamic Properties and Methods
- \$obj.Foreach({ code block; })
- Iteration for each item in the collection in \$obj
- * Bonus: You can add your own as well.

Splatting in PowerShell

- Splatting is all about a Variable satisfying Parameters
- Variables look like this \$obj
- Splatting uses @obj
- Hash Table with multiple Keys/Values passed into a function/cmdlet
- Rules: You can splat with a variable that has as many or fewer parameter satisfying keys/values but NOT more.

Case Sensitive Comparisons

- PowerShell is Case Insensitive
- Comparing values (mostly Strings) is the same
 - Ben = ben
- Comparison Operators
 - -eq -lt -gt etc.
- Case Sensitive Operators
 - -ceq -clt -cgt etc.
- Great for password comparison and others that require Case Sensitivity

Using the Pipeline

- Using the Pipeline character | (pipe character)
- Objects are passed By Value not By Reference on the pipeline which means that the object passed is copied so now there are 2 of them in the memory space
- Keep the objects getting smaller on the left and getting smaller going to the right
- Powerful Tip to pass a set of objects over a pipe to a Cmdlet that handles a set of objects

Object Creation Tips

- Objects are used to store data for use in your automation
- 1. \$obj = New-Object -TypeName PSObject (not my favorite)
 - Add-Member
- 2. \$obj = "" | Select Name, ID, Description
- 3. \$obj = @{ Name = Value; ID=6; Description = "Desc" }
- The only one I would stay away from on custom objects is #1

Demo

Demo TitleSubtitle

SQL Server & Azure SQL Conference

POWERED BY
Microsoft & Next Gen

© 2021. All rights reserved. http://www.MSSQLConf.com

Review

- Array vs. ArrayList
- Get Assemblies in your session
- Strings vs. Stringbuilder
- 1..X iteration
- .ForEach() usage
- Splatting (what is this?)
- -eq vs. -ceq
- Pipelining
- Object Creation tips

SQL Server & Azure SQL Conference POWERED BY Microsoft & Next Gen

Questions?

Don't forget to complete an online evaluation!

Tips and Tricks for the PowerShell DBA (1)

Your evaluation helps organizers build better conferences and helps speakers improve their sessions.

SQL Server & Azure SQL Conference

POWERED BY

Microsoft & Next Gen

Thank you!

IN-PERSON EVENT

DECEMBER 7–9 2021 SQL Server & Azure SQL Conference

POWERED BY Microsoft & Next Gen

LAS VEGAS, NV MGM GRAND

