

DA-SEO

The SEO foundations of the existing site will be preserved and improved while moving delivery to Adobe Experience Manager as a Cloud Service with Edge Delivery Services (EDS).

At this stage, Adobe's design intent is to achieve SEO parity for critical page types and SEO signals, including page titles, meta descriptions, canonical URLs, robots directives, Open Graph tags, hreflang coverage, sitemap support, redirect handling, crawlable semantic HTML, and applicable  [Schema.org - Schema.org](#) structured data.

The detailed field-level mapping and template-specific implementation will be finalized during implementation once the final block design, template inventory, localization model, and content authoring patterns are agreed.

SEO Parity Commitment

The target solution will preserve critical SEO signals and applicable  [Schema.org - Schema.org](#) structured data from the source implementation, subject to final confirmation of page templates, localization rules, and content model decisions during implementation.

This includes parity for:

- Core metadata fields (title, description, keywords)
- Canonical URL handling with auto-generation fallback
- Robots directives (index/follow, noindex patterns)
- Open Graph metadata (og:title, og:description, og:image, og:type)
- Hreflang alternates for multi-locale pages
- Sitemap and robots.txt support
- Redirect handling (301 permanent redirects)
- Page-type-appropriate structured data ( [Schema.org - Schema.org](#))


Adobe will complete a detailed template-level schema inventory, metadata field mapping, generation strategy, and validation matrix during implementation to ensure controlled parity and minimize SEO regression risk during cutover.


How EDS Delivers SEO Advantages

Edge Delivery Services provides inherent SEO advantages over traditional AEM architecture:

Aspect	Traditional AEM 6.4	EDS (Target State)
HTML Rendering	Server-side rendered via HTL/JSP on Publish instance	Pre-rendered static HTML served from edge CDN — fully crawlable without JS
Page Load Speed	Dependent on Dispatcher cache + CDN config	Sub-second delivery from global edge; Lighthouse 100 target
JavaScript Dependency	Component clientlibs may block rendering	Vanilla JS loaded progressively; critical content in initial HTML
Image Optimization	Requires Scene7 / Dynamic Media configuration	Automatic image optimization at edge (format, compression, sizing)
Core Web Vitals	Requires optimization effort to achieve good scores	Architecture designed for CWV compliance by default
Crawlability	Full HTML available; risk of JS-dependent content	100% server-rendered semantic HTML; zero client-side rendering dependency
TTL / Cache	Dispatcher + CDN cache rules	Aggressive edge caching with instant invalidation on publish

SEO Architecture Flow





Metadata Delivery Mechanism

In EDS with Document Authoring, SEO metadata is managed through multiple layers:

Layer	Mechanism	What It Handles
Global head.html	Code file in GitHub repo (head.html)	Shared <head> elements: favicon, fonts, global meta tags, analytics scripts

Page Metadata block	Authored in DA document (Metadata table at bottom of page)	Per-page: title, description, og:image, robots, canonical, custom fields
Block-level logic	JavaScript in block decoration (e.g., breadcrumb.js, video.js)	 Schema.org - Schema.org JSON-LD generated from block content (BreadcrumbList, VideoObject, etc.)
Spreadsheet config	Authored in DA spreadsheet (e.g., redirects.xlsx, sitemap.xlsx)	Bulk redirects, sitemap inclusion/exclusion rules
Edge/CDN config	Configuration at delivery layer	robots.txt, security headers, cache headers, environment-aware rules

Metadata Field Mapping

Core SEO Metadata

The following table shows the initial target-state ownership for core SEO elements:

Metadata / SEO Element	Target-State Ownership	Notes
Page title (<title>)	Page-level metadata block authored in DA	Governed defaults may be applied by template; max 60 characters recommended
Meta description	Page-level metadata block authored in DA	Max 160 characters; unique per page; used as OG description fallback
Canonical URL	Page-level field with auto-generation fallback	Defaults to self-referencing canonical; override available for syndicated content
Robots directives	Page-level metadata field	Supports index/follow and noindex/nofollow patterns; default is index,follow

Hreflang alternate tags	Locale configuration + runtime generation	Needs full locale mapping confirmation during MSM/translation design
robots.txt	Global delivery configuration (edge)	Environment-aware: staging blocks all crawlers; production allows
sitemap.xml	Generated from content tree / spreadsheet config	Coverage and exclusions validated before launch; auto-updated on publish
Open Graph (og:title, og:description, og:image)	Page metadata block with fallback logic	Falls back to page title/description if OG-specific fields empty
Twitter Card meta	Derived from OG fields	summary_large_image card type default

3.2 Authoring Example — Metadata Block in DA

Authors add SEO metadata via a Metadata table at the bottom of each DA document:

Metadata	
title	Environmental Analysis Solutions Thermo Fisher Scientific
description	Our portfolio of environmental analysis technologies meets today's requirements and tomorrow's challenges.
image	/images/environmental-hero.jpg
robots	index, follow
canonical	(leave empty for self-referencing default)
og:type	website

Structured Data ([Schema.org](https://schema.org) - [Schema.org](https://schema.org))

Current State Analysis

Below is an initial analysis of pages from the current site and how structured data will be implemented in EDS. This is an initial inventory — it will be enhanced during implementation phase story grooming.

Schema Mapping by Block Pattern

Based on the current block inventory, the following schema opportunities are relevant in the target state:

Block Pattern	Schema Type	Generation Method
Breadcrumb block	BreadcrumbList	Block JS generates JSON-LD from navigation hierarchy
Video / Video Playlist blocks	VideoObject	Block JS generates from Brightcove embed metadata
Product List / Commerce blocks	Product + Offer	Generated from product data API response
FAQ / Accordion FAQ blocks	FAQPage	Block JS generates from accordion item titles + bodies
Cards / Carousel / Collection blocks	ItemList	Block JS generates from card/item content
Testimonial content	Review / Testimonial	Block JS generates from testimonial author + quote
Form content	Semantic HTML only	No schema unless valid business need identified
Organization (global)	Organization	Global head.html — site-wide structured data
Search (sitelinks)	WebSite + SearchAction	Global head.html — enables sitelinks search box

JSON-LD Implementation Example

Structured data is injected as JSON-LD in the page <head> or within block markup:

<!-- BreadcrumbList — generated by breadcrumb block JS →

<script type="application/ld+json">

```
{
  "@context": "Schema.org - Schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    { "@type": "ListItem", "position": 1, "name": "Home", "item": "T Thermo Fisher Scientific - US" },
    { "@type": "ListItem", "position": 2, "name": "Industrial", "item": "T Industrial and Applied Sciences | Thermo Fisher Scientific - US" },
    { "@type": "ListItem", "position": 3, "name": "Environmental" }
  ]
}
```

</script>

<!-- FAQPage — generated by accordion block JS when FAQ variant detected →

<script type="application/ld+json">

```
{
  "@context": "Schema.org - Schema.org",
  "@type": "FAQPage",
  "mainEntity": [
    {
      "@type": "Question",
      "name": "What is carrier screening?",
      "acceptedAnswer": {
        "@type": "Answer",
        "text": "Carrier screening is a genetic testing approach..."
      }
    }
  ]
}
```

</script>

General SEO Best Practices

The following best practices will be enforced across the EDS implementation:

| Practice | Implementation |
|----------------------------|--|
| Server-side rendered HTML | All content in initial HTML; no JS-dependent text/links |
| HTTPS everywhere | Enforced at edge CDN layer; HTTP → HTTPS redirect |
| Semantic heading hierarchy | H1 → H2 → H3 structure enforced by block design |
| Minimal click-depth | Important pages within 3 clicks from homepage |
| No orphaned pages | All pages linked from navigation or internal links |
| Core Web Vitals compliance | Architecture-first approach; EDS "keeping it 100" practices |
| Image alt text | Required authoring field; DA enforces via guidance |
| Clean URL structure | Descriptive, keyword-relevant paths; no query params for content |
| Mobile-first responsive | Mobile-first CSS; min-width breakpoints |
| Internal linking | Contextual links within content; breadcrumbs; related content blocks |

Note: TFS was to provide prioritized list of dynamic components/use cases requiring Edge Workers (e.g., schema, personalization, dynamic content). Once we receive those then recommendation/Solutions can be provided for each.