

| Field            | Details                                                            |
|------------------|--------------------------------------------------------------------|
| Document Version | 1.0                                                                |
| Status           | Draft                                                              |
| Last Updated     | April 2026                                                         |
| Platform         | Edge Delivery Services (EDS) — DA.live                             |
| Scope            | Multi-site Content Authoring — User Groups, Roles, and Permissions |

---

## Table of Contents

1. [Purpose and Scope](#)
  2. [Content Structure](#)
  3. [Business Requirements](#)
  4. [Roles and User Groups](#)
  5. [Permission Model](#)
  6. [Group and Permission Matrix](#)
  7. [Implementation Overview](#)
  8. [Operational Model](#)
  9. [Governance Principles](#)
  10. [Recommended Next Steps](#)
- 

## 1. Purpose and Scope

### 1.1 Purpose

This document defines the solution design for user groups, roles, and permissions across Canon's multi-site EDS (DA.live) implementation. It establishes a structured authoring governance model that controls:

- **Content authoring in DA.live** — who can view, create, edit, and delete content
- **Preview and publishing via AEM / EDS** — who can approve and publish content
- **Identity and access management via Adobe IMS** — centralised group management through the Adobe Admin Console

## 1.2 Design Goal

Establish a role-based and region-based permission model for AEM Sites content managed in DA.live, that is:

- **Simple** — minimal roles that cover all real-world authoring scenarios
- **Scalable** — adding a new site or user requires no structural changes to the model
- **Governed** — publishing rights are separate from authoring rights; cross-site access is explicitly prohibited unless granted
- **Aligned with Adobe IMS** — all groups are managed through the Adobe Admin Console and applied to DA.live via the DA permissions configuration

## 1.3 In Scope

-  DA.live IMS group definitions and naming conventions
-  Content path-based permission assignments
-  Preview and publish access control via AEM Permissions App
-  Operational procedures for onboarding, offboarding, and new site creation

## 1.4 Out of Scope

-  AEM Assets permissions (DAM)
-  Commerce storefront access control
-  Coveo or Live Search platform access
-  Page-level (granular) permission assignment — access is controlled at site root level only

---

## 2. Content Structure

Canon's EDS content is organised by site root (region) and language. Permissions are applied at the **site root level** — not at individual pages or language folders.

/

```

└─ cusa/
|   └─ en/      (home, products, support)
└─ canada/
|   └─ en/      (home, products)
|   └─ fr/      (home)
└─ brazil/
|   └─ pt/      (...)
└─ cla/
|   └─ es/      (home, products, support)
|   └─ en/      (home, support)
└─ panama/
|   └─ es/      (home, products)
└─ mexico/
|   └─ es/      (home, products)
└─ chile/
|   └─ es/      (home, products)
└─ cvi/
|   └─ en/      (home, ...)
└─ csai/
    └─ en/      (home, ...)

```

**Key Principle:** Access is granted at the site folder level (e.g., /cusa/\*\*). Users cannot be granted access to individual pages or language subtrees independently — the site root is the smallest unit of access control.

---

### 3. Business Requirements

#### 3.1 Author Capabilities

Authors within their assigned site are able to:

- Create, edit, and save content pages

- Modify experience fragments and reusable content components
- Preview content on the .aem.page preview environment

### 3.2 Publishing Controls

- Authors **cannot publish** unless explicitly assigned a Publisher role for their site
- Publishing is a separate, independently granted responsibility
- This separation ensures a governance layer between content creation and content going live

### 3.3 Access Restrictions

Access is controlled by two dimensions:

| Dimension          | Rule                                                                   |
|--------------------|------------------------------------------------------------------------|
| <b>Region/Site</b> | Users can only access content within their assigned site subtree       |
| <b>Role</b>        | Authors can edit but not publish; Publishers can both edit and publish |

**Cross-site restriction:** A Canada author cannot view or edit CUSA content. A CUSA author cannot access Brazil content. Cross-site access is never implicitly granted.

### 3.4 Key Constraints

| Constraint                          | Detail                                                                              |
|-------------------------------------|-------------------------------------------------------------------------------------|
| No cross-site read access           | Each group's scope is strictly limited to its assigned site path                    |
| No implicit publishing              | Publishing rights are never automatically granted when authoring rights are granted |
| No page-level permission management | Permissions are not managed at individual page level — site root only               |
| Group membership drives access      | Access is fully determined by IMS group membership, not individual user assignments |

---

## 4. Roles and User Groups

## 4.1 Role Model

The permission model uses a minimal, two-tier role structure that is consistent across all sites.

### Global Roles

| Role                        | IMS Group Name          | Scope     | Description                                                                                                                    |
|-----------------------------|-------------------------|-----------|--------------------------------------------------------------------------------------------------------------------------------|
| <b>Global Administrator</b> | canon-it-administrators | All sites | Full read/write/delete/publish access across all sites and configurations. Manages groups, permissions, and platform settings. |
| <b>Global Read-Only</b>     | canon-global-readonly   | All sites | Read-only access across all sites for stakeholders, auditors, and cross-regional reviewers                                     |

### Site-Specific Roles

For each site (region), two groups are created following a consistent naming pattern:

| Role                  | IMS Group Name    | Scope         | Authoring | Preview | Publish |
|-----------------------|-------------------|---------------|-----------|---------|---------|
| <b>Site Author</b>    | <site>-authors    | Assigned site | ✓ Yes     | ✓ Yes   | ✗ No    |
| <b>Site Publisher</b> | <site>-publishers | Assigned site | ✓ Yes     | ✓ Yes   | ✓ Yes   |

A Publisher inherits all Author capabilities. A separate author group membership is not required when a user is a Publisher — the Publisher role includes the full authoring permission set.

## 4.2 IMS Group Naming Convention

All groups follow the pattern: <scope>-<role>

### Global Groups

| Group Name | Description |
|------------|-------------|
|            |             |

|                         |                                                           |
|-------------------------|-----------------------------------------------------------|
| canon-it-administrators | Global administrator group — full access across all sites |
| canon-global-readonly   | Global read-only access for stakeholders                  |

### Site-Level Groups

| Site   | Author Group   | Publisher Group   |
|--------|----------------|-------------------|
| CUSA   | cusa-authors   | cusa-publishers   |
| Canada | canada-authors | canada-publishers |
| Brazil | brazil-authors | brazil-publishers |
| CLA    | cla-authors    | cla-publishers    |
| Panama | panama-authors | panama-publishers |
| Mexico | mexico-authors | mexico-publishers |
| Chile  | chile-authors  | chile-publishers  |
| CVI    | cvi-authors    | cvi-publishers    |
| CSAI   | csai-authors   | csai-publishers   |

### 4.3 Group Membership Rules

- Authoring and publishing are **independent permissions** — membership in the author group does not confer publish rights
  - Users requiring both capabilities must be explicitly added to **both** the <site>-authors and <site>-publishers groups
  - Users requiring access to multiple sites must be added to each site's groups independently
  - canon-it-administrators members automatically have full access to all sites and do not need to be added to site-specific groups
-

## 5. Permission Model

The permission model operates across two distinct layers.

### 5.1 DA.live — Authoring Permissions

Controls who can view and edit content in DA.live.

#### Key Characteristics:

- Managed via the DA permissions configuration (`/da/permissions`)
- Uses IMS group names for access control (not individual user IDs)
- Applied at the site folder level (e.g., `/cusa/**`)
- Three access levels are available:

| Level  | Code | Description             |
|--------|------|-------------------------|
| Read   | R    | View content            |
| Write  | W    | Create and edit content |
| Delete | D    | Remove content          |

#### DA Permissions Configuration (`/da/permissions`):

| IMS Group               | Path Scope              | Access Level |
|-------------------------|-------------------------|--------------|
| canon-it-administrators | <code>/**</code>        | R / W / D    |
| canon-global-readonly   | <code>/**</code>        | R            |
| cusa-authors            | <code>/cusa/**</code>   | R / W / D    |
| cusa-publishers         | <code>/cusa/**</code>   | R / W / D    |
| canada-authors          | <code>/canada/**</code> | R / W / D    |
| canada-publishers       | <code>/canada/**</code> | R / W / D    |
| brazil-authors          | <code>/brazil/**</code> | R / W / D    |

|                   |            |           |
|-------------------|------------|-----------|
| brazil-publishers | /brazil/** | R / W / D |
| cla-authors       | /cla/**    | R / W / D |
| cla-publishers    | /cla/**    | R / W / D |
| panama-authors    | /panama/** | R / W / D |
| panama-publishers | /panama/** | R / W / D |
| mexico-authors    | /mexico/** | R / W / D |
| mexico-publishers | /mexico/** | R / W / D |
| chile-authors     | /chile/**  | R / W / D |
| chile-publishers  | /chile/**  | R / W / D |
| cvi-authors       | /cvi/**    | R / W / D |
| cvi-publishers    | /cvi/**    | R / W / D |
| csai-authors      | /csai/**   | R / W / D |
| csai-publishers   | /csai/**   | R / W / D |

**Key Rule:** No cross-site access is granted unless explicitly required and approved. The absence of a path entry means no access.

## 5.2 Preview and Publish — AEM / EDS Permissions

Controls who can preview content on .aem.page and publish content to .aem.live.

### Key Characteristics:

- Managed via the **AEM Permissions App** (Config Bus)
- Enforced at the IMS user ID level; IMS group membership determines eligibility
- Preview and publish are separately controlled capabilities

### Access Rules by Role:



| Group                   | Preview (.aem.page) | Publish (.aem.live) |
|-------------------------|---------------------|---------------------|
| canon-it-administrators | ✓ All sites         | ✓ All sites         |
| da-global-readonly      | ✓ All sites         | ✗ No                |
| <site>-authors          | ✓ Assigned site     | ✗ No                |
| <site>-publishers       | ✓ Assigned site     | ✓ Assigned site     |

## 6. Group and Permission Matrix

### 6.1 Full Permission Matrix — All Sites

| Group                   | Site Scope | DA.live Edit | Preview | Publish |
|-------------------------|------------|--------------|---------|---------|
| canon-it-administrators | All        | ✓            | ✓       | ✓       |
| canon-global-readonly   | All        | ✗ Read only  | ✓       | ✗       |
| cusa-authors            | CUSA       | ✓            | ✓       | ✗       |
| cusa-publishers         | CUSA       | ✓            | ✓       | ✓       |
| canada-authors          | Canada     | ✓            | ✓       | ✗       |
| canada-publishers       | Canada     | ✓            | ✓       | ✓       |
| brazil-authors          | Brazil     | ✓            | ✓       | ✗       |
| brazil-publishers       | Brazil     | ✓            | ✓       | ✓       |
| cla-authors             | CLA        | ✓            | ✓       | ✗       |
| cla-publishers          | CLA        | ✓            | ✓       | ✓       |

|                   |        |   |   |   |
|-------------------|--------|---|---|---|
| panama-authors    | Panama | ✓ | ✓ | ✗ |
| panama-publishers | Panama | ✓ | ✓ | ✓ |
| mexico-authors    | Mexico | ✓ | ✓ | ✗ |
| mexico-publishers | Mexico | ✓ | ✓ | ✓ |
| chile-authors     | Chile  | ✓ | ✓ | ✗ |
| chile-publishers  | Chile  | ✓ | ✓ | ✓ |
| cvi-authors       | CVI    | ✓ | ✓ | ✗ |
| cvi-publishers    | CVI    | ✓ | ✓ | ✓ |
| csai-authors      | CSAI   | ✓ | ✓ | ✗ |
| csai-publishers   | CSAI   | ✓ | ✓ | ✓ |

## 6.2 Cross-Site Access Matrix

The table below confirms which sites each group can access. An empty cell means no access.

| Group                     | CUSA | Canada | Brazil | CLA | Panama | Mexico | Chile | CVI | CSAI |
|---------------------------|------|--------|--------|-----|--------|--------|-------|-----|------|
| canon-it-administrators   | ✓    | ✓      | ✓      | ✓   | ✓      | ✓      | ✓     | ✓   | ✓    |
| da-global-readonly        | R    | R      | R      | R   | R      | R      | R     | R   | R    |
| cusa-authors/publishers   | ✓    |        |        |     |        |        |       |     |      |
| canada-authors/publishers |      | ✓      |        |     |        |        |       |     |      |

|                           |  |  |   |   |   |   |   |   |   |
|---------------------------|--|--|---|---|---|---|---|---|---|
| brazil-authors/publishers |  |  | ✓ |   |   |   |   |   |   |
| cla-authors/publishers    |  |  |   | ✓ |   |   |   |   |   |
| panama-authors/publishers |  |  |   |   | ✓ |   |   |   |   |
| mexico-authors/publishers |  |  |   |   |   | ✓ |   |   |   |
| chile-authors/publishers  |  |  |   |   |   |   | ✓ |   |   |
| cvi-authors/publishers    |  |  |   |   |   |   |   | ✓ |   |
| csai-authors/publishers   |  |  |   |   |   |   |   |   | ✓ |

## 7. Implementation Overview

### 7.1 Adobe Admin Console — IMS Group Setup

All groups must be created in the Adobe Admin Console before any DA.live permissions can be configured.

#### Steps:

1. Sign in to [Adobe Admin Console](#) as a System Administrator
2. Navigate to **Users → User Groups**
3. Create all groups listed in Section 4.2 using the exact naming convention defined
4. Assign the canon-it-administrators group first and validate admin access before proceeding with site-specific groups
5. Add users to their respective groups; users gain DA.live access automatically once group membership is established

Group names in the Admin Console must match exactly the names used in the DA permissions configuration. Any mismatch will result in access being silently denied.

### 7.2 DA.live — Permissions Configuration

DA.live permissions are managed via the .da/permissions file within the content repository.

**Steps:**

1. In DA.live, navigate to the root of the content repository
2. Locate or create the .da/permissions configuration file
3. For each site, add a permission entry mapping the IMS group name to the site path with the appropriate access level
4. Follow the permission table defined in Section 5.1 exactly
5. Validate that canon-it-administrators has full access to /\*\* before configuring site-specific entries
6. Test access by logging in as a user in a site-specific author group and confirming they can only access their assigned site path

**7.3 AEM / EDS — Preview and Publish Permissions**

Preview and publish permissions are managed separately from DA.live authoring permissions.

**Steps:**

1. Open the **AEM Permissions App** (Config Bus) for each site
2. For each site, grant preview access to the corresponding <site>-authors and <site>-publishers groups
3. Grant publish access only to <site>-publishers and canon-it-administrators
4. Ensure da-global-readonly has preview access but no publish access on all sites
5. Validate the configuration by testing preview and publish workflows with representative users from each role

---

**8. Operational Model****8.1 Adding a New Author to an Existing Site**

| Step | Action                                                                  | Performed By            |
|------|-------------------------------------------------------------------------|-------------------------|
| 1    | Add user's Adobe ID to the <site>-authors IMS group in Admin Console    | canon-it-administrators |
| 2    | Optionally add user to <site>-publishers if publish rights are required | canon-it-administrators |

|   |                                                                            |                         |
|---|----------------------------------------------------------------------------|-------------------------|
| 3 | User gains DA.live authoring access automatically via IMS group membership | Automatic               |
| 4 | Confirm preview access is active via the AEM Permissions App               | canon-it-administrators |
| 5 | Notify user that access has been provisioned                               | canon-it-administrators |

## 8.2 Onboarding a New Site (Region)

| Step | Action                                                                                        | Performed By            |
|------|-----------------------------------------------------------------------------------------------|-------------------------|
| 1    | Create the new site folder structure in DA.live under the correct root path                   | Developer / Admin       |
| 2    | Create <site>-authors and <site>-publishers IMS groups in the Adobe Admin Console             | canon-it-administrators |
| 3    | Add the new groups to the .da/permissions configuration file with the correct site path scope | Developer / Admin       |
| 4    | Enable preview and publish access for the new site via the AEM Permissions App                | canon-it-administrators |
| 5    | Assign initial users to the new site groups                                                   | canon-it-administrators |
| 6    | Validate access end-to-end (authoring → preview → publish)                                    | QA / Admin              |

## 8.3 Offboarding a User

| Step | Action                                                                          | Performed By            |
|------|---------------------------------------------------------------------------------|-------------------------|
| 1    | Remove user from all IMS groups they are a member of in the Adobe Admin Console | canon-it-administrators |

|   |                                                                                     |           |
|---|-------------------------------------------------------------------------------------|-----------|
| 2 | Access to DA.live and preview/publish environments is automatically revoked via IMS | Automatic |
| 3 | No manual DA.live or AEM configuration changes are required                         | —         |

Offboarding is fully managed through IMS group membership. No direct changes to DA.live permissions files or the AEM Permissions App are needed for individual user removal.

## 8.4 Granting Temporary Cross-Site Access

If a user requires temporary access to a site outside their normal assignment (e.g., a CUSA author supporting a Canada content migration):

| Step | Action                                                                       |
|------|------------------------------------------------------------------------------|
| 1    | Add the user to canada-authors (or the relevant site group) in Admin Console |
| 2    | Document the reason and expected duration in the access management log       |
| 3    | Remove the user from the temporary group when the work is complete           |

Cross-site access must always be explicitly approved and time-bound. It must never be made permanent unless the user's role permanently changes.

## 9. Governance Principles

### 9.1 Separation of Duties

| Responsibility                     | Who                                 |
|------------------------------------|-------------------------------------|
| Content creation                   | <site>-authors or <site>-publishers |
| Content publishing                 | <site>-publishers only              |
| Platform and access administration | canon-it-administrators             |

|                       |                                                            |
|-----------------------|------------------------------------------------------------|
| Cross-site governance | canon-it-administrators and da-global-readonly (oversight) |
|-----------------------|------------------------------------------------------------|

## 9.2 Least Privilege

- Users receive only the minimum access required for their role
- Author groups do not have publish rights
- Site groups do not have access to other sites
- da-global-readonly provides a visibility-only role for senior stakeholders and auditors without any risk of accidental content modification

## 9.3 Regional Isolation

Each site's content is fully isolated at the permission level. There is no configuration that allows site-level groups to "drift" into adjacent site paths. Cross-site access requires an explicit change by a member of canon-it-administrators and is always auditable via Adobe Admin Console user group activity logs.

## 9.4 Auditability

| What Can Be Audited        | Where                            |
|----------------------------|----------------------------------|
| Group membership changes   | Adobe Admin Console → Logs       |
| User provisioning/removal  | Adobe Admin Console → Users      |
| Content edits and versions | DA.live version history per page |
| Publish activity           | AEM / EDS publish logs           |

## 10. Recommended Next Steps

| # | Action Item                                                      | Owner                   |
|---|------------------------------------------------------------------|-------------------------|
| 1 | Create all IMS groups in the Adobe Admin Console per Section 4.2 | canon-it-administrators |

|   |                                                                                        |                         |
|---|----------------------------------------------------------------------------------------|-------------------------|
| 2 | Populate initial user membership for each site group                                   | canon-it-administrators |
| 3 | Configure the .da/permissions file in DA.live per Section 5.1                          | Developer / Admin       |
| 4 | Configure preview and publish access in the AEM Permissions App per Section 5.2        | Developer / Admin       |
| 5 | Validate end-to-end access for at least one Author and one Publisher per site          | QA / Admin              |
| 6 | Document the access request and approval process for ongoing user onboarding           | canon-it-administrators |
| 7 | Schedule a periodic access review (recommended: quarterly) to remove stale memberships | canon-it-administrators |