

Accordion Block

Map to Existing FAQ List (v1),FAQ Items, Accordion, Accordion Item

A vertically stacked list of collapsible panels. Each panel is a title + body pair that expands and collapses on click.



Authoring Criteria

- Panel title – required. The clickable header for each panel.
- Panel body (rich text) – required. The content revealed when the panel is expanded.
- Author can add as many title + body pairs as needed. Each pair renders as one collapsible panel.

The accordion block must be built to support the following content types within panel bodies:

- Columns
- Tables
- Videos
- Forms
- Images and rich text
- Product List

Each content type will need to render correctly inside an accordion panel without conflict with the parent accordion's styling or collapse behavior.

Variant	Description	Reference
default		
icon-left	Plus sign is to the left of the accordion heading	

classic-small	alternate style	T Aspire Member Program Thermo Fisher Scientific - US FAQs How do I become a member of the Aspire Program? Why is it eligible to join the Aspire Member Program? How do I earn points? How can I get when products are points eligible? How do I redeem points? What products can I use? What do I need to have questions?
classic-gray	Gray background with blue text. Normally occurs with a single accordion item.	OEM and commercial supply FAQs How does custom commercial supply help accelerate my time to market? Why do I need to involve commercial supply reps early in my development process? Do you offer support and training for commercial use products? What makes a commercial partnership more valuable than a transactional relationship? T OEM Solutions: Custom Commercial Solutions Thermo Fisher Scientific - US

Sample URLs showcasing content variants that can be included inside an accordion panel

T Reducing Hazardous Materials and Waste | Thermo Fisher Scientific - US

T Advancing Neuronal Research | Thermo Fisher Scientific - US

T Attune Flow Cytometer Features | Thermo Fisher Scientific - US

Technical Details

1. UE Authoring Contract

1.1 AEM Resource

Property	Value
Resource Type (Parent)	core/franklin/components/block/v1/block
Resource Type (Child Item)	core/franklin/components/block/v1/block/item
Block Name	Accordion
Model ID (Child)	accordion-item
Filter	accordion → allows only accordion-item children

Block Type	Container (parent-child with repeatable items)
------------	--

1.2 Editable Properties in Universal Editor

Parent block (Accordion container):

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
<code>classes</code>	Style Variant	select	Yes	Options: default, icon-left, classic-small, classic-gray

The parent block has no content fields — only the style variant. Content is authored on each child item.

Child item (Accordion Item):

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
<code>summary</code>	Panel Title	text	Yes — Required	The clickable header for the collapsible panel
<code>text</code>	Panel Body	richtext	Yes — Optional	For simple content (text).
<code>fragmentPath</code>	Rich Content Fragment	aem-content (path picker)	Yes — Optional	For complex content (columns, video, product list). Select a fragment page.

1.3 Container vs Leaf Fields

The Accordion is a **container block (parent-child)**:

- **Parent (Accordion):** Container with style variant. No content fields. Governs which children are allowed via filter.
- **Children (Accordion Items):** Each item is a collapsible panel with title + body content (richtext OR fragment reference). Author adds/removes/reorders items freely.

2. Component Model Definition (Field-Level)

2.1 Accordion Item Field Definitions

Field	Component	Label	Required	Default	Authored / Derived
summary	text	Panel Title	Yes	""	Authored
text	richtext	Panel Body	No	""	Authored
fragmentPath	aem-content	Rich Content Fragment	No	--	Authored

Field descriptions in model (author guidance):

```

1 {
2   "component": "richtext",
3   "name": "text",
4   "label": "Panel Body",
5   "description": "For simple content (text, images, tables). Leave
6   empty if using Rich Content Fragment below.",
7   "value": ""
8 },
9 {
10  "component": "aem-content",
11  "name": "fragmentPath",
12  "label": "Rich Content Fragment",
13  "description": "For complex content (columns, video, product list).
14  Select a fragment page. Leave empty if Panel Body above is filled."
15 }

```

2.2 Parent-Level Fields

Field	Component	Label	Required	Default	Notes
classes	select	Style Variant	No	"" (default)	Options: icon-left, classic-small, classic-gray

2.3 Two Usage Patterns — Same Block

The accordion block serves two use cases with the same model:

Pattern 1: FAQ / Simple Content (text field)

Author fills `summary` + `text`. Leaves `fragmentPath` empty.

```
1 Panel Title: "What is Western Blotting?"
2 Panel Body: "<p>Western blotting is a technique used to detect...</p>"
3 Fragment: (empty)
4
```

Suitable for: plain text, text with links.

Pattern 2: Complex Content (fragmentPath field)

Author fills `summary` + `fragmentPath`. Leaves `text` empty.

```
1 Panel Title: "Product Specifications"
2 Panel Body: (empty)
3 Fragment: "/content/tfs/fragments/product-specs"
4
```

The fragment page is a regular page authored in Universal Editor containing any blocks (Columns, Video, Product List, etc.). At delivery time, the accordion block JS fetches the fragment's `.plain.html` and renders it inside the panel.

Suitable for: columns layout, videos, forms, product lists, or any combination of blocks.

2.4 Block JS Rendering Logic

```
1 For each accordion item:
2   1. Read summary → render as <summary> (clickable header)
3   2. Check fragmentPath:
4     - If fragmentPath is set → fetch fragment .plain.html → render
      inside panel body
5     → decorate and load blocks inside fragment (so Video, Columns,
      etc. work)
6     - If fragmentPath is empty → render text (richtext) as panel body
7   3. If both are empty → render empty panel
8   4. If both are filled → fragmentPath takes priority
9
```

Governance in component-filters.json

```
1 {
2   "id": "accordion",
3   "components": ["accordion-item"]
4 }
5
```

Only `accordion-item` children can be added inside an accordion. Authors cannot drop other blocks directly inside the accordion. Complex content is handled via the fragment reference on individual panels.

Relationship to AEM 6.4

AEM 6.4	xWalk EDS
Nested components inside accordion items (parsys per item)	Fragment reference pattern — complex content authored in fragment pages, referenced via <code>fragmentPath</code> field
FAQ List with FAQ Items (v1)	Same structure — accordion parent with accordion-item children
Style System options per template	<code>classes</code> select on accordion parent model

Why Fragment Reference for Complex Content (Not Nested Blocks)

EDS does not support nested blocks — you cannot drop a Columns block, Video block, or Product List block inside an accordion item. Accordion items are `block/v1/block/item` (leaf items), not sections that accept blocks.

The fragment reference approach solves this:

- Author creates complex content as a fragment page with full block support in UE
- Accordion item references the fragment via `fragmentPath` (content picker)
- Accordion block JS fetches and renders the fragment inline at delivery time
- Simple FAQ panels don't need fragments — just use the richtext body