

Basic Table Block

Map to Text component (that is used for authoring of Table)

Authoring Criteria:

Author will author table block headers and row data in Universal Editor. Each row follows the same column structure defined by the headers.

Development Requirements

Each table block instance should be configurable with the following properties in Universal Editor, independent of variant selection:

Property	Options	Default	Description	Reference
Header style	default, dark, none	default	Controls header row appearance — default (light gray bg), dark (charcoal bg, white text), or none (no header styling)	ELISA Kits (dark), TagMan vs SYBR (none)
Borders	bordered, borderless	bordered	Toggles cell border visibility across the entire table	Overview of ELISA (borderless footer), B Cell Overview (bordered)
Text alignment	left, center	left	Sets the default text alignment for all body cells	Real-Time vs Digital vs Traditional PCR

Variant	Description	Reference																												
default		T Luminex System Accessories Thermo Fisher Scientific - US																												
		<table><tr><th>Product</th><th>Description</th><th>Cat. No.</th><th>Unit Size</th></tr><tr><td>INTELLIFLEX Calibration Kit</td><td>The INTELLIFLEX Calibration Kit is for use with the Luminex xMAP INTELLIFLEX and Luminex xMAP INTELLIFLEX DR-SE systems and is used to calibrate the optics of these systems. The calibration kit contains all reagents needed for calibration of these systems.</td><td>IFXCALK20</td><td>20 reactions</td></tr><tr><td>INTELLIFLEX Performance Verification Kit</td><td>The Performance Verification Kit contains all reagents needed for verifying the calibration of INTELLIFLEX systems.</td><td>IFXPVERK20</td><td>20 reactions</td></tr></table>	Product	Description	Cat. No.	Unit Size	INTELLIFLEX Calibration Kit	The INTELLIFLEX Calibration Kit is for use with the Luminex xMAP INTELLIFLEX and Luminex xMAP INTELLIFLEX DR-SE systems and is used to calibrate the optics of these systems. The calibration kit contains all reagents needed for calibration of these systems.	IFXCALK20	20 reactions	INTELLIFLEX Performance Verification Kit	The Performance Verification Kit contains all reagents needed for verifying the calibration of INTELLIFLEX systems.	IFXPVERK20	20 reactions																
Product	Description	Cat. No.	Unit Size																											
INTELLIFLEX Calibration Kit	The INTELLIFLEX Calibration Kit is for use with the Luminex xMAP INTELLIFLEX and Luminex xMAP INTELLIFLEX DR-SE systems and is used to calibrate the optics of these systems. The calibration kit contains all reagents needed for calibration of these systems.	IFXCALK20	20 reactions																											
INTELLIFLEX Performance Verification Kit	The Performance Verification Kit contains all reagents needed for verifying the calibration of INTELLIFLEX systems.	IFXPVERK20	20 reactions																											
		<table><tr><th>Air-drying</th><th></th><th>Lyophilization</th></tr><tr><td>Process: ~2 hours</td><td></td><td>Process: ~24 hours</td></tr><tr><td>Equipment: Heating oven</td><td></td><td>Equipment: Lyophilizer</td></tr><tr><td>Product shipment and storage at room temperature</td><td></td><td>Product shipment and storage at room temperature</td></tr><tr><td>Excipients and manual included</td><td></td><td>Lyophilization service provider recommendation</td></tr></table> T Air-Drying and Lyophilization for Assay Stabilization and Sustainability Thermo Fisher Scientific - US	Air-drying		Lyophilization	Process: ~2 hours		Process: ~24 hours	Equipment: Heating oven		Equipment: Lyophilizer	Product shipment and storage at room temperature		Product shipment and storage at room temperature	Excipients and manual included		Lyophilization service provider recommendation													
Air-drying		Lyophilization																												
Process: ~2 hours		Process: ~24 hours																												
Equipment: Heating oven		Equipment: Lyophilizer																												
Product shipment and storage at room temperature		Product shipment and storage at room temperature																												
Excipients and manual included		Lyophilization service provider recommendation																												
striped	Alternate row background colors	<table><tr><th>Component</th><th>Amount</th></tr><tr><td>SuperScript III/RNaseOUT Enzyme Mix</td><td>100 µl</td></tr><tr><td>2X First-Strand Reaction Mix (contains 10 mM MgCl₂, and 1 mM each dNTP)</td><td>500 µl</td></tr><tr><td>Annealing Buffer</td><td>50 µl</td></tr><tr><td>Oligo(dT)20 (50 µM)</td><td>50 µl</td></tr><tr><td>Random hexamers</td><td>50 µl</td></tr></table> T SuperScript III First-Strand Synthesis SuperMix Thermo Fisher Scientific - US	Component	Amount	SuperScript III/RNaseOUT Enzyme Mix	100 µl	2X First-Strand Reaction Mix (contains 10 mM MgCl ₂ , and 1 mM each dNTP)	500 µl	Annealing Buffer	50 µl	Oligo(dT)20 (50 µM)	50 µl	Random hexamers	50 µl																
Component	Amount																													
SuperScript III/RNaseOUT Enzyme Mix	100 µl																													
2X First-Strand Reaction Mix (contains 10 mM MgCl ₂ , and 1 mM each dNTP)	500 µl																													
Annealing Buffer	50 µl																													
Oligo(dT)20 (50 µM)	50 µl																													
Random hexamers	50 µl																													
first-column-colour	First column grey background color	<table><tr><th></th><th>Vanquish Horizon Tandem UHPLC System</th><th>Vanquish Flex Tandem UHPLC System</th><th>Vanquish Core Tandem HPLC System</th></tr><tr><td>Pump Download Specification Sheet</td><td>2 Vanquish Binary Pump H</td><td>2 Vanquish Binary Pump F or 2 Vanquish Quaternary Pump F or 1 Vanquish Dual Pump F</td><td>2 Vanquish Binary Pump C/CN or 2 Vanquish Quaternary Pump C/CN or 1 Vanquish Dual Pump C/CN</td></tr><tr><td>Autosampler Download Specification Sheet</td><td>Vanquish Split Sampler HT</td><td>Vanquish Split Sampler FT</td><td>Vanquish Split Sampler C or Vanquish Split Sampler CT</td></tr><tr><td>Extended sample capacity (optional) Download Specification Sheet</td><td colspan="3">Vanquish Charger (optional)</td></tr><tr><td>Column compartment Download Specification Sheet</td><td colspan="2">Vanquish Column Compartment H</td><td>Vanquish Column Compartment C</td></tr><tr><td>Virtually zero dead volume system connections Download Specification Sheet</td><td colspan="3">Viper UHPLC Fittings Kits</td></tr><tr><td>Detectors</td><td colspan="3">1 Detector Visit our HPLC and UHPLC Detectors page</td></tr></table>		Vanquish Horizon Tandem UHPLC System	Vanquish Flex Tandem UHPLC System	Vanquish Core Tandem HPLC System	Pump Download Specification Sheet	2 Vanquish Binary Pump H	2 Vanquish Binary Pump F or 2 Vanquish Quaternary Pump F or 1 Vanquish Dual Pump F	2 Vanquish Binary Pump C/CN or 2 Vanquish Quaternary Pump C/CN or 1 Vanquish Dual Pump C/CN	Autosampler Download Specification Sheet	Vanquish Split Sampler HT	Vanquish Split Sampler FT	Vanquish Split Sampler C or Vanquish Split Sampler CT	Extended sample capacity (optional) Download Specification Sheet	Vanquish Charger (optional)			Column compartment Download Specification Sheet	Vanquish Column Compartment H		Vanquish Column Compartment C	Virtually zero dead volume system connections Download Specification Sheet	Viper UHPLC Fittings Kits			Detectors	1 Detector Visit our HPLC and UHPLC Detectors page		
	Vanquish Horizon Tandem UHPLC System	Vanquish Flex Tandem UHPLC System	Vanquish Core Tandem HPLC System																											
Pump Download Specification Sheet	2 Vanquish Binary Pump H	2 Vanquish Binary Pump F or 2 Vanquish Quaternary Pump F or 1 Vanquish Dual Pump F	2 Vanquish Binary Pump C/CN or 2 Vanquish Quaternary Pump C/CN or 1 Vanquish Dual Pump C/CN																											
Autosampler Download Specification Sheet	Vanquish Split Sampler HT	Vanquish Split Sampler FT	Vanquish Split Sampler C or Vanquish Split Sampler CT																											
Extended sample capacity (optional) Download Specification Sheet	Vanquish Charger (optional)																													
Column compartment Download Specification Sheet	Vanquish Column Compartment H		Vanquish Column Compartment C																											
Virtually zero dead volume system connections Download Specification Sheet	Viper UHPLC Fittings Kits																													
Detectors	1 Detector Visit our HPLC and UHPLC Detectors page																													

		T Vanquish Tandem LC Systems Thermo Fisher Scientific - US																					
sortable-table	Table with sorting	<table><tr><th>Type</th><th>Title</th><th>Categories</th></tr><tr><td>Application note (2011)</td><td>Bacterial analysis using the Attune Acoustic Focusing Cytometer</td><td>Attune/Attune NxT, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability</td></tr><tr><td>Application note (2011)</td><td>Detection of human mesenchymal stem cells using the Attune Acoustic Focusing Cytometer</td><td>Attune/Attune NxT, cell cycle, flow cytometer/flow cytometry, immunophenotyping, stem cell research</td></tr><tr><td>Application note (2012)</td><td>Monitoring neurite morphology and synapse formation in primary neurons for neurotoxicity assessments and drug screening</td><td>ArrayScan, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, neuroscience, viability</td></tr><tr><td>Application note (2012)</td><td>Microbiological applications using the Attune Acoustic Focusing Cytometer</td><td>Attune/Attune NxT, cell health, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability</td></tr><tr><td>Application note (2013)</td><td>Multiplexed mitosis and apoptosis analysis</td><td>antibodies, apoptosis, ArrayScan, cell cycle, cell proliferation, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, particles</td></tr><tr><td>Application note (2014)</td><td>High content cell cycle screening: Pairing FUCCI Technology with Thermo Scientific HCS Studio 2.0 Software and FCS Express Image cytometry</td><td>ArrayScan, cancer, cell cycle, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader</td></tr></table> T Cell Viability, Proliferation and Cell Cycle Information Thermo Fisher Scientific - US S	Type	Title	Categories	Application note (2011)	Bacterial analysis using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability	Application note (2011)	Detection of human mesenchymal stem cells using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, cell cycle, flow cytometer/flow cytometry, immunophenotyping, stem cell research	Application note (2012)	Monitoring neurite morphology and synapse formation in primary neurons for neurotoxicity assessments and drug screening	ArrayScan, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, neuroscience, viability	Application note (2012)	Microbiological applications using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, cell health, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability	Application note (2013)	Multiplexed mitosis and apoptosis analysis	antibodies, apoptosis, ArrayScan, cell cycle, cell proliferation, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, particles	Application note (2014)	High content cell cycle screening: Pairing FUCCI Technology with Thermo Scientific HCS Studio 2.0 Software and FCS Express Image cytometry	ArrayScan, cancer, cell cycle, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader
Type	Title	Categories																					
Application note (2011)	Bacterial analysis using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability																					
Application note (2011)	Detection of human mesenchymal stem cells using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, cell cycle, flow cytometer/flow cytometry, immunophenotyping, stem cell research																					
Application note (2012)	Monitoring neurite morphology and synapse formation in primary neurons for neurotoxicity assessments and drug screening	ArrayScan, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, neuroscience, viability																					
Application note (2012)	Microbiological applications using the Attune Acoustic Focusing Cytometer	Attune/Attune NxT, cell health, flow cytometer/flow cytometry, fluorescent dyes, microbiology, viability																					
Application note (2013)	Multiplexed mitosis and apoptosis analysis	antibodies, apoptosis, ArrayScan, cell cycle, cell proliferation, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader, particles																					
Application note (2014)	High content cell cycle screening: Pairing FUCCI Technology with Thermo Scientific HCS Studio 2.0 Software and FCS Express Image cytometry	ArrayScan, cancer, cell cycle, drug discovery, fluorescence microscopy/fluorescence imaging, fluorescent dyes, high content analysis, microplate reader																					
elisa-kit	Custom green + blue design	7 steps for Instant ELISA kits 1. Rehydration of standard and sample wells on plate 2. Sample addition 3. Incubation 4. Washing 5. Addition of TMB substrate 6. Addition of stop solution 7. Calculation of results 17 steps for conventional ELISA kits 1. Washing of coated plates 2. Reconstitution of standard protein 3. Addition of diluent to standard wells 4. Titration of standard curve 5. Addition of sample diluent 6. Sample addition 7. Dilution of biotin conjugate 8. Addition of biotin conjugate 9. Incubation 10. Preparation of streptavidin-HRP conjugate 11. Washing 12. Addition of streptavidin-HRP conjugate 13. Incubation 14. Washing 15. Addition of TMB substrate 16. Addition of stop solution 17. Calculation of results T ELISA Kits and ELISA Components Thermo Fisher Scientific - US																					

Note: Many variants of the table can be incorporated during implementation.