

Tabs Block

A tabbed container that organizes content into switchable panels. Each tab is a title + body pair.

Authoring Criteria

- Tab title – required. The label shown on the tab. One per tab.
- Tab body (rich text) – required. The content displayed when the tab is active. One per tab.
- Author can add as many title + body pairs as needed. Each pair renders as one tab.

Development Requirements

The tabs block must be built to support the following content types within tab panels:

- Cards
- Table
- Columns
- Videos
- Product Lists
- Images

Each layout will need to render correctly inside a tab body without conflict with the parent tabs block styling or behavior.

On mobile devices, the tabbed interface will collapse into an accordion layout for better usability.

Variant	Description	Reference
default		Figure 1. Snapshot of OEM website. Figure 2. Advantages of OEM solutions. Quality Resource & expertise Customization Workflow solutions Access to commercial rights Partnership Security of supply Assurance of quality marked by reduced batch variability and robust quality control testing to help meet regulatory standards. Accreditations and regulatory compliance* 1. ISO 9001, ISO 14001, and ISO 13567 certified quality systems 2. ISO 20125 Part 800 Quality System (current good manufacturing practices, cGMP) 3. Class I, II, and III medical devices and general consumer reagent certified manufacturer under FDA guidelines 4. US Food and Drug Administration (FDA) and the UK Medicines and Healthcare products Regulatory Agency (MHRA) registered media production sites 5. Select good laboratory practice (GLP) accredited sites 6. Readily available and downloadable Certificates of Analysis (CoAs) and Certificates of Conformance (CoCs) Note: Certain regulatory standards are available at specific sites only. T OEM Solutions: Custom Commercial Sol utions Thermo Fisher Scientific - US

Classic-workflow

Step 1

Step 2


Step 3

Step 4

Step 5


Fragment generationCloningTransformationPlasmid preparationConstruct analysis

Select from a variety of reagents and instruments to generate your fragment of interest from DNA, RNA, or synthetic fragments.




PCR Enzymes & Reagents

PCR enzymes for genotyping and routine PCR. Characterized by high fidelity and high specificity, these enzymes are suitable for amplifying long fragments and GC-rich templates.



Reverse Transcription

Reverse transcriptase synthesizes cDNA from single-stranded RNA and serves as a template for PCR amplification. Explore our [selection tool](#) to find the right reverse transcriptase for your experiment.



Oligonucleotides

Custom DNA Oligos Synthetic Services provide oligos in a variety of scales, formats, modifications, and purifications. Use our easy ordering portal for oligos that meet your cloning needs.

T Molecular Cloning Essentials | Thermo Fisher Scientific -

US

1. Technical Details

Tabs in EDS use a **section-based pattern**.

Two components work together:

Component	What It Is	What It Does
Tab List	A block placed inside a regular section	The "controller" — its JS discovers tab panel sections, generates horizontal tab buttons, and manages show/hide behavior
Tab Panel	A section variant (same OOTB section with an extra <code>tab-label</code> metadata field)	The "content" — holds any blocks (cards, tables, video, etc.) and provides the tab label

Why this pattern: Tab panels to support Cards, Tables, Columns, Videos, Product Lists, and Images inside them. In EDS, only **sections** can hold blocks. Block child items can only hold field values (text, richtext). Therefore, each tab panel must be a section.

1.1 Page Structure

```
1  [ Regular Section ]
2  [ [Tab List block] ← controller
3  [ (generates tab buttons at delivery)
4  ]
5  [ Tab Panel Section (tab-label: "Tab 1")
6  [ [Any blocks – cards, table, video, etc.] ] ← first tab content
7  ]
8  [ Tab Panel Section (tab-label: "Tab 2")
9  [ [Any blocks] ] ← second tab content
10 ]
11 [ Tab Panel Section (tab-label: "Tab 3") ]
```



At authoring time: Author sees vertical sections stacked on the page — nothing looks like tabs yet.

At delivery time: Tab List block JS transforms this into a tabbed interface — generates horizontal tab buttons, hides all panels except the active one, manages click/keyboard navigation.

2. UE Authoring Contract

2.1 AEM Resources

Tab List :

Property	Value
Resource Type	core/franklin/components/block/v1/block
Block Name	Tab List
Model ID	tab-list
Block Type	Simple block (no children — its content is generated by JS)

Tab Panel :

Property	Value
Resource Type	core/franklin/components/section/v1/section
Name	Tab Panel
Model ID	tab-panel
Filter	tab-panel (restricted — only allows blocks listed)

Tab Panel is the same OOTB section component — not a new resource type. The only difference from a regular section is:

- It uses the `tab-panel` model (which has a `tab-label` field)

- It uses the `tab-panel` filter (which restricts allowed blocks)
- It has `tab-label` metadata that the Tab List JS reads

2.2 Editable Properties in Universal Editor

Tab List block properties panel:

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
<code>classes_showAll</code>	Show All?	boolean (toggle)	Yes — Optional	When enabled, prepends a "Show All" button that displays all panels at once
<code>classes</code>	Style Variant	select	Yes — Optional	Options: default, classic-workflow

Tab Panel section properties panel:

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
<code>tab-label</code>	Tab Label	text	Yes — Required	The text shown on the tab button. Pre-filled with "Tab" — author changes to meaningful label.

Inside the Tab Panel section: Author adds any allowed blocks (cards, table, columns, video, product list, image, text, title) — these are the tab's content. Authored the same way as adding blocks to any regular section.


2.3 How Author Creates Tabs in Universal Editor


```
1 STEP 1: Author adds a regular Section
2   Author drops a "Tab List" block inside it
3   Optionally toggles "Show All?" and selects style variant
4
5 STEP 2: Author adds a "Tab Panel" from the section palette
6   (appears alongside "Section" in the palette – separate option)
7   Tab Label auto-fills with "Tab"
8   Author changes it to "Products"
9   Author drops Cards block inside this Tab Panel section
10  (authors content exactly like any regular section)
11
12 STEP 3: Author adds another "Tab Panel"
13   Changes Tab Label to "Specifications"
14   Drops Table block inside
15
16 STEP 4: Author adds another "Tab Panel"
17   Changes Tab Label to "Videos"
18   Drops Video block inside
19
20 STEP 5: Author adds a regular "Section" for next page content
21   (no tab-label → tabs group ends here)
22
23 DONE – author has created a 3-tab interface.
24 No explicit wiring needed. Tab List JS discovers panels by position.
25
```

UE Section Palette shows two options:

```
1 Section palette:
2 └─ Section      ← regular OOTB section (for normal page content)
3 └─ Tab Panel    ← section variant (for tab content – has tab-label
4   field)
```

2.4 Author View in Universal Editor





3. Component Model Definition (Field-Level)

3.1 Tab List Block Model

Field	Component	Label	Required	Default	Authored / Derived
<code>classes_showAll</code>	boolean	Show All?	No	false	Authored
<code>classes</code>	select	Style Variant	No	"" (default)	Authored

3.2 Tab Panel Section Model

Field	Component	Label	Required	Default	Validation	Authored / Derived
<code>tab-label</code>	text	Tab Label	Yes	"Tab"	Must not be empty — this	Authored

					becomes the tab button text	
--	--	--	--	--	-----------------------------------	--

This is the entire model. One field. The section content (blocks inside) is authored directly — not via fields.

4. Governance — Allowed Blocks Inside Tab Panels

4.1 Tab Panel Filter (Restricted)

Tab Panels use a **dedicated filter** that restricts allowed blocks :

```
1 {
2   "id": "tab-panel",
3   "components": [
4     "cards",
5     "card",
6     "table",
7     "table-row",
8     "columns",
9     "video",
10    "product-list",
11    "image",
12    "text",
13    "title"
14  ]
15 }
16
```

What authors CAN add inside a Tab Panel:

4.2 Comparison: Regular Section vs Tab Panel

Aspect	Regular Section	Tab Panel Section
Resource type	section/v1/section	section/v1/section (same)
Model	section (has classes /style)	tab-panel (has tab- label)
Filter	section (allows ALL blocks)	tab-panel (allows ONLY PDF-listed blocks)
UE palette name	"Section"	"Tab Panel"
Metadata	classes (style)	tab-label (tab button text)

HTML output	<code><div class="section"></code>	<code><div class="section" data-tab-label="..."></code>
Tab List JS recognizes?	No	Yes (has <code>data-tab-label</code>)

5. Block Registration — Component Definitions

5.1 All Definitions (in `blocks/tab-list/_tab-list.json`)

```

1  {
2    "definitions": [
3      {
4        "title": "Tab List",
5        "id": "tab-list",
6        "plugins": {
7          "xwalk": {
8            "page": {
9              "resourceType": "core/franklin/components/block/v1/block",
10             "template": {
11               "name": "Tab List",
12               "model": "tab-list"
13             }
14           }
15         }
16       },
17     ],
18     {
19       "title": "Tab Panel",
20       "id": "tab-panel",
21       "plugins": {
22         "xwalk": {
23           "page": {
24             "resourceType":
25             "core/franklin/components/section/v1/section",
26             "template": {
27               "name": "Tab Panel",
28               "model": "tab-panel",
29               "filter": "tab-panel",
30               "tab-label": "Tab"
31             }
32           }
33         }
34       }
35     ],
36     "models": [
37       {
38         "id": "tab-list",
39         "fields": [
40           {
41             "component": "boolean",
42             "name": "classes_showAll",
43             "label": "Show All?",
44             "description": "When enabled, prepends a Show All button to
the tab list.",
45             "value": false
46           },
47           {
48             "component": "select",
49             "name": "classes",
50             "label": "Style Variant",

```



```

51     "options": [
52         { "name": "Default", "value": "" },
53         { "name": "Classic Workflow", "value": "classic-workflow"
54     ]
55     }
56 ]
57 },
58 {
59     "id": "tab-panel",
60     "fields": [
61         {
62             "component": "text",
63             "name": "tab-label",
64             "label": "Tab Label",
65             "value": "Tab"
66         }
67     ]
68 }
69 ],
70 "filters": [
71     {
72         "id": "tab-panel",
73         "components": [
74             "cards", "card",
75             "table", "table-row",
76             "columns",
77             "video",
78             "product-list",
79             "image", "text", "title"
80         ]
81     }
82 ]
83 }
84

```

6. Authoring Strategy

Classification: Section-Based (Unique Pattern)

Pattern	Reason
Section-based	Each tab panel is a full OOTB section that can hold any blocks. Tab List block JS discovers panels by walking sibling sections.

7. Style Variants

7.1 Variant Mapping

Variant (PDF)	classes Value	Description
default	"" (no class)	Standard horizontal tabs

classic-workflow	classic-workflow	Step-by-step workflow style (numbered step indicators)
------------------	------------------	---

7.2 Tab List Block **classes** Field

```
1 {  
2   "component": "select",  
3   "name": "classes",  
4   "label": "Style Variant",  
5   "options": [  
6     { "name": "Default", "value": "" },  
7     { "name": "Classic Workflow", "value": "classic-workflow" }  
8   ]  
9 }  
10
```