

Video and VideoPlaylist Block

1. Overview

TFS uses **Brightcove Video Cloud** as its video hosting platform. In the current implementation, Brightcove content is exposed through custom AEM components that wrap the Brightcove player.

For the EDS implementation, the solution will be designed using two separate blocks:

- **Video Block** for a single Brightcove video
- **Video Playlist Block** for a Brightcove playlist

This separation ensures a clear authoring experience and supports different rendering and player requirements.

2. Block Types

2.1 Video Block

The Video Block is used to embed a **single Brightcove video** on the page.

Author fields

- **Account**
- **Video ID**
- **Display Mode**

T [Digital Solutions for Scientific Ecosystems | Thermo Fisher Scientific - US](#)

2.2 Video Playlist Block

The Video Playlist Block is used to embed a **Brightcove playlist** on the page.

Author fields

- **Account**
- **Playlist ID**
- **Player**
- **Display Mode**

T [Luminex FLEXMAP 3D Instrument System | Thermo Fisher Scientific - US](#)

3. Display Modes / Variants

Both blocks support the same set of display modes, with slight differences in authoring inputs depending on the variant.

Variant	Behavior	Author Configures
Inline	Player renders directly on the page and plays in place.	Video/Playlist ID only
Button	A CTA button is displayed. Clicking the button opens the player in a modal overlay.	Video/Playlist ID + Button text
Link	A text link is displayed. Clicking the link opens the player in a modal overlay.	Video/Playlist ID + Link text
Teaser	A card is displayed with thumbnail, title, and description. Clicking the card opens the player in a modal overlay.	Video/Playlist ID + Title + Description + optional Thumbnail

4. Rationale for Separate Blocks

Using two separate blocks instead of a single combined block provides the following advantages:

- **Simplified authoring experience**

Authors can directly choose between a video or playlist without dealing with conditional fields or complex dialogs.

- **Clear authoring intent**

Authors explicitly select whether they want a single video or a playlist, reducing ambiguity.

- **Different rendering structures**

A video renders a single player, whereas a playlist includes additional UI elements such as scrollable lists or rail layouts, requiring different DOM structures and styling.

- **Different Brightcove configurations**

Video and playlist implementations may require different player configurations and script loading logic.

- **Independent styling and maintainability**

Playlist-specific layouts (e.g., rails, scrolling) can be handled independently from video rendering, making the solution easier to maintain and extend.

5. Note

Further details on Brightcove integration can be referenced from the provided URL. [Brightcove](#)

[e Solution Design](#)

Useful Links :-

[T Real-Time PCR | Thermo Fisher Scientific - US](#)

[T 3D SEM | Volumescope 2 | Scanning Electron Microscope | Thermo Fisher Scientific - US](#)

[T Greener by design | Thermo Fisher Scientific - US](#)

[T Gibco Cell Culture Basics | Thermo Fisher Scientific - US](#)