

Text and Image block(Cards)

Authoring Criteria:

- Image – required. A visual associated with the card.
- Title (H2) – optional. The card heading.
- Subtitle (H3) – optional. Secondary text below the title.
- Description (rich text) — optional. Supporting body copy.
- CTA text + link – optional. A call-to-action button or link.
- CTA icon – optional. An icon displayed alongside the CTA.


The cards block supports multiple visual variants. Authors can combine variants on a single cards block to control layout, image treatment, and overall presentation.


Development Requirements

The cards block must be built to support configurable background colors per card or per cards block instance, allowing authors to match brand and section styling needs.

When a card contains only an image and a CTA link, the block must wrap the image in the link to make the entire card clickable. No separate variant is needed — the block should adapt based on which optional fields are present.

Variant	Description	Reference
---------	-------------	-----------

default	Image at the top, gray border Default 3 col layout	 Advanced verification Advanced specificity testing aligned with ISO/IEC 17025 verification standards. Learn more about our advanced verification antibodies  Publication-backed performance Trusted and cited in leading peer-reviewed research journals. Find publication backed antibodies  Antibody performance guarantee Purchase with confidence with our antibody performance guarantee. Learn more about our antibody performance guarantee Antibodies Thermo Fisher Scientific - US  BenchStable Media Gibco BenchStable Media, available in our most common cell culture media formulations, are stable at room temperature, allowing for convenient and flexible storage without utilizing cold storage space. Explore Gibco BenchStable Media  Human Plasma-Like Medium Gibco Human Plasma-Like Medium (hPLM) is formulated to mimic the metabolic profile of human plasma, allowing for improved physiological relevance when studying cancer and disease. Explore Gibco Human Plasma-Like Medium  Media with GlutaMAX Supplement Media with Gibco GlutaMAX Supplement are standard cell culture formulations containing a stabilized form of L-glutamine that prevents degradation and buildup of ammonia. Explore GlutaMAX Media formulations
full-width- img-left	card is in full width and image left One column	Sustainability Insights  Green Chemistry: Designing for a Sustainable Future At Thermo Fisher Scientific, we're committed to our Green Chemistry initiative. We're focused on reducing our carbon footprint, minimizing waste, and increasing the safety of our products. Learn more about our Green Chemistry efforts and how we're working to create a more sustainable future. Learn more  Get the facts. Find details on all green product claims for each of our greener product lines. We have sustainable product design services and labels at your disposal. We're committed to transparency and providing you with the information you need to make informed decisions. Visit our website for more information on our green products and services. Browse complete list of greener products Reducing Hazardous Materials and Waste Thermo Fisher Scientific - US
full-width- img-right	card is in full width and image right One Column	Supporting biopharma, biotech, and CDMOs We offer bioprocessing solutions for biopharma, biotech, and CDMOs to help streamline scale-up, navigate regulatory complexities, and tackle supply challenges, helping maintain consistent quality and productivity at every stage. Discover our industries →  Bioprocessing Solutions Thermo Fisher Scientific - US
4-col	4 column layout	 Less waste and use of fewer resources When reducing waste in your lab, every little bit helps. Whether it's reducing, eliminating or reusing. Learn more  More energy efficient More energy efficient products help power your work and support lab sustainability. Learn more  Responsibly packaged and shipped Reducing packaging, replacing non-recyclable materials and shipping products at ambient temperatures when feasible. Learn more  Extending life of products and materials Innovating ways to extend the useful life of products and materials. Learn more Reducing Hazardous Materials and Waste Thermo Fisher Scientific - US

clickable	Entire card is clickable with CTA link	
without-border	Without any borders or shadows	
img-left	Image to the left and text to the right 2 Column	  Lab Chemicals Thermo Fisher Scientific - US
img-right	Image to the right and text to the left 2 Column	  Why choose us? Thermo Fisher Scientific - US
feature-card	Product image in upper right corner	  Applied Biosystems Thermo Fisher Scientific - US
overlay	Image as full-card background with text	  Applied Biosystems Thermo Fisher Scientific - US

	and CTA overlaid Option for Selecting Text- White and Black	
card- resource Feature Product	Cards with Blue Background	Resources Bioprocessing Blogs Explore our collection of information and insights to support your drug development journey. Events and webinars Join us to learn, evaluate, and connect with experienced professionals in the field. Bioprocessing resources Find product guides, tools, and reference materials to help plan and optimize your workflows. Contact us Connect with a Bioprocessing representative or request more info. T Why choose us? Thermo Fisher Scientific - U S
title- over-img		Overcoming forestation challenges Next-generation sequencing, genotyping, and other modern genomics techniques present a major opportunity for ArborGen and other tree breeders. Read blog post Genomics and cattle Dr. Andrew Cromie has been overseeing the mass genotyping of Irish cattle using genomics tools for the primary objective of genetic improvement of dairy and beef cattle in Ireland. Read blog post Genetic diversity in buffalo The Philippine Department of Agriculture is devoted to improving the genetic diversity of the country's water buffalo using Applied Biosystems™ Axiom™ arrays. Read blog post T Applied Biosystems Solutions for Agrigenomics Thermo Fisher Scientific - US
list		Considerations for choosing a quality CDMO partner: Quality Speed Cost Flexibility Regulatory Choosing a CDMO partner Learn more Insights and resources for the pharma services industry Learn more Transforming CDMO partnerships through a holistic understanding of quality Learn more T Patheon Thermo Fisher Scientific - US

Technical Details

1. UE Authoring Contract

1.1 AEM Resource

Property	Value
Resource Type (Parent)	core/franklin/components/block/v1/block
Resource Type (Child Item)	core/franklin/components/block/v1/block/item
Block Name	Cards
Model ID (Parent)	cards
Model ID (Child)	card
Filter	cards → allows only card children
Block Type	Container (parent-child with repeatable items)

1.2 Editable Properties in Universal Editor

Parent block (Cards container):

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
classes	Style Options	multiselect	Yes	Layout + visual variants — combinable. See Section 4.
backgrounddColor	Background Color	select	Yes	Predefined options: white, light-grey, blue, dark. Applies to entire cards block instance.

Child item (Card):

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
<code>image</code>	Image	reference (DAM picker)	Yes — Required	Card image
<code>imageAlt</code>	Image Alt Text	text	Yes — Conditional	Required if image is set. Collapsed into <code>image</code> element.
<code>title</code>	Title	text	No	Card heading (rendered as H2)
<code>subtitle</code>	Subtitle	text	No	Secondary text below title (rendered as H3)
<code>description</code>	Description	richtext	No	Supporting body copy. Supports: bold, italic, links, lists.
<code>ctaLabel</code>	CTA Text	text	No	From CTA partial
<code>ctaHref</code>	CTA URL	text	No	From CTA partial
<code>ctaExternal</code>	CTA Open in New Tab	boolean	No	From CTA partial
<code>ctaType</code>	CTA Style	select	No	Options: primary,

				outline. From CTA partial.
ctaIcon	CTA Icon	select	No	Options: arrow, document, download, print, etc. From CTA partial.

1.3 Container vs Leaf Fields

The Cards block is a **container block (parent-child)**:

- **Parent (Cards):** Container with layout/style variants and background color. Governs the grid layout and visual treatment for all cards. Controls which children are allowed via filter.
- **Children (Card items):** Each card is a repeatable item with image, title, subtitle, description, and CTA. Author adds/removes/reorders cards freely.

1.4 Block Registration — Component Definition

Parent (Cards):

```

1 {
2   "title": "Cards",
3   "id": "cards",
4   "plugins": {
5     "xwalk": {
6       "page": {
7         "resourceType": "core/franklin/components/block/v1/block",
8         "template": {
9           "name": "Cards",
10          "model": "cards",
11          "filter": "cards"
12        }
13      }
14    }
15  }
16 }
17
```

Child (Card):

```

1 {
2   "title": "Card",
3   "id": "card",
4   "plugins": {
5     "xwalk": {
6       "page": {
7         "resourceType":
"core/franklin/components/block/v1/block/item",

```

```
8      "template": {
9        "name": "Card",
10       "model": "card"
11     }
12   }
13 }
14 }
15 }
16 }
```

1.5 Key Architectural Change from AEM 6.4

In AEM 6.4, this component was used inside a **Layout Container (responsive grid)** — authors resized the parsys to 3 or 4 columns and dropped the Text-Image component in each column.

In EDS, there is **no layout container or responsive grid**. The Cards block **owns its own grid layout**. The `classes` variant (e.g., `4-col`, `img-left`, `list`) tells the block CSS how to render the layout. Authors no longer need to set up a grid first — they select the layout variant on the block, and CSS handles the rest.

AEM 6.4	EDS
Layout Container resized to N columns + drop component N times	Cards block with <code>classes</code> variant — one block, CSS handles grid
Layout controlled by Layout Container (responsive grid)	Layout controlled by block CSS via <code>classes</code> variant
Component doesn't know about columns	Block knows — variant tells CSS the column count
Author action: resize container + drop components	Author action: add cards to one block + select layout variant

2. Component Model Definition (Field-Level)

2.1 Parent (Cards Container) Field Definitions

Field	Label	Required	Default	Authored / Derived
<code>classes</code>	Style Options	No	"" (default — 3 col, image top, with border)	Authored

<code>background dColor</code>	Background Color	No	"white"	Authored
------------------------------------	---------------------	----	---------	----------

Background Color options:

Option	Value	Visual
White	<code>white</code>	Default — white/transparent background
Light Grey	<code>light-grey</code>	Light grey background (#f5f5f5)
Blue	<code>blue</code>	Brand blue background
Dark	<code>dark</code>	Dark background with light text

Additional options will be added as encountered during implementation.

2.2 Child (Card Item) Field Definitions

Field	Component	Label	Required	Default	Authored / Derived	Collapsed Into
<code>image</code>	reference	Image	Yes	--	Authored	--
<code>imageAlt</code>	text	Image Alt Text	Conditional (required if image set)	""	Authored	Collapsed into <code>image</code>
<code>title</code>	text	Title	No	""	Authored	--
<code>subtitle</code>	text	Subtitle	No	""	Authored	--

<code>description</code>	richtext	Description	No	""	Authored	--
<code>ctaLabel</code>	text	CTA Text	No	--	Authored (CTA partial)	--
<code>ctaHref</code>	text	CTA URL	No	--	Authored (CTA partial)	--
<code>ctaExternal</code>	boolean	CTA Open in New Tab	No	false	Authored (CTA partial)	--
<code>ctaType</code>	select	CTA Style	No	"primary"	Authored (CTA partial)	--
<code>ctaIcon</code>	select	CTA Icon	No	"" (none)	Authored (CTA partial)	--

Governance in `component-filters.json`

```
1 {
2   "id": "cards",
3   "components": ["card"]
4 }
5
```

Only `card` children can be added inside a cards block. Authors cannot drop other blocks inside cards.

3. Style Variants — `classes` Options

3.1 Layout Variants (Mutually Exclusive — Pick One)

These control the grid structure. Default (3-col, image top) applies when none is selected.

Variant	<code>classes</code> Value	Description	CSS
Default (3 col)	(none — baseline)	3-column grid, image at top of	<code>.cards ul { grid-</code>

		each card	<pre>template- columns: repeat(3, 1fr); }</pre>
4 Column	4-col	4-column grid	<pre>.cards.4-col ul { grid- template- columns: repeat(4, 1fr); }</pre>
Full Width — Image Left	fullwidth- img-left	Single column, image left + text right	<pre>.cards.fullw idth-img- left li { display: flex; }</pre>
Full Width — Image Right	fullwidth- img-right	Single column, image right + text left	<pre>.cards.fullw idth-img- right li { display: flex; flex- direction: row-reverse; }</pre>
Image Left (2 Col)	img-left	2-column layout, image left text right per card	<pre>.cards.img- left li { display: flex; }</pre>
Image Right (2 Col)	img-right	2-column layout, image right text left per card	<pre>.cards.img- right li { display: flex; flex- direction: row-reverse; }</pre>

List	<code>list</code>	Stacked list layout, image left text right, full-width cards	<code>.cards.list</code> <code>li {</code> <code>display:</code> <code>flex; width:</code> <code>100%; }</code>
------	-------------------	--	---

3.2 Visual Treatment Variants

These control visual appearance and can be combined with a layout variant.

Variant	classes Value	Description	CSS
Without Border	<code>without-border</code>	No borders or shadows on cards	<code>.cards.without-border li</code> <code>{ border:</code> <code>none; box-</code> <code>shadow:</code> <code>none; }</code>
Clickable	<code>clickable</code>	Entire card wrapped in CTA link (even with title/description present)	<code>.cards.clickable li {</code> <code>cursor:</code> <code>pointer; }</code>
Overlay	<code>overlay</code>	Image as full-card background, text + CTA overlaid	<code>.cards.overlay li {</code> <code>position:</code> <code>relative; }</code> + absolute positioned text
Overlay Light Text	<code>overlay-light-text</code>	White text on overlay variant	<code>.cards.overlay-light-text li {</code> <code>color: #fff;</code> <code>}</code>
Overlay Dark Text	<code>overlay-dark-text</code>	Black text on overlay variant	<code>.cards.overlay-dark-text</code>

			<pre>li { color: #000; }</pre>
Feature Card	feature-card	Product image in upper right corner, text prominent	<pre>.cards.featu re-card .cards-card- image { position: absolute; top: 0; right: 0; }</pre>
Card Resource	card- resource	Blue background, feature product style	<pre>.cards.card- resource li { background: var(--brand- blue); color: #fff; }</pre>
Title Over Image	title-over- img	Title text overlaid on the image	<pre>.cards.title -over-img .cards-card- body { position: absolute; bottom: 0; }</pre>
Classic Small	classic- small	Compact/alternate style	<pre>.cards.class ic-small li { padding: 0.5rem; font-size: 0.875rem; }</pre>
Classic Gray	classic-gray	Gray background with blue text, typically single item	<pre>.cards.class ic-gray li { background: #f0f0f0; }</pre>

			<pre>color: var(- -brand- blue); }</pre>
--	--	--	--