

11 - Edge Delivery Environments & Branching strategy

Environments

Environment	Access URLs	Author URLs	Details
GitHub	https://github.com/SertaSimmons/ssb-aem-sites Connect your Github account		The first repo is for core development. The second repo is for cloud manager deployment. CSE will need to grant access to cloud manager/AMS repo.
SSB Dev	Preview: <a href="https://dev--<brand>-dev--sertasimmons.aem.page/">https://dev--<brand>-dev--sertasimmons.aem.page/ Publish: <a href="https://dev--<brand>-dev--sertasimmons.aem.live/">https://dev--<brand>-dev--sertasimmons.aem.live/ E.g. Preview: https://dev--beautyrest-dev--sertasimmons.aem.page/ Publish: https://dev--beautyrest-dev--sertasimmons.aem.live/	<a href="https://da.live/#/sertasimmons/<brand>-dev">https://da.live/#/sertasimmons/<brand>-dev E.g. Browse - DA	
SSB QA	Preview: <a href="https://qa--<brand>-qa--sertasimmons.aem.page/">https://qa--<brand>-qa--sertasimmons.aem.page/ Publish: <a href="https://qa--<brand>-qa--sertasimmons.aem.live/">https://qa--<brand>-qa--sertasimmons.aem.live/	<a href="https://da.live/#/sertasimmons/<brand>-dev">https://da.live/#/sertasimmons/<brand>-dev E.g. Browse - DA	qa branch to be created and used for QA environment after the Prod go live.

 <https://github.com/atlassian-internal/s...> [Connect](#)

🔗 This page has 1 GitHub link.

Connect to preview what's inside. Your teammates have connected this app.


[Connect](#) · [Don't show this again](#)

SSB Stage	Preview: <a href="https://main--<brand>-stage--sertasimmons.aem.page/">https://main--<brand>-stage--sertasimmons.aem.page/ Publish: <a href="https://main--<brand>-stage--sertasimmons.aem.live/">https://main--<brand>-stage--sertasimmons.aem.live/ E.g. Preview: https://main--beautyrest-stage--sertasimmons.aem.page/ Publish: https://main--beautyrest-stage--sertasimmons.aem.live/	<a href="https://da.live/#/sertasimmons/<brand>">https://da.live/#/sertasimmons/<brand> E.g. https://da.live/#/sertasimmons/beautyrest	stage branch to be created and used for Stage environment after the Prod go-live. <brand>-stage to be created for the content under <i>Sertasimmons</i> Org in DA after the Prod go-live.
SSB Prod	Preview: <a href="https://main--<brand>--sertasimmons.aem.page/">https://main--<brand>--sertasimmons.aem.page/ Publish: Preview: <a href="https://main--<brand>--sertasimmons.aem.live/">https://main--<brand>--sertasimmons.aem.live/ E.g. Preview: https://main--beautyrest--sertasimmons.aem.page/ Publish: https://main--beautyrest--sertasimmons.aem.live/	<a href="https://da.live/#/sertasimmons/<brand>">https://da.live/#/sertasimmons/<brand> E.g. https://da.live/#/sertasimmons/beautyrest	

Branching strategy:

Overview

This outlines the branching strategy for our development workflow, including environment mappings and content authoring (DA) configurations.



ures or blocks

ature-name>

Pull Request (PR)

- AEM Code Sync listens to changes on the code repository, publishes code to AEM's code bus for high availability and intelligently purges CDN caches when changes have been made.

Bugfix Branches

- Used for implementing bug fixes
- Naming convention: bugfix-<bug-description>
- Created from dev branch
- Merged back to dev branch via Pull Request (PR)
- AEM Code Sync listens to changes on the code repository, publishes code to AEM's code bus for high availability and intelligently purges CDN caches when changes have been made.

Environment and Branch Mapping

Development Environment

- Branch: dev
- Content Authoring: <brand>-dev content
- Purpose: Development and testing of new features


QA Environment

- Branch: qa
- Content Authoring: <brand>-dev content
- Purpose: Quality assurance and testing
- ~~Note: After prod go-live, this will be mapped to qa branch~~

Stage Environment

- Branch: main
- Content Authoring: <brand> content
- Purpose: Pre-production validation
- Note: After prod go-live, this will be mapped to stage branch with <brand>-stage content

Production Environment



4. After validation in DEV environment, create PR from dev to main for QA validation
5. Changes flow through environments: DEV → QA → Stage → Production

Post Production Go-Live Changes

QA Environment

- ~~New branch: qa~~
- ~~Content Authoring: <brand> dev content~~
- ~~Purpose: Dedicated QA testing environment~~


Stage Environment

- New branch: stage
- Content Authoring: <brand>-stage content
- Purpose: Pre-production validation with stage-specific content

Environment Promotion Flow

Before Production Go-Live

Feature/Bugfix Branch → dev → qa → main




After Production Go-Live

<https://github.com/atlassian-internal/s...>
[Connect](#)

🔗 This page has 1 GitHub link.

Connect to preview what's inside. Your teammates have connected this app.

→ stage → main



Refer to [Getting Started – Developer Tutorial](#) for additional details about [AEM Code Sync](#)

<https://github.com/atlassian-internal/s...>
[Connect](#)

🔗 This page has 1 GitHub link.

Connect to preview what's inside. Your teammates have connected this app.