

Hero Block

Map to Page Heading Hero Component


A full-width banner that introduces the page with a background image, heading, and optional call-to-action.

Authoring Criteria

- Image – ~~required~~ Optional. The hero background image.
- Subtitle – optional. Secondary text below the heading.
- Description (rich text) – optional. Supporting body copy.
- CTA text + link – optional. A call-to-action button. Can add 0, 1, or 2. Options- Primary or Outline
- Overlay breadcrumb (yes/no) — optional. Toggles a breadcrumb trail overlaid on the hero.
- Foreground Image

The H1 heading is pulled automatically from page metadata – authors do not author it within the block.

Variant	Description	Reference
default	Text is black and aligned to the left	 A hero block with a light blue background featuring a stylized white circular graphic on the right. The text 'Applications and Techniques' is in black, left-aligned, with a breadcrumb trail 'Home > Applications' above it.
dark-background	Text is white	 A hero block with a dark, abstract background. The text 'Why data integration matters in Cryo-EM' and 'Effectively managing cryo-EM data with CryoFlow Software' is in white, left-aligned.
center-align	Text is centered on the hero	 A hero block with a dark background featuring electron microscopy images. The text 'Electron microscopy' and 'From microns to molecules and atoms: image, characterize, and reveal new hidden structures' is in white, centered. There are several small inset images at the bottom.

foreground -image	Includes both a background image and a foreground image	 T 3D SEM Volumescope 2 Scanning Electron Microscope Thermo Fisher Scientific - US
gradient- overlay	Dark gradient overlay on top of background image	 T Environmental Thermo Fisher Scientific - US
image- focal- center		 T Carrier Screening Information Thermo Fisher Scientific - US

Technical Details

1. UE Authoring Contract

1.1 AEM Resource

Property	Value
Resource Type	core/franklin/components/block/v1/block
Block Name	Hero
Model ID	hero
Block Type	Simple (flattened — leaf block, no children)
Nested Authoring Strategy	Flattened Block

1.2 Editable Properties in Universal Editor

When an author clicks the Hero block in Universal Editor, the following fields appear in the properties panel:

JCR Property	UE Properties Panel	Field Type	Editable?	Notes
--------------	---------------------	------------	-----------	-------

<code>classes</code>	Style Options (multiselect)	multiselect	Yes	Variant selection — options: dark-background, center-align, foreground-image, gradient-overlay, image-focal-center
<code>image</code>	Background Image	reference	Yes	Opens asset picker
<code>imageAlt</code>	Background Image Alt Text	text	Yes	Collapsed into <code>image</code> element
<code>foregroundImage</code>	Foreground Image	reference	Yes	Optional — used with <code>foreground-image</code> variant
<code>foregroundImageAlt</code>	Foreground Image Alt Text	text	Yes	Collapsed into <code>foregroundImage</code> element
<code>subtitle</code>	Subtitle	text	Yes	Secondary text below heading
<code>description</code>	Description	richtext	Yes	Supports bold, italic, links, lists
<code>overlayBreadcrumb</code>	Show Breadcrumb	boolean (toggle)	Yes	Toggles breadcrumb trail visibility
<code>primaryCtaLabel</code>	Primary CTA Text	text	Yes	From CTA partial
<code>primaryCtaHref</code>	Primary CTA URL	text	Yes	From CTA partial
<code>primaryCtaExternal</code>	Primary CTA New Tab	boolean (toggle)	Yes	From CTA partial

<code>primaryCtaType</code>	Primary CTA Style	select	Yes	Options: Primary, Outline
<code>secondaryCtaLabel</code>	Secondary CTA Text	text	Yes	From CTA partial
<code>secondaryCtaHref</code>	Secondary CTA URL	text	Yes	From CTA partial
<code>secondaryCtaExternal</code>	Secondary CTA New Tab	boolean (toggle)	Yes	From CTA partial
<code>secondaryCtaType</code>	Secondary CTA Style	select	Yes	Options: Primary, Outline

1.3 Container vs Leaf Fields

The Hero block is a **leaf block (flattened)**. All fields are on the block itself. There are no child items, no container behavior, and no repeatable groups.

The dual CTA (0, 1, or 2 buttons) is handled by two **fixed CTA field groups** (primary + secondary), not by repeatable child items.

1.4 References, Fragments, and Nested Items

Reference Type	Field	UE Behavior
Background image	<code>image</code> (reference)	Opens DAM asset picker — author browses and selects
Foreground image	<code>foregroundImage</code> (reference)	Opens DAM asset picker — same behavior
CTA links	<code>primaryCtaHref</code> , <code>secondaryCtaHref</code> (text)	Author types URL or content path manually
H1 heading	Derived from <code>jcr:title</code> on page node	Not editable in block — author edits in Page Properties
Breadcrumb trail	Derived from content hierarchy / navigation	Not editable — <code>overlayBreadcrumb</code> shows breadcrumb above Hero block.

No fragments or nested items are used by the Hero block.

1.5 Block Registration — Component Definition

The Hero block is registered in `component-definition.json` (or `blocks/hero/_hero.json`) so that Universal Editor knows it exists and can present it in the block palette:

```
1 {
2   "title": "Hero",
3   "id": "hero",
4   "plugins": {
5     "xwalk": {
6       "page": {
7         "resourceType": "core/franklin/components/block/v1/block",
8         "template": {
9           "name": "Hero",
10          "model": "hero"
11        }
12      }
13    }
14  }
15 }
```

2. Component Model Definition (Field-Level)

2.1 Field Definitions

Field	Component	Label	Required	Default	Authored / Derived	Collapsed Into
image	reference	Background Image	No	--	Authored	--
imageAlt	text	Background Image Alt		""	Authored	Collapsed into image
foregroundImage	reference	Foreground Image	No	--	Authored	--
foregroundImageAlt	text	Foreground Image Alt	Conditional (required if foregroundImage is set)	""	Authored	Collapsed into foregroundImage
subtitle	text	Subtitle	No	""	Authored	--

description	richtext	Description	No	""	Authored	--
overlayBreadcrumb	boolean	Show Breadcrumb	No	false	Authored	--
primaryCtaLabel	text	Primary CTA Text	No	--	Authored (CTA partial)	--
primaryCtaHref	text	Primary CTA URL	No	--	Authored (CTA partial)	--
primaryCtaExternal	boolean	Primary CTA Open in New Tab	No	false	Authored (CTA partial)	--
primaryCtaType	select	Primary CTA Style	No	"primary"	Authored (CTA partial)	--
secondaryCtaLabel	text	Secondary CTA Text	No	--	Authored (CTA partial)	--
secondaryCtaHref	text	Secondary CTA URL	No	--	Authored (CTA partial)	--
secondaryCtaExternal	boolean	Secondary CTA Open in New Tab	No	false	Authored (CTA partial)	--
secondaryCtaType	select	Secondary CTA Style	No	"outline"	Authored (CTA partial)	--
classes	multiselect	Style Options	No	"" (default variant)	Authored	NOT a table row — applied as

						CSS class on block wrapper
--	--	--	--	--	--	----------------------------------

2.2 Derived Fields (Not in Block Model)

Property	Source	Used For	Why Not in Block Model
H1 Heading	<code>jcr:title</code> from page properties	Rendered as <code><h1></code> inside hero	Per specification: "The H1 heading is pulled automatically from page metadata — authors do not author it within the block"
Breadcrumb content	Content hierarchy / site navigation structure	Rendered as breadcrumb trail when <code>overlayBreadcrumb</code> <code>b = true</code>	Breadcrumb is structural/navigational. Block only toggles visibility.

Governance in `component-filters.json`

The Hero block is included in the section-level filter:

```
1 {
2   "id": "section",
3   "components": [
4     "hero",
5     "cards",
6     "accordion",
7     "tabs",
8     "columns",
9     "...",
10  ]
11 }
12
```

The Hero block itself is **not** a container — it has no filter entry of its own . Authors cannot drop child blocks inside a Hero.