

# Week 10 - Module 2b - OpenLayers 4 Javascript Framework

Karl Benedict

GEOG 485L/585L - Spring 2017

## Overview

- Capabilities
- OpenLayers = Javascript (by example)

## OpenLayers Capabilities

- Support for Multiple basemaps: *BingMaps*, *OpenStreetMap*, *Stamen*
- Model for interaction with multiple map server platforms: *ArcGIS* (REST), *MapServer*, *GeoServer*
- Support for key OGC standards: *WMS*, *WMTS*, *WFS*, *GML*, *KML*
- Multiple control types: *Attribution*, *Zoom*, *Overview*, *Scale*, *FullScreen*, *Graticule*
- Custom styled features with associated attributes: *Curve*, *LinearRing*, *LineString*, *MultiLineString*, *MultiPoint*, *MultiPolygon*, *Point*, *Polygon*
- Support for many formats for data read and write: *ATOM*, *GML* (1, 2, 3), *GeoJSON*, *GPX*, *KML*, *WKT*, any many others
- Open Source, enabling modification and integration into other systems (e.g. [GeoExt](#))

## Distinguishing Characteristics Between OpenLayers and Google Maps

- Greater emphasis on client-side processing - Client access and rendering of data files that Google's servers otherwise take care of (pros & cons to this approach)
- Integrated support for OGC services and their products
- Support for different projections (adds complexity)
- API more rich in options ==> more complexity

## Resources

[OpenLayers Home Page](#)

[Application Programming Interface \(API\) Reference](#)

[Examples](#)

## Demonstrations and Examples

- [Basic Mapper](#) (with Open Street Map base map ([source](#)))

OpenLayers\_01.html

```

1 <html>
2
3 <head>
4     <link rel="stylesheet" href="css/OpenLayers_01.css" type="text/css">
5     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/openlayers/4.0.1/ol.css" type="text/css">
6     <script src="https://cdnjs.cloudflare.com/ajax/libs/openlayers/4.0.1/ol.js" type="text/javascript">
7 </head>
8
9 <body>
10     <h1>This is a very simple OpenLayers 4 sample map page</h1>
11
12     <div id='map'><!-- This is where the map will be displayed --></div>
13
14     <!-- import the external Javascript file with the map configuration code -->
15     <script src="js/OpenLayers_01.js" type="text/javascript"></script>
16 </body>
17
18 </html>

```

OpenLayers\_01.js

```

1 // OpenLayers_01.js
2
3 var myMap = new ol.Map({
4     target: 'map',
5     layers: [
6         new ol.layer.Tile({
7             source: new ol.source.OSM()
8         })
9     ],
10    view: new ol.View({
11        center: ol.proj.fromLonLat([-106.624083,35.08427]),
12        zoom: 18
13    })
14 });

```

OpenLayers\_01.css

```

1 /* OpenLayers_01.css */
2
3 body {
4     width:100%;
5     height:100%
6 }
7
8 #map,.map {
9     width:600px;
10    height:400px;
11 }
12
13 #map_selector li {
14     cursor:pointer;
15     width:350px;

```

```
16  }
17
18  #map_selector li:hover {
19      background-color: yellow;
20  }
21
22
23
24  #map div.ol-viewport div.ol-overlaycontainer-stopevent div.ol-overviewmap.ol-unselectable.ol-control.ol-
25      top: 200px;
26      bottom: 300px;
27  }
```

### Demonstration and Examples - Online Resources

- [Mapper](#) (source) with a variety of base maps (Bing, Stamen, OSM) and basic layer selection
- Basic Mapper with Controls: [No Controls](#) (source), [Customized Controls](#) (source)

### Next Week - Custom Features and WMS Layers

---

This work by Karl Benedict is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.