Week 12 - Module 5 - Platforms and GeoServer Introduction

Karl Benedict

GEOG 485L/585L - Spring 2017

Overview

- SOA Review
- Server Platform
- Online Mapping Server Applications: COTS & Open Source
- What is GeoServer
- Working with GeoServer
- Demonstration

SOA Review

- Services Oriented Architecture (SOA) for Geospatial Data and Processing
 - Data, Processing & Client Tiers
- Open Geospatial Consortium Interoperability Standards
 - WMS, WFS, WCS
- Geospatial Metadata Standards
 - ISO 19115, FGDC
- Internet Standards
 - Web: HTML, CSS, JavaScript, XML
 - SOAP Simple Object Access Protocol
 - REST Representation State Transformation

Server Platform

In the context of server platforms for online mapping with OGC services, there are several components that are of interest

- \bullet The operating system the software environment in which all applications on a computer operate (e.g. Windows, Mac OS X, Linux)
- The web server the application that listens for incoming requests from the Internet (e.g. Apache, IIS)
- The mapping server the application (that may also include the web server) that enables online mapping applications, that may include support for one or more OGC service interfaces (e.g. GeoServer, MapServer, CubeWerx, ArcGIS Server)




Figure 1: SOA Illustration

Online Mapping Server Applications

Sample Commercial Off-the-Shelf (COTS)

- ArcGIS Enterprise (info)
- CubeWerx SDI Suite (info)
- ERDAS APOLLO (info)

Sample Open Source

- MapServer (info)
- GeoServer (info)
- QGIS (info)

What is GeoServer

GeoServer is an Open Source, Open Standards supporting geospatial web services platform

- GNU General Public License
- WMS, WFS, WCS
- Written in Java as a web application commonly hosted on the Jetty HTTP server and Java servlet engine
- An appropriate version of Java must already be installed

Working with GeoServer

OS-Independent Binaries are Available for Multiple Platforms (these are just 'run' to start the server)

- Includes the Jetty HTTP server
- Windows, Mac OS X, Linux
- There are OS-specific configuration instructions for each operating system

GeoServer may be integrated into existing Java web servlet applications (such as Apache Tomcat) using the available Web Archive (WAR) file.

OS-Specific Installers are also Available

- Include an integrated HTTP server
- Windows and Mac OS X

[Installation Information] (http://docs.geoserver.org/stable/en/user/installation/)

What is Happening Behind the Scenes

Setup and Configuration

- After the initial setup as part of the installation process, other setup and configuration is performed through the web interface
- All configuration activities require that you are logged in as an administrator
- Default username and password for a new GeoServer are admin:geoserver this should be changed as soon as you start up a new server instance.
- After logging in you can view and modify the configuration of the server and services some of the configuration elements inform the OGC service capabilities




Figure 2: Interaction Between GeoServer Components



Figure 3: Geoserver Configuration Menu

- Server Status summary information about the status of the currently running server
- GeoServer Logs access to the application logs for diagnosing issues with the server
- Contact Information contact information for the person responsible for providing support for the server and services. This information is used to build parts of the Capabilities XML metadata returned by the services
- About GeoServer links to information about GeoServer
- Image Processing advanced image processing and raster encoding
- Raster Access settings for accessing raster data

WxS Service Configuration Options



Figure 4: Geoserver Service Configuration Menu

Options Common to all WxS services

- Enable/disable the service, with or without strict CITE compliance
- Maintainer and Online Resource URLs
- Title/Abstract
- Fees/Access Constraints
- Keywords

Options specific to individual services

- WFS max. no. features, service type (basic/transactional/complete), GML-specific styles, SRS styes, other options
- WMS SRS subset specification, interpolation method, resource consumption limits, KML options, map image watermarking, PNG/JPEG/SVG format options, and others
- WCS SRS subset specification, policies for overviews to be used, subsampling, and resource consumption limits, other options

Data Component Configuration Options



Figure 5: GeoServer Data Configuration Menu

- Layer Preview An interface through which a Layers may be previewed in a variety of formats
- Workspaces Defined containers for related data products
- Stores Specific data sources (file or service based) with required data type and connection information provided in the Store configuration
- Layers Defined layers that are published by the server, with the layers based upon data provided by a Store, but with additional layer-specific settings (such as bounding box, applied and available styles, and attribution).
- Layer Groups Collections of Layers for specific projects/applications or other logical groupings.
- Styles A listing of defined layer styles for the server through which those styles may be accessed and managed.

Data Integration Process




Figure 6: Data integration workflow

Security Settings

- Settings Basic security configuration settings: role service, encryption options
- Authentication Configuration settings for authentication providers for users
- Passwords Settings related to underlying password providers and policies
- Users, Groups, Roles Management of system users, groups and defined roles
- Data Settings for read/write access to data products within the server, settings for the system's catalog mode
- Service Settings for managing service-level (i.e. WMS, WFS, WCS and related request types) access privileges by user role.



Figure 7: GeoServer Security Configuration Menu

Demonstration of GeoServer Interface

Class GeoServer Instance




Figure 8: GeoServer Home Page

This work by Karl Benedict is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.