Geography 485L/585L - Internet Mapping

Karl Benedict

Spring 2018

Week 10 - Module 2b - OpenLayers 4 Javascript Framework

Overview

- Capabilities
- OpenLayers = Javascript (by example)

OpenLayers Capabilities

- Support for Multiple basemaps: BingMaps, OpenStreetMap, Stamen
- Model for interaction with multiple map server platforms: ArcGIS (REST), MapServer, GeoServer
- Support for key OGC standards: WMS, WMTS, WFS, GML, KML
- Multiple control types: Attribution, Zoom, Overview, Scale, FullScreen, Graticule
- Custom styled features with associated attributes: Curve, LinearRing, LineString, MultiLineString, MultiPoint, MultiPolygon, Point, Polygon
- Support for many formats for data read and write: ATOM, GML (1, 2, 3), GeoJSON, GPX, KML, WKT, any many others
- Open Source, enabling modification and integration into other systems (e.g. GeoExt)

Distinguishing Characteristics Between OpenLayers and Google Maps

- Greater emphasis on client-side processing Client access and rendering of data files that Google's servers otherwise take care of (pros & cons to this approach)
- Integrated support for OGC services and their products
- Support for different projections (adds complexity)
- API more rich in options ==> more complexity

Resources

OpenLayers Home Page

Application Programming Interface (API) Reference

Examples

Demonstrations and Examples

• Basic Mapper (with Open Street Map base map (source))

```
OpenLayers\_01.html
```

```
<html>
   <head>
        <link rel="stylesheet" href="css/OpenLayers_01.css" type="text/css">
4
        <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/</pre>
5
            openlayers/4.0.1/ol.css" type="text/css">
        <script src="https://cdnjs.cloudflare.com/ajax/libs/openlayers/4.0.1/ol.js"</pre>
            type="text/javascript"></script>
   </head>
10
   <body>
11
        <h1>This is a very simple OpenLayers 4 sample map page</h1>
12
13
        <div id='map'><!-- This is where the map will be displayed --></div>
15
        <!-- import the external Javascript file with the map configuration code -->
        <script src="js/OpenLayers_01.js" type="text/javascript"></script>
17
   </body>
18
19
   </html>
20
   OpenLayers_01.js
   // OpenLayers_01.js
2
   var myMap = new ol.Map({
       target: 'map',
       layers: [
5
            new ol.layer.Tile({
                source: new ol.source.OSM()
            })
       ],
9
       view: new ol.View({
10
            center: ol.proj.fromLonLat([-106.624083,35.08427]),
11
            zoom: 18
            })
13
       });
   OpenLayers_01.css
   /* OpenLayers_01.css */
   body {
       width:100%;
4
       height:100%
5
   }
```

```
#map,.map {
        width:600px;
        height:400px;
10
   }
11
12
   #map_selector li {
13
        cursor:pointer;
14
        width:350px;
   }
16
   #map_selector li:hover {
18
        background-color: yellow;
19
   }
20
21
22
23
   #map div.ol-viewport
24
        div.ol-overlaycontainer-stopevent
25
        div.ol-overviewmap.ol-unselectable.ol-control.ol-uncollapsible {
26
            top: 200px;
27
            bottom: 300px;
   }
29
```

Demonstration and Examples - Online Resources

- Mapper (source) with a variety of base maps (Bing, Stamen, OSM) and basic layer selection
- Basic Mapper with Controls: No Controls (source), Customized Controls (source)

Next Week - Custom Features and WMS Layers

This work by Karl Benedict is licensed under a Creative Commons Attribution-ShareAlike 4.0 International License.