

PRODUCT CATALOG / GEC V SERIES

Fresh-air ceiling

新風淨化天花式抽濕機

MODELS

CAPACITY

MARKET

4

30–110 L/day

Hong Kong

Fresh air × dehumidification × HEPA filtration in one ceiling unit.

Independent fresh-air valve, return-air valve, HEPA filter, and a 5-in-1 air detector — auto-switching across dehumidify, fresh-air, mixed, and intelligent modes.

新風 × 抽濕 × HEPA 過濾，一台天花機完成。獨立新風閥、回風閥、HEPA 高效濾網與五合一空氣探測器，可於抽濕、新風、混合、智能四個模式之間自動切換。

01 ABOUT THE GEC V SERIES

System overview

The GEC V Series is the flagship fresh-air ceiling dehumidifier engineered for Hong Kong's sub-tropical climate. It maintains target humidity while continuously introducing HEPA-filtered outdoor air — solving CO2 build-up, PM2.5, cooking odours, and humidity in a single concealed unit. The 5-in-1 air detector reads PM2.5, CO2, VOC, temperature, and relative humidity, switching modes automatically.

GEC V 系列為 ERV.hk 旗艦新風天花式抽濕機，專為香港氣候研發。在維持空間濕度的同時，引入經 HEPA 過濾的潔淨新風——一機解決室內 CO2 累積、PM2.5、烹飪異味與潮濕問題。內置五合一空氣探測器自動偵測 PM 2.5、CO2、VOC、溫度與濕度，並於四個模式之間智能切換。

KEY FEATURES

What's standard

- Fresh-air valve · 0–450 CMH on demand
- HEPA + stainless steel mesh filtration
- 5-in-1 air sensor (PM2.5/CO2/VOC/T/RH)
- DC brushless inverter motor
- 1.2 m head drain pump
- 86×86 mm LCD touch panel
- RS485 Modbus BMS interface
- WiFi App + scheduled timer
- Power-off memory + dry-contact input

APPLICATIONS

Where it works

- Luxury residential & duplexes
- Hotel suites & serviced apartments
- Clubhouses & private dining
- Offices & retail (zone-distributed)
- Premium residences in Mid-Levels
- Concealed false-ceiling installation

02 GEC V SERIES MODEL SPECIFICATIONS

Specifications

All measurements at 27 °C / 60% RH unless otherwise stated.

PARAMETER	GEC30V	GEC50V BESTSELLER	GEC70V	GEC110V
Dehumidification 抽濕量	30 L/day	50 L/day	70 L/day	110 L/day
Fresh-air volume 新風量	0–170 CMH	0–225 CMH	0–250 CMH	0–450 CMH
Coverage 適用面積	200–400 sq ft	400–600 sq ft	600–800 sq ft	800–1200 sq ft
Airflow 風量	350 CMH	450 CMH	500 CMH	900 CMH
Noise 噪音	38–50 dB(A)	42–50 dB(A)	45–50 dB(A)	45–50 dB(A)
Dimensions (mm) 尺寸	992 × 526 × 245	1004 × 560 × 255	1032 × 626 × 265	1200 × 795 × 284
Weight 重量	39 kg	52 kg	60 kg	71 kg
Power supply 電源	230V / 50Hz	230V / 50Hz	230V / 50Hz	230V / 50Hz

03 HOW TO PICK A GEC V MODEL

Sizing guide

Match the right unit to the room load. / 按面積選型

ROOM TYPE	FLOOR AREA	RECOMMENDED	NOTES
Studio / 1-bed	200–400 sq ft	GEC30V	Single zone
2-bed flat	400–600 sq ft	GEC50V	Whole-home
3-bed flat	600–800 sq ft	GEC70V	Whole-home
Duplex / large	800–1,200 sq ft	GEC110V	Multi-zone duct
Hotel suite	400–700 sq ft	GEC50V	Per-suite quiet
Clubhouse / gym	800+ sq ft	GEC110V	High fresh-air

Free site assessment, 24-hour response

免費場地評估 · 一個工作天回覆

Tell us your floor area, ceiling height, target RH and timeline. A Hong Kong engineer will reply with model recommendation, pricing, lead-time, and a site survey appointment.

→ www.erv.hk/#quote · WhatsApp +852 8404 3880 · erv@erv.hk