

Linus Health Public API

Description

Linus Health provides a series of endpoints to allow customers to create a subject, enroll a subject to a campaign and retrieve results from a completed test. Endpoints are available in a Sandbox as well as a Production environment. Please work with your Linus Health contact for access to both environments.

Definitions

Subject: The person who will take a test. A subject is referred to as a **participant** in the endpoints.

Campaign: The configuration of a specific battery to be administered. It includes the definition of that battery, as well as any UX configuration for the subject taking the battery online. The campaign will be configured by Linus. Please work with your Linus Health contact to set up a campaign.

Enrollment: Assigning a subject to a campaign. A subject can be enrolled in multiple different campaigns simultaneously, or enrolled in a single campaign multiple times when the first enrollment has been completed.

Report: A PDF containing the results of a completed battery. Reports are available for Providers as well as subjects.

Environments

Endpoints are available in a sandbox as well as production environments. All features are equally available in both environments. Separate authentication credentials will be provided for each environment. Please work with your Linus Health contact to receive credentials.

Production URL: <https://dtc.us.linushealth.cloud/v1>

Sandbox URL: <https://dtc.us.stgint.linushealth.cloud/v1>

Authentication

The Linus Public API utilizes Bearer tokens for authentication. To retrieve a Bearer token using your client ID and Secret.

Sandbox

Shell

```
curl --request POST --url  
'https://login.staging-integration.linus.health/oauth/token' \  
  --header 'content-type: application/x-www-form-urlencoded' \  
  --data 'grant_type=client_credentials' \  
  --data 'client_id=<staging client id>' \  
  --data 'client_secret=<staging client secret>' \  
  --data 'audience=https://stgint-linus-us.us.auth0.com/api/v2/'
```

Production

Shell

```
curl --request POST --url 'https://login.linus.health/oauth/token' \  
  --header 'content-type: application/x-www-form-urlencoded' \  
  --data 'grant_type=client_credentials' \  
  --data 'client_id=<prod client id>' \  
  --data 'client_secret=<prod client secret>' \  
  --data 'audience=https://prod-linus-us.us.auth0.com/api/v2/'
```

Endpoints

List Campaigns

GET /v1/campaigns

Returns all available campaigns.

Parameters

None

Response

JSON

```
{
  "items": [
    {
      "campaignId": "1c9a3e2c-2c87-4b0e-9b03-2f7b0a8d8d10",
      "name": "Cognitive Screening 2025"
    }
  ]
}
```

Get Campaign by ID

GET /v1/campaigns/{campaignId}

Parameters

Parameter	Type	Description
campaignId (required)	UUID	The UUID of the campaign to be returned

Response

JSON

```
{
  "campaignId": "1c9a3e2c-2c87-4b0e-9b03-2f7b0a8d8d10",
  "name": "Cognitive Screening 2025"
}
```

Register Subject

POST /v1/participants

Registers a subject and returns the created subject record.

Request body

JSON

```
{
  "firstName": "Alex",
  "lastName": "Rivera",
  "email": "alex.rivera@example.com",
  "sexAssignedAtBirth": "FEMALE",
  "races": ["WHITE"],
  "ethnicity": "NOT_HISPANIC_OR_LATINO",
  "education": "ED_YEARS_16",
  "ageIndicator": { "birthDate": "1978-05-15" },
  "consent": true
}
```

Parameters

Parameter	Type	Description
firstName	string	The subject's first name
lastName	string	The subject's last name
email	string	The subject's email
sexAssignedAtBirth (required)	ENUM: MALE, FEMALE, INTERSEX, OTHER	The subject's sex assigned at birth

races	Array of ENUM: AMERICAN_INDIAN_OR_AL ASKAN_NATIVE, ASIAN, BLACK_OR_AFRICAN_AME RICAN, NATIVE_HAWAIIAN_OR_PA CIFIC_ISLANDER, WHITE	Array of races the subject identifies with
ethnicity	ENUM: HISPANIC_OR_LATINO, NOT_HISPANIC_OR_LATIN O	Ethnicity of the subject
education	ENUM: ED_YEARS_0, ED_YEARS_1, ED_YEARS_2, ED_YEARS_3, ED_YEARS_4, ED_YEARS_5, ED_YEARS_6, ED_YEARS_7, ED_YEARS_8, ED_YEARS_9, ED_YEARS_10, ED_YEARS_11, ED_YEARS_12, ED_YEARS_13, ED_YEARS_14, ED_YEARS_15, ED_YEARS_16, ED_YEARS_17, ED_YEARS_18, ED_YEARS_19, ED_YEARS_20, ED_YEARS_21	The subject's years of education. The exact options available will depend on the configuration of your organization.
externalId	string	Optional external ID from 3rd party
ageIndicator <i>(required)</i>	Object - supports one of the following shapes:	For health care use cases the birthDate is required. For research use cases any one

	{"birthDate": "YYYY-MM-DD"} or {"birthYear": 1978} or {"yearsOld": 47}	age indicator is required.
consent	boolean	

Response

JSON

```
{
  "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
  "firstName": "Alex",
  "lastName": "Rivera",
  "email": "alex.rivera@example.com",
  "sexAssignedAtBirth": "FEMALE",
  "races": ["WHITE"],
  "ethnicity": "NOT_HISPANIC_OR_LATINO",
  "education": "ED_YEARS_16",
  "externalId" : "6b5f3e2c-2c87-4b0e-9b03-2f7b0a8d2b38",
  "ageIndicator": { "birthDate": "1978-05-15" }
}
```

Get Subject by ID

GET /v1/participants/{participantId}

Returns the details of a subject

Parameters

Parameter	Type	Description
participantId (required)	UUID	The UUID of the subject to be returned

Response

JSON

```
{
  "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
  "firstName": "Alex",
  "lastName": "Rivera",
  "email": "alex.rivera@example.com",
  "sexAssignedAtBirth": "FEMALE",
  "races": ["WHITE"],
  "ethnicity": "NOT_HISPANIC_OR_LATINO",
  "education": "ED_YEARS_16",
  "externalId": "6b5f3e2c-2c87-4b0e-9b03-2f7b0a8d2b38",
  "ageIndicator": { "birthDate": "1978-05-15" }
}
```

Enroll a Subject in a Campaign

POST /v1/participants/{participantId}/enrollments

Enrolls a subject in a campaign. Only one enrollment per campaign can be active at a time. If an active enrollment already exists for a campaign details of that active enrollment are returned. If no active enrollment for the specified campaign exist, a new enrollment is created.

Request body

JSON

```
{
  "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
  "campaignId": "1c9a3e2c-2c87-4b0e-9b03-2f7b0a8d8d10",
  "consent": true
}
```

Parameters

Parameter	Type	Description
participantId (required)	UUID	The UUID of the subject to be returned
campaignId (required)	UUID	The campaign UUID to be enrolled in
consent	boolean	

Response

JSON

```
{
  "enrollmentId": "e3d2c1b0-1234-5678-9abc-def012345678",
  "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
  "campaignId": "1c9a3e2c-2c87-4b0e-9b03-2f7b0a8d8d10",
  "redirect": "https://app.example.com/enrollments/e3d2..."
}
```

List a Subject's Enrollments

GET /v1/participants/{participantId}/enrollments

Lists any active enrollments for a subject that have not been completed. Also returns the redirect link to access those enrollments.

Parameters

Parameter	Type	Description
participantId (required)	UUID	The UUID of the subject to be returned

Response

JSON

```
[
  {
    "enrollmentId": "e3d2c1b0-1234-5678-9abc-def012345678",
    "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
    "campaignId": "1c9a3e2c-2c87-4b0e-9b03-2f7b0a8d8d10",
    "redirect": "https://app.example.com/enrollments/e3d2..."
  }
]
```

Get Results Report for an Enrollment

GET

/v1/participants/{participantId}/enrollments/{enrollmentId}/reports/{reportType}

Retrieves a results report in encoded PDF form for the specified enrollment.

Parameters

Parameter	Type	Description
participantId (required)	UUID	The UUID of the subject to be returned
enrollmentId (required)	UUID	The enrollment ID to retrieve the report for
reportType (required)	ENUM: patient-report, provider-report	The type of report being requested. If both a patient and provider report are requested, 2 calls will need to be made. Not all campaigns support all types of report. Please work with your Linus Health contact to confirm report types available.

Response

JSON

```
[
  {
    "enrollmentId": "e3d2c1b0-1234-5678-9abc-def012345678",
    "participantId": "4a2e9f3b-0c1d-4b29-a9a5-7c7d1f2d4c0e",
    "reportType": "provider-report",
    "reportData": "<base64-encoded-or-serialized-report>"
  }
]
```