
Native baseline: optimism and unsupported choices


Raw critic errors, true candidate values and executed exposure are distinct measurements.



Own probes: 48 per model on its visited states. Candidate probes: 192 shared states × 4 actions per model. Top-panel scales differ.
W is the constructed a0 cutoff gap, not full joint support. Lower-valued than logged is not the same event as positive Q error.

Does U identify support gaps or harmful value errors?


Fixed positive orientation: higher U or distance predicts the named event. No fitted threshold or AUROC direction flip.



n lists eligible banks for seeds 0 / 1 / 2 out of 192. NA means no mixed-label banks: AUROC is undefined and no point is plotted.
One-class banks excluded; no-stall lower-value results often use only 0-6 banks. Counts matter more than a high sparse-bank AUROC.
Support and optimism: 4 actions; lower-than-logged: 3 withheld actions. *63 was prespecified; these diagnostics are retrospective.

What do simple bank-level controls change?

Frozen candidate choices only: no additional policies trained and no claim of deployed-control performance.



Distance penalty matches the within-bank kappa U range using U and actions only. It adapts per bank: not a fixed independent control.
The retained-only choice is the logged action. 192 shared banks x 3 models; own-policy Qpi. Axes differ across worlds.
Shapes: seed 0 circle, 1 square, 2 triangle. Native kappa=0: raw, BCA and distance controls coincide. *63 was prespecified.