



DBDOME Functionalities

Complete functionalities catalog - Grafana panel/button/link - Configuration menu

Generated 2026-06-30

DBDOME - Complete Functionalities Catalog

Exhaustive list of every functionality, enumerated from the 198 HTTP routes (`http_server.py`), the 35 scheduler/process engines (`processes/`), the vendor collectors, and the `config-schema` capabilities. Generated 2026-06-30.

Legend: **[UI]** web page · **[API]** JSON endpoint · **[JOB]** scheduler process · **[ENG]** background engine · **[CLI]** appliance tool.

1. Platform & home

- **[UI]** Landing / home console - `/`, `/dbdome`
- **[UI/API]** Fleet overview (all monitored servers, health) - `/fleet`, `/api/fleet`
- **[API]** Test a database connection (pre-flight) - `/test-connection`
- **[CLI]** Appliance network/IP self-service - `dbdome-setip` (+ console auto-launch)
- **[ENG]** `ORG_IP` / `config.global_params.local_ip` / Grafana `global_ip` auto-sync to LAN IP

2. Monitored-server management

- **[UI]** Add/edit a monitored server - `/serverform`, `/submit-serverform`
- **[UI]** Enable/disable a server - `/server_enable`
- **[UI]** Database restore action - `/db_restore`
- Per-server encrypted credentials in `metrics.servers`; vendors: Oracle, SQL Server, PostgreSQL, MySQL, MariaDB, Informix

3. Metrics & custom metrics

- **[UI]** Define/edit custom metrics - `/custom_metrics`, `/custom_metrics_update`, `/submit_custom_metrics`, `/submit_custom_metrics_update`
- **[UI]** Enable a custom metric / per-server / all-servers - `/submit_custom_metric_enable`, `/metric_enable`, `/metric_enable_all_servers`, `/submit_metrics_enable`, `/submit_metrics_enable_all_servers`
- **[UI]** Edit a metric's schema column mapping - `/update_schema_column`
- **[JOB]** Domain collection cycles - `collect_metrics_operation_sec` (30s), `_perf` (10s), `_hlth`, `_critical`, `_other` (60s)
- **[ENG]** Per-vendor collectors run detection SQL -> serialize (timestamps formatted) -> compare vs expected -> store in `monitoring.general_metric_metadata_results`
- **[JOB]** `gmmr_maintain` - partition maintenance + duplicate cleanup of the results store
- **[JOB]** `dedup_metric_results`, `purge_general_metric_metadata`, `analyse_metrics_operation`

4. Root-cause catalog & detection

- ~7,000 root causes across **Security / Performance / Health** (3 enabled domains)
- **[UI]** Activate/deactivate a root cause - `/root_cause_active`
- **[UI]** Set a root cause's risk level - `/root_cause_risk`
- **[UI]** Manage global risk levels & toggles - `/risklevel`, `/risklevel_toggle`, `/submit-risklevel`, `/api/risk-level/list`
- Multi-step detection paths (live activity + audit trail) per vendor
- **[ENG]** Detection-tree executor - `processes/detection_tree_executor.py`; **[JOB]** `detection_tree_build`, `detection_tree_oracle`
- **[ENG]** Advisories - `advisories/` (`metrics_advisory`, `dashboard_advisories`)

5. Scheduler / process control

- **[UI]** View/toggle background processes - /processform, /submit-processform
- Live job toggling via metrics.registered_processes.is_active (effective <=30s)
- **[ENG]** process_handler.py orchestrates registered processes

6. Alerting

- **[UI/API]** Alert dashboard - /alert_dashboard, /api/alert_dashboard
- **[UI/API]** Alert rules CRUD - /alert_rules, /api/alert-rules, /submit-alert-rule, /api/delete-alert-rule
- **[UI/API]** Alert thresholds CRUD - /alert_thresholds, /api/alert-thresholds, /submit-alert-threshold, /api/delete-threshold
- **[UI/API]** Webhook / routing alerts CRUD (the domainxrisk matrix) - /webhook_alerts, /api/webhook-alerts, /webhook_alert_set, /submit-webhook-alert, /api/delete-webhook-alert
- **[ENG]** Alert dispatch: email + SIEM + diagnosis-evidence per config.webhook_alerts
- Findings -> alerts.alert_log; mail -> alerts.mail_alert_log (72h dedup, SMTP circuit-breaker, HTML result-table body)
- **[UI/API]** GRC alert channels CRUD + delivery log - /grc/alert-channels, /api/grc-alerts/channels (GET/POST/PUT/DELETE), /api/grc-alerts/delivery-log

7. Email / SMTP

- **[UI]** Mail server configuration - /mailconfiguration, /email_configuration, /submit-mailconfiguration, /submit_email_configuration
- **[UI]** Recipient groups - /addrecipients, /submit-addrecipients
- **[API]** Mail config & group management - /api/mail-config/list, /api/mail-config/delete, /api/mail-group/delete
- **[UI/API]** Email panel (send a dashboard panel) - /api/email-panel, /api/email-panel-form, /api/print-panel

8. Reports

- **[UI]** Report catalog & editor - /reports, /reports/edit, /reports/save, /api/reports/list, /api/toggle-report
- **[UI]** Report scheduling - /report_schedule, /submit-report-schedule, /api/report-schedules
- **[UI]** Generate / capture / download / email a report - /generate_report, /submit-generate_report, /capture_report, /submit-report_capture, /download_report, /reportbyemail, /submit-reportbyemail
- **[ENG]** PDF/HTML rendering - ReportGenerator/, dashboard capture (print_utils/)

9. Data protection & active response

- **[UI]** Dynamic masking - /dp_dynamic_mask, /mask_column; revert - /dp_revert_mask
- **[UI]** Static masking - /dp_static_mask
- **[UI]** Anonymization (3-phase) - /dp_anonymize, /dp_anonymize_pre, /dp_anonymize_actual, /dp_anonymize_confirm, /dp_anonymize_preview
- **[UI]** Tokenization (phased) - /dp_tokenize, /dp_tokenize_pre, /dp_tokenize_actual, /dp_revert_tokenize
- **[UI]** Column encryption - /encrypt_column, /revert_encryption
- **[UI]** RBAC provisioning - /rbac_provision
- **[UI]** Generic remediation action - /take_action
- **[API]** Masking rules CRUD + sync - /api/masking-rules (GET/POST/PUT), /api/masking-rules/sync, /grc/masking-rules
- **[JOB]** auto_mask - apply DDM when a critical alert has auto_mask=true
- **[JOB/ENG]** blocker - kill offending sessions (gated by blocker_dry_run)
- **[ENG]** data_masking_engine, data_protection, rbac_provisioning (dry-run flags for mask/encrypt/block)

10. Sensitive-data discovery / PII

- **[UI]** Sensitive schema & columns - /sensitive_schema, /sensitive_column_add
- **[API]** Discover / toggle sensitive columns - /api/sensitive-schema, /api/sensitive-schema/discover, /toggle, /bulk-toggle
- **[API]** Discovery candidates review - /api/discovery-candidates, /api/discovery-candidates/{id}
- **[ENG]** continuous_data_discovery, sensitive_schema_discovery

11. SIEM integration

- **[UI]** SIEM configuration - /siem_configuration, /submit_siem_configuration
- **[UI/API]** IPS dashboard (FortiAnalyzer) - /siem/ips-dashboard, /api/siem/ips-dashboard
- **[API]** IPS report download / schedule / email - /api/siem/ips-report/download, /schedule, /email
- **[ENG]** Rapid7 + CrowdStrike forwarders (config.siem, siem schema)

12. Retention & disk management

- **[UI]** Retention policy - /retention_policy, /submit_retention_policy
- **[API]** Retention policies CRUD + executions - /api/retention/policies (GET/POST/PUT), /api/retention/executions
- **[JOB]** dump_and_prune_metrics - CSV dump + prune by per-metric retention
- **[JOB]** retention_space_alert - email when free disk < threshold
- **[ENG]** retention_engine, dump_metrics

13. Global parameters / configuration

- **[UI/API]** Global params CRUD - /global_params, /global_param_set, /submit-global-param, /api/global-params, /api/delete-global-param
- Keys: ports, dry-run flags, ingest URL/key, dump location, disk-alert %, retention days, paths

14. GRC - Governance, Risk & Compliance

Dashboards/pages (/grc/*) + APIs (/api/*):

- **Compliance reporting** - /grc/compliance-reports, /api/compliance-reports, /run, /schedules (GET/PUT), /download/{file}; **[JOB]** compliance_reports_daily (PCI-DSS/HIPAA), compliance_reports_weekly (GDPR/SOC2)
- **Audit log** - /grc/audit-log, /api/audit-log
- **DDL audit** - /grc/ddl-audit, /api/ddl-audit/logs, /api/ddl-audit/summary; **[JOB]** ddl_audit_scan
- **Immutable audit hash chain** - **[JOB]** hash_chain_write (60s), hash_chain_verify (daily) - SHA-256 chain over audit rows
- **Firewall policies** - /grc/policies, /api/firewall-policies (GET/POST/PUT/DELETE), /apply-template; **[JOB]** grc_firewall_scan
- **Segregation of Duties** - /grc/sod-violations, /api/sod/rules (GET/POST/PUT), /api/sod/violations, /acknowledge; **[JOB]** sod_violation_scan
- **Risk register & scoring** - /grc/risk-dashboard, /api/risk-scores, /{server}/{login}/events; **[JOB]** user_risk_scoring
- **Control attestation** - **[JOB]** attestation_scheduler (config.attestation_controls/periods)
- **Threat response** - /grc/threat-response, /api/threat-response/playbooks (GET/POST/PUT), /blocked-ips (GET/POST/DELETE), /suspended-users (GET/POST/DELETE), /incidents (GET/POST/PUT), /response-log; **[JOB]** run_threat_response (escalate/notify/suspend/block-IP)
- **Cross-border transfer tracking** - /grc/...; **[JOB]** cross_border_scan (config.data_regions/transfer_agreements)
- **Access review** - /grc/access-review, /api/access-review/cycles (GET/POST), /instances
- **Incident / GDPR 72h** - /api/threat-response/incidents; **[JOB]** incident_gdpr_timer
- **Policy exceptions** - /grc/policy-exceptions, /api/policy-exceptions (GET/POST/PUT)
- **Privilege-change tracking** - /grc/privilege-changes, /api/privilege-changes, /recent-summary; **[ENG]** privilege_change_scanner

- **Regulation controls** - /grc/regulation-controls, /api/regulation-controls
- **Evidence packages** - /grc/evidence-packages, /api/evidence-packages, /generate, /{id}/download/{type}; **[ENG]**
evidence_package_generator
- **TLS enforcement** - /grc/tls-enforcement, /api/tls/policies (GET/POST/PUT), /api/tls/violations; **[ENG]**
tls_enforcement_scanner
- **Vulnerability assessment** - /grc/vulnerability-assessment, /api/vulnerability/findings, /cve-watchlist (GET/POST/PUT), /scan; **[ENG]** vulnerability_scanner
- **Data retention (GRC view)** - /grc/data-retention
- **Masking coverage** - /grc/masking-rules; **[JOB]** sync_masking_rules

15. Visualization (Grafana, 91 dashboards)

Discovery & PII, Activity & Audit, Threat/Injection, Policy & Protection, Vulnerability, Automation/Workflows, the 15-dashboard GRC suite, SIEM/IPS, Retention, Blocker, Configuration, and the Israeli PPL dashboard - all over the dbanalytics PostgreSQL datasource with \${global_ip}-templated links.

16. Integrations & packaging

- **Cloud ingest** to dbexpertai.com/api/ingest (API key)
- **SIEM**: Rapid7, CrowdStrike; **IPS**: FortiAnalyzer
- **SSRS** report download/attach; **SMTP** email
- **Packaging**: full installer (dbdome_setup), incremental updater (dbdome_update), Ubuntu appliance (eggs ISO), Windows services via NSSM

17. Grafana dashboards - full panel / button / link catalog

Shared dashboard chrome (on essentially every dashboard): a top nav menu linking *Alert dashboard*, *Alert rules*, *Alert thresholds*, *Email configuration*, *Risk-level alert*, *Webhook alerts*; and on **every panel** an *Email panel* (/api/email-panel-form) and *Print panel* (/api/print-panel) action. These are omitted from the per-dashboard lists below.

Totals: **89 dashboards**, **895 panels**, **74 action buttons**.

1. Data Discovery & Classification

Variables: globalip, issueid, rc_id

Panels (27): table x16, stat x5, text x4, timeseries x1, bargauge x1

- Sensitive Columns (PII), PII Issues Detected, PII Access Alerts, Audit Issues, Servers Scanned, Issues (PII), Root causes (PII) - \${issueid}, *Metric metadata* - \${rcid}, Sensitive Data (PII) - Sensitive columns actively queried (PII in use), Alerts, PII Root Cause Findings (SEC-SQL-PRI), Audit Findings Over Time, Top Audit Root Causes, Audit Trail Findings (SEC-SQL-AUD), Sensitive by table , column, Sensitive Transactions by User, Misunderstanding of Encryption (TDE), Performance Overhead Fears, PII Exposed in Clear Text: Legacy Schema Constraints, In-House ""Masking"" Logic Failure, Key Management Complexity, Lack of Native Masking Features (Old Versions), Unsecured Backups/Snapshots
- **Action buttons**: /generatereport/DAM%20Compliance%20Report, /generatereport/Privileged%20Access%20Oversight%20Report, /sensitive_schema
- **Links**: /sensitive_schema
- **Drill-downs**: /d/addpcfp/1-data-discovery-and-classification, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

10. Unknown TCP connections

Variables: global_ip

Panels (4): text x3, table x1

- Unkown TCP connections
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

11. Transaction requests

Variables: global_ip

Panels (4): text x3, table x1

- Trnsaction requests
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

2. Activity Monitoring & Audit

Variables: server, loginname, transactionstatus, databasename, globalip

Panels (12): stat x5, text x3, table x2, timeseries x1, barchart x1

- Active Transactions, Unique Users, Servers, Anomaly Findings, Alerts Sent, Transaction Activity Over Time, Top Users by Transactions, Print (filtered view)
- **Action buttons:** /generatereport/Privileged%20Access%20Oversight%20Report, /generatereport/rpt2activitymonitoringaudittransactions, /sensitiveschema
- **Links:** /sensitive_schema
- **Drill-downs:** /d/adbcsw/2-activity-monitoring-and-audit, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

2. Schema DML Tracking

Variables: global_ip

Panels (13): stat x5, text x3, table x3, timeseries x1, barchart x1

- Active Transactions, Unique Users, Servers, Anomaly Findings, Alerts Sent, Transaction Activity Over Time, Top Users by Transactions, Transaction Anomaly Findings (SEC-SQL-ACC-010), Sensitive Data Transactions
- **Action buttons:** /generatereport/Privileged%20Access%20Oversight%20Report, /generatereport/rpt2activitymonitoringaudittransactions, /sensitiveschema
- **Links:** /sensitive_schema
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

3. Threat Detection & Behavioral Analytics

Variables: globalip, rootcause_id

Panels (22): table x10, stat x7, text x3, timeseries x1, bargauge x1

- SQL Injections, Credentials Exposed, Anomaly Findings, Policy Violations, Locked Accounts, Alerts Sent, Active Users, Threat Findings Over Time, Top Threat Root Causes, SQL Injection Types by Root Cause (from rootcause taxonomy), SQL Injection Findings, Credentials Stored in Database Tables, Database Restored, Enabled Sysadmin, Weak Password Enforcement, Linked Server / DBLINKS Hidden Credentials, Scanned Jobs for Leaks, Policy Not Enforced
- **Drill-downs:** /d/adccmtx/3-threat-detection-and-behavioral-analytics, /d/adm7hpj, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

4. Policy Enforcement & Protection

Variables: globalip, rootcause_id

Panels (10): stat x5, text x3, table x1, barchart x1

- Privileged Logins, Weak Password Policies, Credentials in Tables, Policy Not Enforced, Policy Findings, Root causes (PII) - \${rootcauseid}, Policy Violations by Type
- **Drill-downs:** /d/addpcfp/1-data-discovery-and-classification, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

5. Data Protection

Variables: globalip, rootcauseid, detailserver, detailtable, detailcolumn

Panels (12): table x5, stat x4, text x3

- Unmasked Columns, PII Columns, Encryption Findings, Masking Findings, Unmasked Data by Server, Data Protection - Unmasked Columns, Sensitive Schema (PII Columns), Privileged Logins, Root cause details - \${rootcauseid} \${detailserver} \${detailtable} \${detail_column}
- **Links:** /sensitive_schema
- **Drill-downs:** /d/ad88jgn/5-data-protection, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

6. Vulnerability Assessment

Variables: global_ip

Panels (15): stat x5, table x4, text x3, barchart x1, piechart x1, timeseries x1

- Privileged Logins, Weak Passwords, Config Findings, Network Findings, Total Vulnerabilities, Vulnerabilities by Area, By Severity, Vulnerability Findings Over Time, Server Hardening Findings, Vulnerability Root Cause Findings
- **Links:** /sensitive_schema
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

7. Automation & Workflows

Variables: globalip, rootcause_id

Panels (18): stat x7, table x6, text x3, timeseries x1, barchart x1

- Servers, Root Causes, Detection Rules, Custom Metrics, Active Transactions, Metric Results, Log Entries, Metric Executions Over Time, Enable / Disable Metrics per Server, All Metrics (Latest Execution), Operation Log, Log Entries by Routine, Root cause details - \${rootcauseid}
- **Drill-downs:** /d/adnz9dq, /d/adsddxs/7-automation-and-workflows, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

8. Database restored

Variables: global_ip

Panels (3): text x2, table x1

- Database restored
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

9. Connections per user

Variables: global_ip

Panels (6): text x4, table x2

- Connections per user, Unknown TCP connections
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Alerts

Variables: globalip, risklevel, rootcauseid, alert_id

Panels (12): stat x6, text x4, table x2

- Total Alerts, Critical, High, Medium, Low alerts, Servers, Alerts Sent by Mail, Active Detection Findings
- **Action buttons:** /generatereport/DAM%20Compliance%20Report, /generatereport/Privileged%20Access%20Oversight%20Report, /report_schedule, /reports
- **Drill-downs:** /d/ad7kkx7/alerts, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Audit expired

Variables: global_ip

Panels (12): text x4, stat x4, table x2, bargauge x1, bargauge x1

- Expired Audit Records, Servers Affected, Audit Root Causes, Audit Alerts Sent, Expired Audits by Server, Top Audit Root Causes, Audit Expired Records, Audit Root Cause Findings (SEC-SQL-AUD)
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Blocker Activity

Panels (10): stat x5, text x3, table x2

- Killed, Dry-run, Skipped, Errors, Dry-run mode, Blocker log, Executed blocks (alerts.blocks)

Blocking transactions

Variables: global_ip

Panels (11): bargauge x4, text x3, table x2, bargauge x1, stat x1

- blocked transactions, Active users, SQL injection by patterns, Recent alerts - SQL injections, Connectivity reports, Sensitivity reports, SQL Injection analysis
- **Links:** d/adcrpzr/blocking-transactions
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqvvk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

Blocks in databases

Variables: global_ip

Panels (12): text x5, bargauge x2, table x2, bargauge x1, stat x1, gauge x1

- Database Blocks, Active users, Database blocks, Recent alerts, Connection number per user, Active threats
- **Action buttons:** /downloadreport/blockintransactionsreport, /reportbyemail/blockintransactions_report

- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/ad6lv7f/transaction-report, /d/adqcwvk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding ...

Configuration

Variables: global_ip, server

Panels (31): table x12, stat x6, text x6, piechart x3, timeseries x2, barchart x2

- Monitored Servers, Active Detection Rules, Alert Rules, Sensitive Columns, Scheduled Reports, Alerts Sent (7d), Detection Rules by Vendor, Detection Rules by Domain, Alerts Sent Over Time, Alerts by Severity, Configured Reports, Alert Thresholds, Sensitive Schema - PII Columns, PII Columns by Category, Webhook Alert Channels, Global Parameters, Recent Operation Log, Detection Results Over Time, Top Root Causes by Findings, Rootcause Taxonomy Overview, Mail Configuration, Mail Groups & Recipients, Risk Levels, Print (filtered view)
- **Action buttons:** /addrecipients, /generatereport/DAM%20Compliance%20Report, /generatereport/Privileged%20Access%20Oversight%20Report, /mailconfiguration, /report_schedule, /reports, /risklevel
- **Links:** /globalparams, /reportschedule, /sensitive schema, /webhookalerts
- **Drill-downs:** /d/dbdome-configuration/configuration, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Connectivity

Variables: global_ip

Panels (16): stat x5, text x4, barchart x3, piechart x2, table x2

- Active Connections, Unique Clients, Servers, Network Findings, Connection Findings, Connections by Server & Client, By Protocol, By Auth Scheme, TCP Connections, Network & Connection Root Cause Findings, Data Activity (Transactions/hour), Connections per Client
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Credentials stored in tables

Variables: global_ip

Panels (12): text x4, stat x4, table x2, barchart x1, piechart x1

- Credentials Found, Servers Affected, Tables with Credentials, Root Cause Findings, Credentials by Server & Table, By Server, Credentials Stored in Database Tables, PII/Credential Root Cause Findings
- **Links:** /sensitive_schema
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Custom metrics

Variables: global_ip

Panels (15): stat x5, text x4, piechart x2, table x2, barchart x1, timeseries x1

- Total Metrics, Active Metrics, Inactive Metrics, Metric Results (period), Matched Findings, Metrics by Vendor, By Type, Top Executed Metrics, Custom Metrics Configuration, Metric Results with Comparison, Metric Executions Over Time
- **Links:** /custom_metrics

- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Database connections per user

Variables: global_ip

Panels (13): stat x5, text x4, table x2, barchart x1, piechart x1

- Total Connections, Unique Users, Servers, Multi-Host Alerts, Connection Findings, Connections per User, By Server, Connections per User (Detail), Connection Root Cause Findings
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Database restored

Variables: global_ip

Panels (12): text x5, gauge x2, table x2, bargauge x1, stat x1, barchart x1

- Database restored, Active users, Recent alerts, Connection number per user, Active threats
- **Action buttons:** /downloadreport/databaserestoredreport, /reportbyemail/databaserestored_report
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/ad6lv7f/transaction-report, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding ...

Email configuration

Variables: global_ip

Panels (6): text x4, table x2

- Email configuration, Mail Groups & Recipients
- **Action buttons:** /addrecipients, /mailconfiguration
- **Links:** /email_configuration
- **Drill-downs:** /d/adcdjsj/email-configuration, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Enabled sysadmin

Variables: global_ip

Panels (12): text x5, barchart x2, table x2, bargauge x1, stat x1, gauge x1

- Enabled sysadmin, Active users, Recent alerts, Connection number per user, Active threats
- **Action buttons:** /downloadreport/enabledsysadminreport, /reportbyemail/enabledsysadmin_report
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adnskjz/enabled-sysadmin, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding ...

GRC Access Review

Variables: global_ip

Panels (13): stat x4, table x3, text x2, barchart x2, timeseries x1, piechart x1

- Open Review Instances, Overdue Reviews, Completed (90d), Active Cycles, Reviews Opened vs Completed per Month, Instances by Status, Open Reviews by Cycle, Avg Days to Complete by Cycle, Overdue Review Instances - Action Required, All Open Review Instances, Review Cycle Configuration

GRC Audit Log

Variables: globalip, serverfilter

Panels (10): stat x3, barchart x3, text x2, timeseries x1, table x1

- ALERTED Events, BLOCKED Events, MASKED Events, Events per Hour by Action, Top Source IPs (BLOCKED), Top Users (BLOCKED), Top Servers (all actions), Audit Events
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Compliance

Variables: global_ip

Panels (11): stat x4, table x3, text x2, timeseries x1, barchart x1

- PCI-DSS Events, HIPAA Events, GDPR Events, SOC2 Events, Events by Regulation (hourly), Actions by Regulation, Regulation Breach Events (BLOCKED / ALERTED), Masking Coverage by Regulation, Daily Audit Summary by Action
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Control Attestation Workflow

Variables: global_ip

Panels (15): stat x4, gauge x4, text x2, table x2, timeseries x1, piechart x1, barchart x1

- Pending Attestations, Exception Attestations, Open Periods, Completion Rate (Latest Period), Attestations Completed per Month, Attestation Status Distribution, Pending by Regulation, Completion Rate - SOC2, Completion Rate - SOX, Completion Rate - PCI-DSS, Completion Rate - GDPR, Pending Attestations - Action Required, Attestation Exceptions

GRC Cross-Border Transfer Tracking

Variables: global_ip

Panels (12): stat x4, table x3, text x2, timeseries x1, piechart x1, barchart x1

- Transfers Detected (30d), Without Legal Basis (30d), Critical Risk Transfers, Server Regions Configured, Cross-Border Transfers per Day, Transfer Mechanisms Used, Transfers by Destination Country (30d), Transfer Agreements, Transfers Without Legal Basis - Action Required, Server Region Registry

GRC Immutable Audit Hash Chain

Variables: global_ip

Panels (10): stat x4, text x2, table x2, timeseries x1, barchart x1

- Total Rows Hashed, Rows Pending Hash, Last Verification Result, Verifications Run, Recent Audit Log - Hash Status, Rows Hashed per Hour, Verification Results (Last 30), Hash Chain Verification Checkpoints

GRC Incident Lifecycle Management

Variables: global_ip

Panels (13): stat x4, table x3, barchart x2, text x2, timeseries x1, piechart x1

- Active Incidents, Critical Active, GDPR 72h Overdue, CAPA Actions Open, Incidents per Week by Severity, Incidents by State, Incidents by Category (90d), Avg Resolution Time by Severity (h), GDPR Breach Notifications, Open CAPA Actions

GRC Masking Coverage

Variables: global_ip

Panels (12): stat x4, table x3, piechart x2, text x2, barchart x1

- Active Masking Rules, Sensitive Columns (total), Unmasked Sensitive Columns, Token Vault Entries, Rules by Mask Type, Rules by PII Type, Active Rules by Regulation, Unmasked Sensitive Columns (Risk Gap), Masking Coverage Summary
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Overview

Variables: global_ip

Panels (21): stat x13, text x3, row x2, barchart x1, timeseries x1, table x1

- BLOCKED (24h), ALERTED (24h), Open Incidents, High-Risk Users (≥ 70), Active Blocked IPs, Active Masking Rules, Top Servers by Events (24h), Firewall Events by Action (hourly), Recent BLOCKED / CRITICAL Events, Phase 8 KPIs, Exceptions Pending Approval, Overdue Access Reviews, Phase 4 KPIs, Open Critical Incidents, GDPR 72h Overdue, Pending Attestations, Transfers Without Legal Basis, Hash Chain Valid
- **Action buttons:** /d/grc-access-review, /d/grc-attestations, /d/grc-audit-log, /d/grc-compliance, /d/grc-cross-border, /d/grc-ddl-privileges, /d/grc-discovery, /d/grc-evidence, /d/grc-hash-chain, /d/grc-incidents, /d/grc-masking, /d/grc-overview, /d/grc-policy-exceptions, /d/grc-retention, /d/grc-risk-register, /d/grc-risk-scoring, /d/grc-sod, /d/grc-threat-response, /d/grc-tls-vuln, /d/grc-workflow-sod
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Policy Exceptions

Variables: global_ip

Panels (14): stat x4, barchart x3, table x3, text x2, timeseries x1, piechart x1

- Pending Approval, Active Approved Exceptions, Expiring in < 7 Days, Rejected (30d), Exception Requests per Day, Exceptions by Status, Active Exceptions by Regulation, Exceptions by Server, Top Requestors (90d), Pending Approval - Action Required, Exception History (All)

GRC Risk Register

Variables: global_ip

Panels (12): stat x4, barchart x4, text x2, piechart x1, table x1

- Open Risks, Critical / High Risks (Score ≥ 15), In Treatment, Avg Residual Risk Score, Risks by Inherent Score Bucket, Risks by Category, Risks by Treatment Strategy, Top Assets by Residual Risk Score, Risks by Regulation, Risk Register

GRC Risk Scoring

Variables: global_ip

Panels (10): stat x3, text x2, table x2, gauge x1, timeseries x1, barchart x1

- High-Risk Users (≥ 70), Critical-Risk Users (≥ 90), Average Risk Score, Monitored Users, Risk Score Trend (events), Users by Risk Band, Top 30 High-Risk Users, Recent Risk Events

- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Threat Response

Variables: global_ip

Panels (13): table x5, stat x4, text x2, gauge x1, timeseries x1

- Response Success Rate (%), Open Incidents, Blocked IPs (active), Suspended Users (active), Responses (24h), Active Suspended Users, Automated Responses per Hour, Open Security Incidents, Recent Automated Responses, Active Blocked IPs, Active Response Playbooks
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

GRC Workflow Segregation of Duties

Variables: global_ip

Panels (11): stat x4, barchart x2, table x2, text x2, timeseries x1

- SoD Violations (30d), Violations This Week, Active SoD Rules, Unique Violators (30d), Workflow SoD Violations per Day, Violations by Action Type (30d), Top Violators (30d), SoD Rule Configuration, Workflow SoD Violation Log (30d)

IPS Dashboard - FortiAnalyzer

Variables: global_ip

Panels (15): stat x6, table x4, text x2, piechart x1, barchart x1, timeseries x1

- Total Events, Critical, High, Medium, Blocked, Monitored, Intrusions by Severity, Intrusions by Type, Intrusion Events Timeline (Last 7 Days), Monitored Intrusions, Top Victims, Blocked Intrusions, Top Attack Sources
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard

Linked servers / DBLINKS - Hidden credentials

Variables: global_ip

Panels (12): text x5, gauge x2, table x2, bargauge x1, stat x1, barchart x1

- Linked server / DBLINKS Hidden credentials, Active users, Recent alerts, Connection number per user, Active threats
- **Action buttons:** /downloadreport/linkedserverreport, /reportbyemail/linkedserver_report
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/ad6lv7f/transaction-report, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding ...

Locked accounts

Variables: global_ip

Panels (11): text x5, barchart x4, table x2

- Locked accounts, Sensitivity reports, SQL Injection analysis, Data activity monitoring
- **Action buttons:** /downloadreport/lockedaccountsreport, /reportbyemail/lockedaccounts_report
- **Drill-downs:** /d/ad8pvv6/locked-accounts, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Mail

Panels (3): text x2, table x1

- Mail configuration
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

New dashboard

Panels (3): text x2, timeseries x1

- report name
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

PII - Sensitive columns

Variables: globalip, rootcause_id

Panels (11): stat x6, table x3, text x2

- Total Events, Critical, High, Medium, Bicked, Monitored, Root causes, Detailed findings, Root cause details - \${rootcauseid}
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard
- **Drill-downs:** /d/adw9lx6/pii-sensitive-columns

PII - Sensitive data in use

Variables: globalip, rootcause_id

Panels (11): stat x6, table x3, text x2

- Total Events, Critical, High, Medium, Bicked, Monitored, Root causes, Detailed findings, Root cause details - \${rootcauseid}
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard
- **Drill-downs:** /d/ad8885r/pii-sensitive-data-in-use

PPL- Protection of Privacy Law, 5741 - 1981

Variables: global_ip

Panels (16): stat x6, table x5, text x2, piechart x1, barchart x1, timeseries x1

- Total Events, Critical, High, Medium, Bicked, Monitored, Intrusions by Severity, Intrusions by Type, Intrusion Events Timeline (Last 7 Days), Blocked Intrusions, Monitored Intrusions, Top Victims, Root causes, Top Attack Sources
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard

Policy not enforced

Variables: global_ip

Panels (11): text x5, barchart x4, table x2

- Policy not enforced, Sensitivity reports, SQL Injection analysis, Data activity monitoring
- **Action buttons:** /downloadreport/policynotenforecedreport, /reportbyemail/policynotenforeced_report
- **Drill-downs:** /d/ad99j9q/policy-not-enforced, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Processes

Variables: global_ip

Panels (10): text x5, barchart x4, table x1

- Processes, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports
- **Links:** /processform
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Recent alerts

Variables: global_ip

Panels (15): table x11, text x4

- Security dashboard, Critical issues, Active threats, Active users, Cyber attacks, Recent alerts, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Retention

Variables: dumplocation, editmetric, editvalue, dumpmetric, restore_id

Panels (10): table x8, text x2

- Retention Overview, Apply retention edit (auto-runs on / click), Current dump location, Save dump location (refresh to save), Dump metrics (config.dump_metrics), Dumps catalog (config.dumps), Apply dump (auto-runs on Dump click), Apply restore (auto-runs on Restore click)
- **Drill-downs:** /d/adretn001/retention

Retention policy

Variables: global_ip

Panels (9): text x4, barchart x4, table x1

- Retention policy, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports
- **Links:** /retention_policy
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Rootcauses

Variables: selissue, globalip

Panels (4): text x2, table x2

- Issues (click 'select' to load its root causes), Root causes for selected issue - toggle active / set risk level (saved via API)
- **Links:** /rootcauseactive, /rootcauserisk
- **Drill-downs:** /d/rootcauses/rootcauses

SIEM configuration

Variables: global_ip

Panels (8): barchart x4, text x3, table x1

- SIEM, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports

- **Links:** /siemconfiguration, [http://\\$globalip:8080/siem_configuration](http://$globalip:8080/siem_configuration)
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

SQL Injection

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- SQL injection by patterns, SQL Injections - Injection prevention
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Boolean-based injections

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, comment based injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Comment based

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, comment based injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Information schema probing

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Information schema probing
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Stacked queries

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Stacked query injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Time based

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Stacked query injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Time based blind injection

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Time based blind injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - Union based

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Union based injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection - tautology with comments

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, comment based injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection -Authentication Bypass

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Authentication bypass
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection -Encoding

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Encoding injection
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection -Error based injection

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Error based injections
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection -Shell function

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Shell commands

- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection -order / Group by

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, Order / Group by
- **Drill-downs:** /d/ad47gg4/sql-injection-shell-function, /d/ad4j4rm/sql-injection-error-based-injection, /d/adcqwwk/sql-injection-time-based-blind-injection, /d/adk5ltv/sql-injection-tautology-with-comments, /d/adkk925/sql-injection-boolean-based-injections, /d/adltjt8/sql-injection-order-group-by, /d/admk64d/sql-injection-authentication-bypass, /d/adn2bdh/sql-injection-information-schema-probing, /d/adp58pz/sql-injection-union-based, /d/adphgv5/sql-injection-comment-based, /d/adq45cm/sql-injection-encoding, /d/adw44xx/sql-injection-stacked-queries ...

SQL injection board

Variables: global_ip

Panels (6): text x4, gauge x1, table x1

- Critical issues - SQL injection, SQL injection - Sleep time
- **Drill-downs:** /d/ad4btvb/sql-injection-sleep-time, /d/adddd87/sql-injection-boolean-usage, /d/adlpnn2/sql-injection-sensitive-data, /d/adp5zsq/sql-injection-outfile-copy, /d/adqsd5f/sql-injection-union-usage, /d/adrlq5l/sql-injection-dangerous-queries, /d/adwr6tl/sql-injection-stacked-query, /d/adzr5nq/sql-injection-long-literal, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview ...

Same login active from multiple hosts

Variables: globalip, rootcause_id

Panels (5): text x3, table x2

- Root causes, Detailed findings
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard
- **Drill-downs:** /d/adlvvvg/same-login-active-from-multiple-hosts

Scan jobs for leaks

Variables: global_ip

Panels (13): text x4, stat x4, barchart x3, bargauge x1, table x1

- Jobs with Leaks, Servers Affected, Security Findings, Alerts Sent, Leaked Jobs by Server, Sensitivity Issues by Server, Scanned Jobs for Leaks, SQL Injection Analysis, Data Activity (Transactions/hour)
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Security Issues Explorer

Variables: global_ip, rc

Panels (4): text x2, table x2

- Security hierarchy - click a root cause to filter alerts, Alerts for selected root cause - \${rc}
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response, /d/sec-explorer/security-issues-explorer

Send report by mail

Variables: global_ip

- **Panels (7):** text x4, table x3
- **Action buttons:** /downloadreport/transactionreport, /reportbyemail/transaction_report
- **Drill-downs:** /d/ad6lv7f/transaction-report, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Sensitive Columns Explorer

Variables: srv, db, global_ip, dsch, dtbl, dcol

- **Panels (13):** table x10, text x3
 - Servers (sensitive columns), Databases on \${srv}, Sensitive columns - \${srv} / \${db}, Column details - \${dtbl}.\${dcol}, Tracked sensitive columns (metrics.sensitivecolumns), Masking activity (metrics.maskinglog), Masked data preview - real vs masked (as test user), Print (filtered view), Encryption activity (metrics.encryption_log), Tokenized data preview - original vs token
- **Links:** /encryptcolumn, /maskcolumn, /revertencryption, /sensitivecolumn_add
- **Drill-downs:** /d/adpiicol/sensitive-columns-explorer

Sensitivity report

Variables: global_ip

- **Panels (10):** text x5, table x5
 - Sensitive data (PII), Sensitive columns and schema (PII)
- **Action buttons:** /downloadreport/sensitiveschemareport, /reportbyemail/sensitiveschema_report
- **Drill-downs:** /d/adgp5hv/sensitivity-report, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Stored procedure slower than its average

Variables: globalip, rootcause_id

- **Panels (5):** table x3, text x2
 - Root causes, Detailed findings, Root cause details - \${rootcauseid}
- **Links:** /api/siem/ips-report/download, /siem/ips-dashboard
- **Drill-downs:** /d/ad55bbz/stored-procedure-slower-than-its-average

Super users (sysadmin / sysDBA)

Variables: global_ip

- **Panels (10):** text x5, table x2, barchart x1, bargauge x1, stat x1
 - SYSADMIN / SYSDBA, Active users, Recent alerts, Credentials stored in database tables
- **Action buttons:** /downloadreport/sysadminreport, /reportbyemail/sysadmin_report
- **Drill-downs:** /d/adbzzdg/super-users-sysadmin-sysdba, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Take Action

Variables: global_ip

Panels (14): text x5, barchart x4, gauge x2, bargauge x1, table x1, stat x1

- Critical issues - SQL injection, Active threats, Active users, Take action, Recent alerts, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports
- **Links:** /take_action
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Transaction report

Variables: global_ip

Panels (15): text x7, table x4, barchart x4

- Transactions, Sensitivity reports, SQL Injection analysis, Data activity monitoring, Connectivity reports
- **Action buttons:** /downloadreport/blockingtransactionreport, /reportbyemail/blockingtransaction_report
- **Drill-downs:** /d/ad6lv7f/transaction-report, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Vulnerability

Variables: global_ip

Panels (14): stat x5, text x4, barchart x3, piechart x1, table x1

- SQL Injections, Suspicious Queries, Config Vulnerabilities, Active Users, Total Findings, Vulnerability by Issue Type, By Security Area, Security Vulnerability Findings, SQL Injection by Server, Connectivity by Server
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

Webhook Alerts Configuration

Variables: global_ip

Panels (6): text x3, table x3

- Webhook Alerts - click a true/false cell to toggle, Blocker global dry-run (true = log only, false = ARMED to kill), Masking global dry-run (true = log only, false = ARMED to apply masks)
- **Links:** /globalparamset, /webhookalertset

alert_report

Panels (4): text x2, nodeGraph x1, table x1

- Open Alerts
- **Links:** http://\$globalip:8080/openalertchangeastatus
- **Drill-downs:** /d/\${_data.fields.reporturl}, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

alertreportError_Based

Panels (4): text x2, nodeGraph x1, table x1

- Open Alerts
- **Links:** http://\$globalip:8080/openalertchangeastatus

- **Drill-downs:** /d/\${_data.fields.reporturl}, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

alertreportPrivilegeEscalationChain

Panels (4): text x2, nodeGraph x1, table x1

- Open Alerts
- **Links:** http://\${globalip}:8080/openalertchangeastatus
- **Drill-downs:** /d/\${_data.fields.reporturl}, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

alertreportStacked

Panels (4): text x2, nodeGraph x1, table x1

- Open Alerts
- **Links:** http://\${globalip}:8080/openalertchangeastatus
- **Drill-downs:** /d/\${_data.fields.reporturl}, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

alertreportsensitive_schema

Panels (5): table x2, text x2, nodeGraph x1

- Open Alerts, Sensitive columns and schema (PII), Sensitive data (PII)
- **Drill-downs:** /d/\${_data.fields.reporturl}, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

risk level alerts

Variables: global_ip

Panels (6): text x4, table x2

- Risk level alerts, Risk Levels
- **Action buttons:** /risklevel, /risklevel_toggle
- **Links:** /email_configuration
- **Drill-downs:** /d/ad54967/risk-level-alerts, /d/adcdjsj/email-configuration, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

sysadmin accounts with weak password enforcement

Variables: global_ip

Panels (12): text x6, barchart x4, table x2

- sysadmin accounts with weak password enforcement, Sensitivity reports, SQL Injection analysis, Data activity monitoring
- **Action buttons:** /downloadreport/weekpasswords, /reportbyemail/transaction_report
- **Drill-downs:** /d/admz7fh/sysadmin-accounts-with-weak-password-enforcement, /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

webhook alerts

Variables: global_ip

Panels (4): text x3, table x1

- web hook alerts

- **Links:** /webhook_alerts
- **Drill-downs:** /d/grc-audit-log, /d/grc-compliance, /d/grc-masking, /d/grc-overview, /d/grc-risk-scoring, /d/grc-threat-response

18. Configuration menu (admin UI nav -> page -> route)

The admin **Configuration** menu and the page each item opens:

Menu item	Page title	Route(s)	Catalog §
Servers	Configure Servers	/serverform, /submit-serverform, /server_enable	§2
Processes	Configure Processes	/processform, /submit-processform	§5
Custom Metrics	Custom Metrics	/custom_metrics, /submit_custom_metrics	§3
Mail Config	SMTP Configuration	/mailconfiguration, /submit-mailconfiguration, /addrecipients	§7
SIEM	SIEM Configuration	/siem_configuration, /submit_siem_configuration	§11
Report Scheduling	Schedule Reports	/report_schedule, /submit-report-schedule	§8
Sensitive Schema	PII Discovery	/sensitive_schema, /sensitive_column_add, /api/sensitive-schema/discover	§10
Alert Thresholds	Configure Thresholds	/alert_thresholds, /submit-alert-threshold	§6
Alert Rules	Configure Alert Rules	/alert_rules, /submit-alert-rule	§6
Global Parameters	System Settings	/global_params, /global_param_set, /submit-global-param	§13
Webhook Alerts	Alert Channels	/webhook_alerts, /webhook_alert_set, /submit-webhook-alert	§6
Alert Dashboard	Security Alerts	/alert_dashboard, /api/alert_dashboard	§6
Retention Policy	Data Retention	/retention_policy, /submit_retention_policy	§12
Report Definitions	Edit Report JSON	/reports, /reports/edit, /reports/save	§8

All 14 are backed by FastAPI routes in `http_server.py` and persist to the `config / metrics` schemas (see §10 of the spec for the config-table mapping).