



DBDOME

Security Root-Cause Catalog

Domain: SEC (Security) | Vendor: Informix

This catalog lists the security root causes monitored by DBDOME for Informix. Entries are organized by Area -> Issue -> Root Cause. Each root cause has a unique identifier (Error/Root-Cause ID) used by the detection and alerting engine. Source view: rootcause.v_rootcauses.

9	Areas
11	Issues
11	Root Causes

Generated 03 Jul 2026



Access Control (ACC)

Anomalous Transaction Activity

Running transactions show unusual patterns compared to expected baseline - unknown logins, unexpected programs, unusual databases, or suspicious query patterns that may indicate unauthorized access or compromised accounts.

SEC-SQL-ACC-010-RC07 After-hours transaction activity

Transactions are running outside normal business hours (before 06:00 or after 22:00 server local time). After-hours database activity is a common indicator of compromised credentials, insider threats, or unauthorized batch processes.



Auditing (AUD)

Audit Logging Disabled

SEC-SQL-AUD-001-RC01 Global logging switch is disabled

The master configuration parameter controlling all logging (e.g., `logging\_collector`, `general\_log`) is set to "off" or "0" in the primary configuration file.

Successful database authentication monitoring

Capture and verify successful database authentication (logon) events.

SEC-SQL-AUD-021-RC01 Successful database authentication events captured

Confirms DBDOME captures successful database logons (authentication events) across all supported engines: reads the live current-session view (V\$SESSION / dm_exec_sessions / pg_stat_activity / PROCESSLIST / syssessions) and, on Oracle & SQL Server, also the audit trail of successful logons. Verify by simply logging in to the database.



Authentication (AU)

Default Admin Accounts Enabled

SEC-SQL-AU-001-RC01 Installation defaults not changed

Database installation scripts create superuser/admin accounts with known names by default. Administrators forget or skip the post-installation hardening step to rename, disable, or change credentials.

Dormant/Unused Accounts

SEC-SQL-AU-006-RC01 No activity monitoring

Databases lack or don't use login activity logging; dormant accounts are invisible without manual audits.



Authorization (AUTHZ)

Database Access & Privilege Inventory

Inventory of database access: server logins, database users, role memberships and explicit permission grants across all user databases, for access review and least-privilege auditing.

SEC-SQL-AUTHZ-001-RC01

Database access & privilege inventory (logins, roles, grants)

Enumerates, for every online user database on the instance, each database principal mapped to its server login, the database roles it belongs to, and its explicit permission grants - a Server -> Database -> Login -> roles & grants inventory for access review.



Authorization (AZ)

Excessive Administrative Privileges

SEC-SQL-AZ-001-RC01 Lack of Role-Based Access Control (RBAC) implementation

Organizations without mature RBAC systems grant permissions on an ad hoc basis rather than aligning them to defined job roles, resulting in superuser privileges being distributed widely across the user population.



Configuration (CFG)

Debug/Trace Flags Enabled

SEC-SQL-CFG-005-RC01 Troubleshooting Discovery

DBA encounters performance issue, reads online that trace flag X will help, enables it without full understanding of side effects



Encryption (ENC)

Data-in-Transit Unencrypted

SEC-SQL-ENC-001-RC01 Default Configuration Not Changed

Many database engines have TLS/SSL encryption disabled by default in their initial configuration files. Organizations deploy databases without reviewing and updating these defaults.



Networking (NET)

Default Ports in Use

SEC-SQL-NET-002-RC01 Default Configuration Never Changed

Database installed with factory defaults and administrators never modified the listening port. Databases ship with well-known default ports that are easily enumerated by attackers.



Patterns (PAT)

End-of-Life Database Version

SEC-SQL-PAT-001-RC01 Lack of proactive EOL tracking and monitoring

Organizations fail to establish processes that monitor vendor EOL announcements, resulting in systems unknowingly drifting past support end dates without awareness or planning.