Esmuflily - SMuFL / Ekmelos for LilyPond

Esmuflily is an extension for LilyPond that supports SMuFL compliant fonts, in particular, to facilitate the use of glyphs from Ekmelos: clefs, time signatures, noteheads, articulations, etc.

Esmuflily provides switches to turn the SMuFL support on or off for individual types of graphical objects (clefs, noteheads, etc.) and it defines additional commands and styles for SMuFL glyphs which are not available in LilyPond (notehead styles, function theory symbols, etc.) So scores can benefit from both SMuFL's comprehensive character set and LilyPond's awesome Emmentaler font.

See Ekmelily for accidentals and key signatures.

Esmuflily requires LilyPond version 2.24.0 or higher.

26 June 2024

Contents

Author and License																														3
Download and Installation .																														4
Usage																														5
Fonts																														6
Commands																														7
SMuFL switches																														8
Clefs and clef modifiers																														10
Time signatures																														13
Cadenza signatures																														15
Staff dividers and separators																														16
Noteheads																														17
Shape noteheads																														22
Note name noteheads																													•	27
Note clusters																													•	28
Notehead markup																														30
Augmentation dots																														32
Flags and grace note slashes																														33
Rests																														35
Rest markup																														37
•																														38
Dynamics																														
Scripts - Expressive marks .																														40
Trill spans and pitches																														47
Laissez vibrer																														48
Breathing signs and caesuras																														49
Colon bar lines																														50
Segno bar lines																														51
Percent repeats																														52
Tremolo marks																														53
Symbols on stem																														54
Arpeggios																														55
Ottavation																														56
Tuplet numbers																														61
Fingering instructions																														63
String number indications .																														65
Piano pedals																														66
Harp pedals																														68
Fret diagrams																														69
Accordion registers																														70
Accordion ricochet																														73
Falls and doits																														74
Figured bass															_				_	_					_					75
Lyrics	_		_				_											_	_				_	_						77
Analytics symbols					-	•	-		-	-	-	-	-	-	•	-	-	-	-		•	•	-	-	-	-	•	•	-	78
Function theory symbols .																								•			•	•	•	79
Arrows and arrow heads .				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	85
Percussion symbols	•			•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	87
Electronic music symbols	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	89
.	•	•		•																•	•	•	•	•	•	•	•	٠	٠	90
Basic markup commands	•																			•	•	•	•	•	•	•	•	٠	٠	93
Extended text	•	•		•	•	-	-	_	-	-	-		-	-	-	-	-		-	•	•	•	•	•	•	•	•	•	•	93 96
		•			٠															•	•	•	•	•	•	٠	•	٠	٠	
Definition string																			•					•	•	•	•	٠	٠	97
Orientation																														98

Author and License

Esmuflily was written by Thomas Richter, thomas-richter@aon.at

Copyright © 2020-2024 Thomas Richter

Esmuflily is licensed under the MIT License.

This license is copied below, and is also available in the file LICENSE.txt, and at mit-license.org.

The MIT License (MIT)

Copyright © 2020-2024 Thomas Richter

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Download and Installation

Download

The folder 1y contains the include files.

- Copy the file <code>esmufl.ily</code> into an appropriate folder, e.g.

 <code>LILYPOND/usr/share/lilypond/current/ly</code> with <code>LILYPOND</code> meaning the installation folder of LilyPond.
- Optionally install a SMuFL compliant font , e.g. Ekmelos .

Usage

Add the following lines near the top of your LilyPond input file.

```
ekmFont = FONTNAME
\include "esmufl.ily"
```

Esmuflily + Ekmelily

To combine Esmuflily with Ekmelily , add e.g. the following lines near the top of your LilyPond input file. This achieves LilyPond's standard behaviour, i.e. Dutch note names (default) and Stein / Couper accidentals (stc) for quarter-tones (24-EDO). The first line can be omitted when using Ekmelos .

```
ekmFont = FONTNAME
\include "esmufl.ily"
\include "ekmel-24.ily"
\ekmelicStyle stc
```

Fonts

Esmuflily requires a SMuFL compliant font.

It uses Ekmelos by default. Another font can be selected, either with the variable

```
ekmFont = FONTNAME
```

(or ekmelicFont as before) preceding the include file, or with the command line option

```
-dekmfont=FONTNAME
```

(or ekmelic-font as before). Note that this option produces a warning 'no such internal option', which can be ignored. Warnings can be suppressed with the command line option --loglevel=ERROR or --loglevel=NONE.

Drawing paths

Esmuflily supports drawing paths instead of font glyphs, which allows e.g. to produce stand-alone SVG output. This requires the Scheme procedure <code>ekm-path-stencil</code> as it is provided for Ekmelos by the include file <code>ly/ekmelos-paths.ily</code>.

A trailing # in FONTNAME switches to globally drawing paths, i.e. it effects all SMuFL output except for the markup commands \ekm-charf and \ekm-str.

Note that spaces and other glyphs without a contour, as well as side-bearing and font features like stylistic alternates or ligatures are not available with paths. See the second output below:

To draw Ekmelos glyphs as paths, add the following lines near the top of your LilyPond input file. Note that a single "#" is equivalent to "Ekmelos#".

```
ekmFont = "#"
\include "ekmelos-paths.ily"
\include "esmufl.ily"
```

Commands

Most of the commands, in particular, all markup commands always produce SMuFL output, independent of any switches. Other commands behave differently when the corresponding switch is turned off:

[Ly] Produces normal LilyPond output.

[Err] Causes an error or produces useless output.

Some commands with a corresponding LilyPond command are simpler implemented, e.g. they ignore properties, while others provide additional features.

Some styles and commands make use of Ekmelos specific supplements, starting at code point U+F600, or assume the Ekmelos font metrics. Ancient symbols and styles are not supported. Most of the ancient glyphs are not implemented in Ekmelos .

Some commands and properties accept one of the following special values:

- EXTEXT : A code point, a list of code points, or markup.
- · DEFINITION: A string of keys.
- · ORIENTATION: Sum of axis and direction.

SMuFL glyphs are always accessed by code point (EXTEXT). See the file ly/ekmelos-map.ily at Ekmelos with definitions to access glyphs by name.

All commands have the prefix ekm or ekm-.

SMuFL switches

```
\ekmSmuflOn #'TYPE
\ekmSmuflOn #'(TYPE ...)
\ekmSmuflOff #'TYPE
\ekmSmuflOff #'(TYPE ...)
```

Turn the SMuFL support on and off, respectively, for one or more types of graphical objects. TYPE is one of the following symbols. Any other value is ignored.

These commands set / undo context and grob properties (usually the stencil) in the current bottom context, except for colon and segno which are set independently of a context and cannot be turned off.

all All following types

clef Clefs and clef modifiers

time Time signatures

notehead Noteheads

dot Augmentation dots

Flags and grace note slashes
rest

Rests and multi-measure rests

dynamic Absolute dynamic marks

script Scripts

lv Laissez vibrer

trill Trill span and trill pitch

colonColon bar linessegnoSegno bar linespercentPercent repeats

tremolo Tremolos arpeggio Arpeggios

tuplet Tuplet numbers


fingering Fingering instructions
stringnumber String number indications

pedal Piano pedals
fbass Figured bass
lyric Lyric text

Example:

Demonstrates possible places for SMuFL switches: a \with block, a \layout block, and in the music stream. Note that \ekmTremolo has no effect after the tremolo switch is turned off.

```
\score {
  \new Staff \with {
   \ekmSmuflOn #'trill
  \relative c'' {
   \ekmSmuflOn #'notehead
   \override NoteHead.style = #'triangle
    \ekmSmuflOff #'notehead
    \revert NoteHead.style
   \autoBeamOff
   a8
   \ekmFlag #'straight
   a <a d> a16 <a d>
   \ekmPitchedTrill #'slash #'bracket
   d2 \ekmStartTrillSpan #-4 e d4 c \stopTrillSpan
    \ekmSmuflOn #'tremolo
    \ekmTremolo unmeasured { c4:16 a: }
    \ekmSmuflOff #'tremolo
    \ekmTremolo unmeasured { c4:16 a: }
  \layout {
    \context {
      \Score
      \ekmSmuflOn #'flag
    }
  }
}
```




Clefs and clef modifiers

\ekmSmuflOn #'clef

Draw SMuFL clefs and clef modifiers (transposition and style).



tab	U+F61E	6stringTabClefClassic
moderntab	U+E06D	6stringTabClef
talltab	U+F40A	6stringTabClefTall
seriftab	U+F40B	6stringTabClefSerif
4stringtab	U+F61F	4stringTabClefClassic
4stringmoderntab	U+E06E	4stringTabClef
4stringtalltab	U+F40C	4stringTabClefTall
4stringseriftab	U+F40D	4stringTabClefSerif




Clef modifiers (transposition and style) are always drawn separately, i.e. not with precomposed glyphs.

8	8	U+E07D	clef8
15	<i>1</i> 5	U+E07E	clef15
0	0	U+ED80	fingering0Italic
	:		
9	9	U+ED89	fingering9Italic
((U+ED8A	fingeringLeftParenthesisItalic
))	U+ED8B	fingeringRightParenthesisItalic
[[U+ED8C	fingeringLeftBracketItalic
1	1	U+ED8D	fingeringRightBracketItalic

G_8 G_15 G_(8) G^2 GG^[4]




F_8 F_(3) F^8 F^[5] subbass^13



C_8
C_2
tenorvarC^7



Change clefs use special glyphs, except for bridge, accordion, and indiandrum which are drawn with a 2 steps smaller font size.



Time signatures

\ekmSmuflOn #'time

Draw SMuFL time signatures.

\ekmCompoundMeter TIME-SIGNATURE

Set the numeric time signature.

\ekm-compound-meter TIME-SIGNATURE

Draw the numeric time signature as markup.

Compound meters use the large plus sign between fractions and the small plus sign between the numbers in a numerator. Some rational numbers can be part of a numerator. If specified in a pair, e.g. (1 1/2), this is treated as a single number without a plus sign in between.

\mathbf{c}	U+E08A	timeSigCommon
¢	U+E08B	timeSigCutCommon
0 :	U+E080	timeSig0
9	U+E089	timeSig9
+	U+E08C	timeSigPlus
+	U+E08D	timeSigPlusSmall
1/4	U+E097	timeSigFractionQuarter
	U+E098	timeSigFractionHalf
	U+E099	time SigFraction Three Quarters
1/3	U+E09A	timeSigFractionOneThird
2∕3	U+E09B	timeSigFractionTwoThirds
	0 : 9 + + ½ ½ ¾	U+E08B U+E080 U+E080 U+E089 U+E08C U+E08D U+E097 U+E098 U+E099 U+E09A

Examples:

```
#'(5 8)

#'(2 8) (3 8))

#'(2 3 8)

#'(1 1/4 2)

#'(((1 . 1/4) 2))
```

```
#'((2 4) (1 4) (1 8))

#'((2 4) (2 1 8))

#'((2 4) (1 1/2 4))
```

```
#'((2 4) (3 8))


#'((2 4) ((1 . 1/2) 4))

#'(2 (1 . 1/2) 4)
```

Cadenza signatures

\ekmCadenzaOn STYLE


Start a cadenza like \cadenzaOn and set a signature. The style can be one of the following symbols.




Staff dividers and separators

\ekmStaffDivider DIRECTION

Draw the next barline with an indicator to split or recombine the staff and set a \brack . The direction specifies the type of indicator (arrow).







system-separator-markup = \ekmSlashSeparator SIZE

Draw a system separator mark of the specified size (set within a \paper block). SIZE is an integer in the range 0 thru 2.

#0 U+E007 systemDivider

#1 U+E008 systemDividerLong


#2 U+E009 systemDividerExtraLong


Noteheads


\ekmSmuflOn #'notehead


Draw SMuFL noteheads. The style can be one of the following symbols. The $\mathtt{harmonic}$ and \mathtt{cross} glyphs are also used with commands like $\mathtt{harmonic}$ and \mathtt{xNote} .













Shape noteheads

All forms in LilyPond are supported, but some noteheads of Feta don't have exact matches in SMuFL, e.g. the thin shapes of \southernHarmonyHeads and the reversed shapes for stem up of \funkHeads.

Sacred Harp







Southern Harmony


\southernHarmonyHeads U+ECD3 noteShapeTriangleLeftDoubleWhole fa U+E1B6 noteShapeTriangleLeftWhite U+E1B7 note Shape Triangle Left BlackU+ECD2 note Shape Triangle Right Double WholeU+E1B4 note Shape Triangle Right WhiteU+E1B5 note Shape Triangle Right Blacksol U+ECD0 note Shape Round Double WholeU+E1B0 noteShapeRoundWhite noteShapeRoundBlack U+E1B1 noteShapeSquareDoubleWhole la U+ECD1 U+E1B2 noteShapeSquareWhite noteShapeSquareBlack U+E1B3 mi U+ECD4 note Shape Diamond Double WholeU+E1B8 noteShapeDiamondWhite U+E1B9 noteShapeDiamondBlack

\southernHarmonyHeadsMinor



Funk (Harmonia Sacra)

\funkHeads	====	
do	U+ECDB	noteShapeMoonLeftDoubleWhole
	U+E1C6	noteShapeMoonLeftWhite
	U+E1C7	noteShapeMoonLeftBlack
re	U+ECDC	noteShapeArrowheadLeftDoubleWhole
	U+E1C8	noteShapeArrowheadLeftWhite
	U+E1C9	noteShapeArrowheadLeftBlack
mi	U+ECD4	noteShapeDiamondDoubleWhole
	U+E1B8	noteShapeDiamondWhite
	U+E1B9	noteShapeDiamondBlack
fa	U+ECD3	noteShapeTriangleLeftDoubleWhole
	U+E1B6	noteShapeTriangleLeftWhite
	U+E1B7	noteShapeTriangleLeftBlack
	U+ECD2	noteShapeTriangleRightDoubleWhole
	U+E1B4	noteShapeTriangleRightWhite
	U+E1B5	noteShapeTriangleRightBlack
sol	U+ECD0	noteShapeRoundDoubleWhole
	U+E1B0	noteShapeRoundWhite
	U+E1B1	noteShapeRoundBlack
la	U+ECD1	noteShapeSquareDoubleWhole
	U+E1B2	noteShapeSquareWhite
	U+E1B3	noteShapeSquareBlack
ti	U+ECDD	noteShapeTriangleRoundLeftDoubleWhole
	U+E1CA	noteShapeTriangleRoundLeftWhite
	U+E1CB	noteShapeTriangleRoundLeftBlack
	₹	



Walker

\walkerHeads		
do	U+ECD8	noteShapeKeystoneDoubleWhole
	U+E1C0	noteShapeKeystoneWhite
	U+E1C1	noteShapeKeystoneBlack
re	U+ECD9	noteShapeQuarterMoonDoubleWhole
	U+E1C2	noteShapeQuarterMoonWhite
	U+E1C3	noteShapeQuarterMoonBlack
mi	U+ECD4	noteShapeDiamondDoubleWhole
	U+E1B8	noteShapeDiamondWhite
	U+E1B9	noteShapeDiamondBlack
fa	U+ECD3	noteShapeTriangleLeftDoubleWhole
	U+E1B6	noteShapeTriangleLeftWhite
	U+E1B7	noteShapeTriangleLeftBlack
	U+ECD2	noteShapeTriangleRightDoubleWhole
	U+E1B4	noteShapeTriangleRightWhite
	U+E1B5	noteShapeTriangleRightBlack
sol	U+ECD0	noteShapeRoundDoubleWhole
	U+E1B0	noteShapeRoundWhite
	U+E1B1	noteShapeRoundBlack
la	U+ECD1	noteShapeSquareDoubleWhole
	U+E1B2	noteShapeSquareWhite
	U+E1B3	noteShapeSquareBlack
ti	U+ECDA	noteShapeIsoscelesTriangleDoubleWhole
	U+E1C4	noteShapeIsoscelesTriangleWhite
	U+E1C5	noteShapelsoscelesTriangleBlack
		' ব



Aiken (Christian Harmony)

\aikenHeads		
do	U+ECD5	noteShapeTriangleUpDoubleWhole
	U+E1BA	noteShapeTriangleUpWhite
	U+E1BB	noteShapeTriangleUpBlack
re	U+ECD6	noteShapeMoonDoubleWhole
	U+E1BC	noteShapeMoonWhite
	U+E1BD	noteShapeMoonBlack
mi	U+ECD4	noteShapeDiamondDoubleWhole
	U+E1B8	noteShapeDiamondWhite
	U+E1B9	noteShapeDiamondBlack
fa	U+ECD3	noteShapeTriangleLeftDoubleWhole
	U+E1B6	noteShapeTriangleLeftWhite
	U+E1B7	noteShapeTriangleLeftBlack
	U+ECD2	noteShapeTriangleRightDoubleWhole
	U+E1B4	noteShapeTriangleRightWhite
	U+E1B5	noteShapeTriangleRightBlack
sol	U+ECD0	noteShapeRoundDoubleWhole
	U+E1B0	noteShapeRoundWhite
	U+E1B1	noteShapeRoundBlack
la	U+ECD1	noteShapeSquareDoubleWhole
	U+E1B2	noteShapeSquareWhite
	U+E1B3	noteShapeSquareBlack
ti	U+ECD7	noteShapeTriangleRoundDoubleWhole
	U+E1BE	noteShapeTriangleRoundWhite
	U+E1BF	noteShapeTriangleRoundBlack
		, , , , , , , , , , , , , , , , , , ,
+ ^		

\aikenHeadsMinor



Note name noteheads

\ekmNameHeads...


Draw noteheads with solfège (easy play) note names. [Err]




Note clusters

\ekmMakeClusters MUSIC

Draw clusters instead of chords in MUSIC, consisting of a bottom and a top note head, and ignoring inner notes of the chords ('Cowell clusters'). The notehead style can be one of the following symbols.





Note: For intervals larger than a third (except for square) the drawn cluster is a stack of one bottom segment, M middle segments, and one top segment. Mid and Top are the staff positions of the middle and top segments relative to the bottom segment.

M	Mid	Top
0	-	3
1	2	4
2	2 3	5
3	2 3 4	6
4	2345	7
	0 1 2 3	0 - 1 2 2 2 3 3 2 3 4

The segment glyphs in Ekmelos are designed for these values.

However, in the implementation notes of SMuFL Note clusters, the left-hand octave cluster is said to have 3 middle segments, while the right-hand 6th cluster has 2 middle segments. The "appropriate number of middle segments" varies apparently depending on the font.

Notehead markup

\ekm-note-by-number STYLE LOG DOTS DIRECTION

Draw a note with augmentation dots as markup. It does not support stem lengths. The style can be one of the following symbols or one of the notehead style symbols. LOG can be in the range -2 (or -1) thru 10. Some styles have notes only for $LOG \le 5$ (32nd note) with stem up.



beamed

U+F637 notehead Longa UpU+E1D0 note Double WholeU+E1D2 noteWhole U+E1D3 noteHalfUp noteQuarterUp U+E1D5 note8thUpBeamed U+F685 note16thUpBeamed U+F688 note32ndUpBeamed U+F68B



Augmentation dots

\ekmSmuflOn #'dot

Draw SMuFL augmentation dots.




Flags and grace note slashes


\ekmSmuflOn #'flag

Draw SMuFL flags and grace note slashes.

\ekmFlag STYLE

Set the specified flag style. It actually overrides the properties Flag.style and Stem.details.lengths. The style can be one of the following symbols. Note that the glyphs for short stem down flags are Ekmelos specific. [Err]






Grace note slash



Rests

\ekmSmuflOn #'rest

Draw SMuFL rests and multi-measure rests, as well as SMuFL time signature digits for multi-measure rest numbers. The style can be one of the following symbols.




Examples:

Note that here the time signatures are LilyPond's Emmentaler glyphs while the multi-measure rest numbers are SMuFL (Ekmelos) glyphs.

```
\relative c'' {
  \compressMMRests {
    \times 2/4
   R2 R1 R\breve R\longa R\maxima
   \times 3/4
   R2. R2.*3 R2.*7 R2.*10 R2.*35
   \override MultiMeasureRest.space-increment = 2.5
   R2.*35
  }
 \time 4/4
  \override MultiMeasureRest.staff-position = #1
  \override MultiMeasureRest.staff-position = #2
 \override MultiMeasureRest.staff-position = #4
 \override MultiMeasureRest.staff-position = #-1
 R1
  \override MultiMeasureRest.staff-position = #-2
  \override MultiMeasureRest.staff-position = #-8
 R1
}
```







Rest markup

```
\ekm-rest-by-number LOG DOTS
```

Draw a rest with augmentation dots as markup. LOG can be in the range -3 thru 10. The dots are vertically centered, contrary to \rest-by-number.

Used properties:

- font-size (0)
- ledgers ('(-101))
- style ('())

\ekm-multi-measure-rest-by-number MEASURES

Draw a multi-measure rest as markup, with the number placed centered above unless it is 1. Used properties:

- font-size (0)
- expand-limit (10)
- style ('())
- word-space
- width (8)
- multi-measure-rest-number (#t)

\ekm-rest DURATION

Draw either a rest or a multi-measure rest as markup.

```
\ekm-rest-by-number #-1 #1
\ekm-rest-by-number #2 #2
\ekm-rest-by-number #3 #1

\ekm-multi-measure-rest-by-number #7
\ekm-multi-measure-rest-by-number #16

\ekm-rest { \breve. }
\ekm-rest { 4.. }
\ekm-rest { 8. }

\override #'(multi-measure-rest. #t)
\override #'(multi-measure-rest-number. #f)
\ekm-rest { 1*7 }

\override #'(multi-measure-rest. #t)
\ekm-rest { 1*16 }
```

$$\mathbf{r} \cdot \mathbf{r} \cdot$$

Dynamics

\ekmSmuflOn #'dynamic

Draw SMuFL absolute dynamic marks.


/mp /pppp /ppp /ppp /pp		U+E52 U+E52 U+E52 U+E52 U+E52	B dynam A dynam 9 dynam 8 dynam	cPP cPPP cPPPP cPPPPP		
•	0	0	0	0	0	
p	pp	ppp	pppp	pppppp	mp	
\f		U+E52	•			
\ff		U+E52	•			
\fff \ffff		U+E53	•			
\fffff \fffff		U+E53 U+E53	•	cFFFFF		
\mf		U+E52	-			
			ayrıarı			
0	0	0	0	0	0	
$\frac{\mathbf{o}}{f}$	ff	fff	ffff	fffff	mf	
$oldsymbol{f}$			ffff			
f		fff U+E53 U+E53	ffff 34 dynam 36 dynam	fffff cFortePiano cSforzando1		
f \fp \sf \sff		fff U+E53 U+F64	ffff 4 dynam 6 dynam 5 dynam	cFortePiano cSforzando1 cSforzandoFF	mf	
f \fp \sf \sff \sff \sfp		### U+E53 U+F64 U+E53	ffff 4 dynam 6 dynam 5 dynam 7 dynam	fffff cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano	mf	
fp \sf \sff \sff \sfp \sfz		### U+E53 U+E53 U+E53 U+E53	fff 4 dynam 6 dynam 5 dynam 7 dynam 9 dynam	cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano	mf	
fp \sf \sff \sff \sfp \sfz \rfz		### U+E53 U+E53 U+E53 U+E53 U+E53	fff 4 dynam 6 dynam 5 dynam 7 dynam 9 dynam 9 dynam	cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano cSforzato cRinforzando2	mf	
fp \sf \sff \sfp \sfz \rfz \sp		### U+E53 U+F64 U+E53 U+E53 U+E53 U+F64	ffff 4 dynam 6 dynam 5 dynam 7 dynam 9 dynam 6 dynam 6 dynam	cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano cSforzato cRinforzando2 cSP	mf	
fp \sf \sff \sff \sfp \sfz \rfz		### U+E53 U+E53 U+E53 U+E53 U+E53	ffff 4 dynam 6 dynam 5 dynam 7 dynam 9 dynam 6 dynam 6 dynam 6 dynam 7 dynam	cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano cSforzato cRinforzando2 cSP	mf	
fp \sf \sff \sff \sfp \sfz \rfz \sp \spp		### U+E53 U+F64 U+E53 U+E53 U+F64 U+F64	fff 4 dynam 6 dynam 7 dynam 6 dynam 6 dynam 6 dynam 7 dynam 7 dynam 7 dynam	cFortePiano cSforzando1 cSforzandoFF cSforzandoPiano cSforzato cRinforzando2 cSP cSPP	mf	0

\ekm-dynamic DEFINITION

Draw a dynamic symbol as markup. DEFINITION may consist of the letters f, m, n, p, r, s, and z. The symbol is either a precomposed glyph or a sequence of dynamic glyphs for each letter.


\ekmParensDyn STYLE DYNAMIC-MARK

Draw the absolute dynamic mark parenthesized. The style can be one of the following symbols.



\ekmParensHairpin STYLE

Draw the subsequent hairpin parenthesized. The style can be one of the following symbols.



Scripts - Expressive marks

```
\ekmSmuflOn #'script
```

Draw SMuFL scripts for expressive marks like articulations, ornamentations, performance indications, fermatas, repeat signs, etc.

```
\ekmScript #'NAME #'(EXTEXT-UP . EXTEXT-DOWN)
\ekmScript #'NAME EXTEXT
```

Create a script from EXTEXT, either a pair for up and down or a single value for both directions. If the latter is a list it must be enclosed in a list. NAME is the symbol of an existing script like accent marcato trill turn upbow open lheel segno etc. It determines the vertical positioning of the script. [Ly]

```
\ekmScriptSmall #'NAME #'(EXTEXT-UP . EXTEXT-DOWN)
\ekmScriptSmall #'NAME EXTEXT
```

Create a script with a 3 steps smaller font size. [Ly]

Articulations

```
\accent
                                  U+E4A0
                                           articAccentAbove
                                  U+E4A1
                                           articAccentBelow
\ekmScript #'accent #'((#xE4A0 1)
                                              (#xE4A1 1))
                                  U+F42A
                                           articAccentAboveLarge
                                           articAccentBelowLarge
                                  U+F42B
\ekmScript #'accent #'((#xE4A0 2)
                                              (#xE4A1 2))
                                  U+F532
                                           articAccentAboveRossini
                                  U+F533
                                           articAccentBelowRossini
          O
                                                        O
                                 O
                                             O
                                                                    O
\ekmScript #'accent #'(#xE4B0 .
                                         #xE4B1)
                                           articAccentStaccatoAbove
                                  U+E4B0
                                  U+E4B1
                                           articAccentStaccatoBelow
\ekmScript #'accent #'((#xE4A4 #xE4A0 #xE4A0)
                              (#xE4A5 #xE4A1 #xE4A1))
                                  U+F698
                                           articTenutoDoubleAccentAbove
                                           articTenutoDoubleAccentBelow
                                  U+F699
                                               \leq
               O
                               O
                                                               O
                                                               ≥
\espressivo
                                  U+ED40
                                           articSoftAccentAbove
                                  U+ED41
                                           articSoftAccentBelow
\ekmScript #'espressivo #'(#xED42
                                              #xED43)
                                           articSoftAccentStaccatoAbove
                                  U+ED42
                                  U+ED43
                                           articSoftAccentStaccatoBelow
                                              <•>
                                               O
               O
                               O
                                                               O
                                                               <•>
```


```
\marcato
                                  U+E4AC
                                            articMarcatoAbove
                                  U+E4AD
                                            articMarcatoBelow
\ekmScript #'marcato #'(#xE4BC .
                                           #xE4BD)
                                  U+E4BC
                                            articMarcatoTenutoAbove
                                  U+E4BD
                                            articMarcatoTenutoBelow
\ekmScript #'portato #'((#xE4AC #xE4A4 #xE4A2) .
                                (#xE4AD #xE4A5 #xE4A3))
                                  U+F692
                                            articMarcatoTenutoStaccatoAbove
                                  U+F693
                                            articMarcatoTenutoStaccatoBelow
                                                                     O
                                  U+E4A4
\tenuto
                                            articTenutoAbove
                                  U+E4A5
                                            articTenutoBelow
\portato
                                            articTenutoStaccatoAbove
                                  U+E4B2
                                  U+E4B3
                                            articTenutoStaccatoBelow
                                                O
                                O
                                                                \mathbf{o}
                                                                 ·
\staccato
                                  U+E4A2
                                            articStaccatoAbove
                                  U+E4A3
                                            articStaccatoBelow
\staccatissimo
                                  U+E4A6
                                            articStaccatissimoAbove
                                  U+E4A7
                                            articStaccatissimoBelow
\ekmScript #'staccatissimo #'(#xE4A8 . #xE4A9)
                                  U+E4A8
                                            articStaccatissimoWedgeAbove
                                  U+E4A9
                                            articStaccatissimoWedgeBelow
\ekmScript #'staccatissimo #'(#xE4AA . #xE4AB)
                                  U+E4AA
                                            articStaccatissimoStrokeAbove
                                            articStaccatissimoStrokeBelow
                                  U+E4AB
        Ó
                                                               Ó
\ekmScript #'accent #'(#xE4B6 . #xE4B7)
                                            articStressAbove
                                  U+E4B6
                                  U+E4B7
                                            articStressBelow
\ekmScript #'accent #'(#xE4B8 . #xE4B9)
                                  U+E4B8
                                            articUnstressAbove
                                  U+E4B9
                                            articUnstressBelow
               O
                                                O
                                O
                                                                O
```

Ornamentations


```
\trill
                                   U+E566
                                              ornamentTrill
\ekmScriptSmall #'trill ##xE566
                                   U+E566
                                             ornamentTrill
\ekmScript #'trill #'((#xE260 #xE566))
                                   U+F5BD
                                             ornamentTrillFlatAbove
                    ф
                                         O
\prall
                                   U+E56C
                                             ornamentShortTrill
\prallprall
                                   U+E56E
                                             ornamentTremblement
\mordent
                                   U+E56D
                                              ornamentMordent
\prallmordent
                                   U+E5BD
                                              ornamentPrecompTrillWithMordent
\upprall
                                              ornamentBottomLeftConcaveStroke
                                   U+E59A
                                   U+E59D
                                              ornamentZigZagLineNoRightEnd
                                   U+E59D
                                             ornamentZigZagLineNoRightEnd
                                   U+E59E
                                             ornamentZigZagLineWithRightEnd
\downprall
                                   U+E5C6
                                             ornamentPrecompMordentUpperPrefix
\upmordent
                                             ornamentPrecompSlideTrillBach
                                   U+E5B8
\downmordent
                                   U+E5C7
                                             ornamentPrecompInvertedMordentUpperPrefix
                                 O
                                                 O
                                                                  O
\prallup
                                             ornamentZigZagLineNoRightEnd
                                   U+E59D
                                   U+E59D
                                             ornament Zig Zag Line No Right End \\
                                   U+E59D
                                             or nament Zig Zag Line No Right End \\
                                   U+E5A4
                                             ornamentRightVerticalStroke
\pralldown
                                   U+E5C8
                                              ornamentPrecompTrillLowerSuffix
\lineprall
                                   U+E5B2
                                              ornamentPrecompAppoggTrill
                                         O
\turn
                                   U+E567
                                              ornamentTurn
\reverseturn
                                   U+E568
                                             ornamentTurnInverted
\slashturn
                                   U+E569
                                             ornamentTurnSlash
\haydnturn
                                   U+E56F
                                             ornamentHaydn
\ekmScript #'turn ##xE56A
                                   U+E56A
                                             ornamentTurnUp
\ekmScript #'turn #'((#xE260 #xE567
                                                 #xE262))
                                   U+F5C1
                                              ornamentTurnFlatAboveSharpBelow
```

Performance indications

```
\upbow
                                 U+E612
                                          stringsUpBow
\ekmScript #'upbow ##xE61C
                                 U+E61C
                                          stringsOverpressureUpBow
\ekmScript #'upbow ##xE61E
                                U+E61E
                                         stringsOverpressurePossibileUpBow
\ekmScript #'upbow ##xE613
                                          stringsUpBowTurned
                                 U+E613
                              O
                                             O
                                                             O
\downbow
                                 U+E610
                                          stringsDownBow
\ekmScript #'downbow ##xE61B
                                 U+E61B
                                          stringsOverpressureDownBow
\ekmScript #'downbow ##xE61D
                                          stringsOverpressurePossibileDownBow
                                 U+E61D
\ekmScript #'downbow ##xE611
                                 U+E611
                                          stringsDownBowTurned
\ekmScript #'downbow ##xE626
                                 U+E626
                                          stringsChangeBowDirection
\ekmScript #'downbow #'((#xE626 1))
                                U+F431
                                          stringsChangeBowDirectionLiga
\ekmScript #'downbow #'((#xE626 2))
                                          stringsChangeBowDirectionImposed
                                 U+F43E
                                                         М
\ekmScript #'upbow ##xE61F
                                 U+E61F
                                          stringsOverpressureNoDirection
\ekmScript #'downbow #'(#xE620 .
                                         #xE621)
                                 U+E620
                                          stringsJeteAbove
                                 U+E621
                                          stringsJeteBelow
                                      O
                                                         O
                                                         ••••
\flageolet
                                U+E614
                                          stringsHarmonic
\ekmScriptSmall #'flageolet ##xE614
                                 U+E614
                                          stringsHarmonic
\open
                                 U+F63C
                                          stringsOpen
\halfopen
                                          stringsHalfOpen
                                 U+F63D
#(make-articulation 'halfopenvertical)
                                 U+F63E
                                          stringsHalfOpenVertical
                                      0
                         O
                                      O
                                                   O
                                                                O
```



Fermatas



Repeat signs

\segno U+E047 segno \coda U+E048 coda

\varcoda U+E049 codaSquare

\ekmScript #'segno #'((#xE047 1))

U+F404 segnoJapanese

\ekmScript #'coda #'((#xE048 1)) U+F405

l+F405 codaJapanese



Trill spans and pitches


\ekmSmuflOn #'trill

Draw SMuFL trill spans (trills with extender lines) and trill pitches.

\ekmStartTrillSpan TEMPO

Start a trill span. TEMPO is an integer in the range -4 thru 4 from slowest to fastest, i.e. from longest to shortest width of the extender line segments. [Ly]

\startTrillSpan is equivalent to \ekmStartTrillSpan #0



\ekmPitchedTrill NOTEHEAD-STYLE PARENS-STYLE MAIN-NOTE AUXILIARY-NOTE

Draw a trill pitch. For NOTEHEAD-STYLE see Noteheads . PARENS-STYLE can be one of the following symbols. Variable accidentals for auxiliary notes are supported by Ekmelily . [Err]

O (#•) O	O O	O O O O O
4mmm	<i>4</i> ~~~~~	4mmm
	U+F6D7	accidentalAngleRight
angle	U+F6D6	accidentalAngleLeft
	U+F6D5	accidentalBraceRight
brace	U+F6D4	accidentalBraceLeft
	U+E26D	accidentalBracketRight
bracket	U+E26C	accidentalBracketLeft
	U+E26B	accidentalParensRight
default	U+E26A	accidentalParensLeft

Laissez vibrer

\ekmSmuflOn #'lv

Draw SMuFL laissez vibrer ties.

\ekmLaissezVibrer SIZE

Draw a laissez vibrer tie after a note. SIZE is an integer in the range 0 thru 2. [Ly]

\laissezVibrer is equivalent to \ekmLaissezVibrer #0


# O	U+E4BA	articLaissezVibrerAbove
	U+E4BB	articLaissezVibrerBelow
#1	U+F6FC	articLaissezVibrerAboveLong
	U+F6FD	articLaissezVibrerBelowLong
#2	U+F6FE	articLaissezVibrerAboveExtraLong
	U+F6FF	articLaissezVibrerBelowExtraLong



Breathing signs and caesuras

\ekmBreathing EXTEXT


Draw a breathing sign or caesura from EXTEXT .



Colon bar lines

\ekmSmuflOn #'colon


Draw SMuFL colon (repeat) bar lines. Note that <code>colon</code> is set independently of a context and cannot be turned off. Therefore, the SMuFL colon symbol is also drawn at the segno bar lines on the next page.





Segno bar lines

\ekmSmuflOn #'segno

Draw SMuFL segno bar lines. Note that segno is set independently of a context and cannot be turned off.








Percent repeats

\ekmSmuflOn #'percent


Draw SMuFL percent repeats.



Tremolo marks


\ekmSmuflOn #'tremolo

Draw SMuFL tremolo marks on stems. The style (shape) can be one of the following symbols. Note: The symbol ekm is used internally by \ekmTremolo (see below).



\ekmTremolo EXTEXT MUSIC

Draw a tremolo mark from EXTEXT on the stems of the tremolo notes in MUSIC, independent of the subdivision: N . The following names (strings) draw predefined symbols. A list of code points or a markup is centered horizontally, while a single code point is assumed being a centered stem decoration. [Ly]



Symbols on stem (stem decoration)

\ekmStem EXTEXT MUSIC


Draw a symbol from EXTEXT vertically centered on the stems in MUSIC. The following names (strings) draw predefined symbols. A list of code points or a markup is centered horizontally, while a single code point is assumed being a centered stem decoration.



Arpeggios

\ekmSmuflOn #'arpeggio

Draw SMuFL arpeggios.




Cross-staff arpeggios with

\set PianoStaff.connectArpeggios = ##t


Note: Instead of \arpeggioArrowUp|Down, they require


\override PianoStaff.Arpeggio.arpeggio-direction = #UP|#DOWN



Ottavation

The following predefined lists of ottavation texts support the octave numbers ±1,2,3,4.





1 U+E510 ottava
U+EC97 octaveBaselineV
U+EC91 octaveBaselineA
-1 U+E51C ottavaBassaVb
2 U+E514 quindicesima
U+EC95 octaveBaselineM


U+EC91 octaveBaselineA
-2 U+E51D quindicesimaBassaMb




3 U+E517 ventiduesima U+EC95 octaveBaselineM U+EC91 octaveBaselineA -3 U+E51E ventiduesimaBassaMb 4 U+F6F8 ventinovesima U+EC95 octaveBaselineM U+EC91 octaveBaselineA U+F6FB ventinovesimaBassaMb



ekm-ottavation-ordinals-b










22ma_-



U+F6F8

U+EC93

U+EC91

22ba


ventinovesima

octaveBaselineB

octaveBaselineA

29ba

29ma.....



Note: According to the implementation notes of SMuFL Octaves, the suffixes vb and mb as used in ekm-ottavation-simple-ordinals and ekm-ottavation-ordinals-b are corruptions of the more correct forms va bassa and ma bassa as used in ekm-ottavation-ordinals-bassa. The recommended abbreviation for 8va bassa is 8ba as used in ekm-ottavation-ordinals-ba and ekm-ottavation-numbers-ba.

\ekm-ottavation DEFINITION

Draw an ottavation text as markup. DEFINITION may consist of the following keys.

8	8	U+E510	ottava
8^va	8va	U+E511	ottavaAlta
	8va		
8va	8ba	U+E512 U+E513	ottavaBassa
8ba	8vb		ottavaBassaBa
8vb	8vb	U+E51C	ottavaBassaVb
8^vb	800	U+F652	ottavaBassaSupVb
15	<i>1</i> 5	U+E514	quindicesima
15^ma	15^{ma}	U+E515	quindicesimaAlta
15ma	15 ma	U+E516	quindicesimaBassa
15mb	<i>15mb</i>	U+E51D	quindicesimaBassaMb
15^mb	15^{mb}	U+F653	quindicesimaBassaSupMb
22	22	U+E517	ventiduesima
22^ma	22^{ma}	U+E518	ventiduesimaAlta
22ma	22ma	U+E519	ventiduesimaBassa
22mb	22mb	U+E51E	ventiduesimaBassaMb
22^mb	22^{mb}	U+F654	ventiduesimaBassaSupMb
29	29	U+F6F8	ventinovesima
29^ma	29^{ma}	U+F6F9	ventinovesimaAlta
29ma	29ma	U+F6FA	ventinovesimaBassa
29mb	29mb	U+F6FB	ventinovesimaBassaMb
29^mb	29^{mb}	U+F655	ventinovesimaBassaSupMb
((U+E51A	octaveParensLeft
))	U+E51B	octaveParensRight
bassa	bassa	U+E51F	octaveBassa
loco	loco	U+EC90	octaveLoco
^a	α	U+EC92	octaveSuperscriptA
^b	b	U+EC94	octaveSuperscriptB
^m	m	U+EC96	octaveSuperscriptM
^ _V	\boldsymbol{v}	U+EC98	octaveSuperscriptV
a	α	U+EC91	octaveBaselineA
b	\boldsymbol{b}	U+EC93	octaveBaselineB
m	m	U+EC95	octaveBaselineM
V	\boldsymbol{v}	U+EC97	octaveBaselineV

Tuplet numbers

\ekmSmuflOn #'tuplet

Draw SMuFL tuplet numbers as numerator only. Set the first formatting function listed below, so this switch is not required if one of these functions is set explicitly.

```
0
0
                            U+E880
                                    tuplet0
9
                   9
                            U+E889
                                   tuplet9
                            U+E88A
                                   tupletColon
ekm-tuplet-number::calc-denominator-text
ekm-tuplet-number::calc-fraction-text
(ekm-tuplet-number::non-default-tuplet-denominator-text NUM)
(ekm-tuplet-number::non-default-tuplet-fraction-text NUM DENOM)
(ekm-tuplet-number::append-note-wrapper
  FUNCTION DURATION)
(ekm-tuplet-number::fraction-with-notes
  NUM-DURATION DENOM-DURATION)
(ekm-tuplet-number::non-default-fraction-with-notes
  NUM NUM-DURATION DENOM DENOM-DURATION)
```

Tuplet formatting functions. The last three draw metronome style notes for the specified durations.

```
(ekm-tuplet-number NUM DENOM)
```

Draw NUM:DENOM, or NUM only if DENOM is 0. Use the actual tuplet fraction for NUM or DENOM if #f is specified. It is called by the first four functions above, i.e. they are equivalent to:

```
(ekm-tuplet-number #f 0)
(ekm-tuplet-number #f #f)
(ekm-tuplet-number NUM 0)
(ekm-tuplet-number NUM DENOM)
```

Examples:

ekm-tuplet-number::calc-denominator-text



ekm-tuplet-number::calc-fraction-text



```
(ekm-tuplet-number::append-note-wrapper ekm-tuplet-number::calc-fraction-text (ly:make-duration 2 0))

(ekm-tuplet-number::fraction-with-notes (ly:make-duration 2 1) (ly:make-duration 3 0))

(ekm-tuplet-number::non-default-fraction-with-notes 12 (ly:make-duration 3 0) 4 (ly:make-duration 2 0))

12):4]
```

Fingering instructions

\ekmSmuflOn #'fingering

Draw SMuFL fingering instructions specified with a digit or with \finger , as well as right-hand fingerings specified with \finger , using $\ensuremath{\mbox{\mbox{chm-finger}}}$.

\ekm-finger DEFINITION

Draw a fingering instruction as markup. DEFINITION may consist of the following keys. If the first character is \star the italic version of 0 ... 9 () [] is drawn.

0	0	U+ED10	fingering0
5	: 5	U+ED15	fingering5
6	6	U+ED24	fingering6
	:		
9	9	U+ED27	fingering9
*0	0	U+ED80	fingering0Italic
	:		
*9	9	U+ED89	fingering9Italic
th	Q	U+E624	stringsThumbPosition
ht	ò	U+E625	stringsThumbPositionTurned
Т	т	LL-ED46	-
	т <i>t</i>	U+ED16	fingeringTUpper
t		U+ED18	fingeringTLower
p i	$oldsymbol{p}$	U+ED17	fingeringPLower
		U+ED19	fingeringILower
m	m	U+ED1A	fingeringMLower
a	a	U+ED1B	fingeringALower
C	c	U+ED1C	fingeringCLower
X	\boldsymbol{x}	U+ED1D	fingeringXLower
е	e	U+ED1E	fingeringELower
0	0	U+ED1F	fingeringOLower
d	\boldsymbol{q}	U+ED8E	fingeringQLower
S	8	U+ED8F	fingeringSLower
((U+ED28	fingeringLeftParenthesis
))	U+ED29	fingeringRightParenthesis
[[U+ED2A	fingeringLeftBracket
]]	U+ED2B	fingeringRightBracket
*((U+ED8A	fingeringLeftParenthesisItalic
*))	U+ED8B	fingering Right Parenthesis Italic
*[I	U+ED8C	fingeringLeftBracketItalic
*]	J	U+ED8D	fingeringRightBracketItalic

```
U+ED2C
                                                   fingeringSeparatorMiddleDot
                                        U+ED2D
                                                   fingeringSeparatorMiddleDotWhite
                                        U+ED2E
                                                   fingeringSeparatorSlash
                                        U+ED20
                                                   fingeringSubstitutionAbove
                                        U+ED21
                                                   fingeringSubstitutionBelow
                                        U+ED22
                                                   fingeringSubstitutionDash
                           С
                                        U+ED23
Μ
                                                   fingeringMultipleNotes
                                        U+E66E
                                                   keyboardPlayWithRH
                                        U+E66F
                                                   keyboardPlayWithRHEnd
RE
                                        U+E670
                                                   keyboardPlayWithLH
L
                                        U+E671
                                                   keyboardPlayWithLHEnd
LE
```

\ekmPlayWith HAND START MUSIC

Draw a keyboardPlayWith... symbol (see R RE L LE above) alongside the notes in MUSIC. HAND is RIGHT or LEFT. START is #t for the start symbol placed to the left, or #f for the end symbol placed to the right.

Note: The \thumb command always produces normal LilyPond output. Use \finger "th" to draw the corresponding SMuFL glyph.

```
-2
-\finger ...
   "4~~3"
   "*(5)"
   "th"
   "ht"
   "[s]"
   \markup \concat { "[" \ekm-finger #"s" "]" }
   "t"
   "( m_/_i )"

2 4 3 (5) [8] [s]

\rightHandFinger #1 ... #4

\rightHandFinger #1 ... #4

\ekmPlayWith #RIGHT|LEFT ##t c
\ekmPlayWith #RIGHT|LEFT ##f g
```

String number indications

\ekmSmuflOn #'stringnumber

Draw SMuFL string number indications specified with \NUMBER, using \ekm-string-number.

Note: \romanStringNumbers overrides the SMuFL switch so that reverting with \arabicStringNumbers produces normal LilyPond output.

\ekm-string-number ARG

Draw a string number indication as markup. ARG is a number or string. For a number or a string representing a number, the respective SMuFL symbol is drawn if the number is in the range 0 thru 13, else the number itself is drawn with a cicle around. Any other string, e.g. a Roman numeral, is drawn in italic style.

0	0	U+E833	guitarString0
9	: 9 10	U+E83C U+E84A	guitarString9 guitarString10
13	: ③	U+E84D	guitarString13

Examples:

The second staff combines SMuFL left-hand fingerings, string number indications, and right-hand fingerings, which requires \ekmSmuflon #'(fingering stringnumber).

Piano pedals


\ekmSmuflOn #'pedal

Draw SMuFL piano pedals for sustain, sostenuto, and una corda, using \ekm-piano-pedal.

\ekm-piano-pedal DEFINITION

Draw piano pedal symbols as markup. DEFINITION may consist of the following keys.


Ped.	Zed.	U+E650	keyboardPedalPed
Ped	Red	U+F434	keyboardPedalPedNoDot
P	\mathfrak{T}	U+E651	keyboardPedalP
е	e	U+E652	keyboardPedalE
d	9	U+E653	keyboardPedalD
Sost.	Sost.	U+E659	keyboardPedalSost
Sost	Sost	U+F435	keyboardPedalSostNoDot
Sos.	Sos.	U+F6D1	keyboardPedalSos2
sos.	SOS.	U+F6D0	keyboardPedalSos
S	S	U+E65A	keyboardPedalS
unacorda	una corda	U+F6CC	keyboardPedalUnaCorda
trecorde	tre corde	U+F6CD	keyboardPedalTreCorde
u.c.	u.c.	U+F6CE	keyboardPedalUC
t.c.	t.c.	U+F6CF	keyboardPedalTC
		U+E654	keyboardPedalDot
-	~	U+E658	keyboardPedalHyphen
*	*	U+E655	keyboardPedalUp
0	8%	U+E65D	keyboardPedalUpSpecial
,	282	U+E65B	keyboardPedalHalf2
1	<i>\$</i> 2.	U+E65C	keyboardPedalHalf3
Н	_/_	U+E656	keyboardPedalHalf
^	٨	U+E657	keyboardPedalUpNotch
1/2Ped	1/2 Xed.	U+F6B0	keyboardPedalHalf4
1/4	$\frac{1}{4}$	U+F6BA	keyboardPedalPosQuarter
1/2	$\frac{1}{2}$	U+F6BB	keyboardPedalPosHalf
3/4	<u>3</u> 4	U+F6BC	key board Pedal Pos Three Quarters
1	1 1	U+F6BD	keyboardPedalPosFull
1	J	U+E65E	keyboardLeftPedalPictogram
m	\mathcal{L}	U+E65F	keyboardMiddlePedalPictogram
r	L	U+E660	keyboardRightPedalPictogram
((U+E676	keyboardPedalParensLeft
))	U+E677	keyboardPedalParensRight
•			,



Harp pedals

\ekm-harp-pedal DEFINITION

Draw a harp pedal diagram as markup, similar to $\harp-pedal$ but composed of the following glyphs. Note that the glyphs for pedal changes \circ \circ \circ \circ are Ekmelos specific. Space characters are allowed between the keys.






Fret diagrams

\ekm-fret-diagram-terse DEFINITION

Draw a fret diagram as markup, similar to \fret-diagram-terse but composed of the following glyphs and simplified, i.e. the properties fret-diagram-details, thickness, size, and align-dir are ignored. Fingering is always placed below.



```
#"x;3-3;2-2;0;1-1;0;"
#"x;x;3-3;1-1-(;2-2;1-1-);"
#"0;2-2;2-3;1-1;0;0;"
#"1-1-(;3-3;3-4;2-2;1-1;1-1-);"

#"0;0;0;0;3-3;"
#"1-1-(;1-1;1-1-);4-4;"
#"2-1;2-2;2-3;0;"
#"0;3-2-(;3-2-);1-1;"
```

Accordion registers

\ekm-accordion NAME

Draw an accordion register symbol as markup, similar to the commands in (scm accreg) . The name can include a prefix for the register type, separated by a space:

d Discant (default)

sb sb4 sb5 sb6 Standard bass, four / five / six reed

fb Free bass sq Square

Most of the symbols use precomposed glyphs. The others are composed using accdnCombRH3RanksEmpty (U+E8C6) et al.

\ekmAccordion NAME

Set an accordion register symbol as a standalone music event.

This is equivalent to <> ^ \markup \ekm-accordion NAME

"d 1"		U+E8A4	accdnRH3RanksBassoon
"d 10"	\odot	U+E8A1	accdnRH3RanksClarinet
"d 11"		U+E8AB	accdnRH3RanksBandoneon
"d 1+0"		U+E8A2	accdnRH3RanksUpperTremolo8
"d 1+1"			
"d 1-0"	Θ	U+E8A3	accdnRH3RanksLowerTremolo8
"d 1-1"			
"d 20"	\odot	U+E8AE	accdnRH3RanksTwoChoirs
"d 21"		U+E8AF	accdnRH3RanksTremoloLower8ve
"d 2+0"		U+E8A6	accdnRH3RanksViolin
"d 2+1"		U+E8AC	accdnRH3RanksAccordion
"d 2-0"	•••		
"d 2-1"			
"d 30"	•••	U+E8A8	accdnRH3RanksAuthenticMusette
"d 31"		U+E8B1	accdnRH3RanksDoubleTremoloLower8ve
"d 100"		U+E8A0	accdnRH3RanksPiccolo
"d 101"		U+E8A9	accdnRH3RanksOrgan
"d 110"		U+E8A5	accdnRH3RanksOboe
"d 111"		U+E8AA	accdnRH3RanksHarmonium
"d 11+0"			
"d 11+1"			
"d 11-0"			
"d 11-1"			


"d 120"		U+E8B0	accdnRH3RanksTremoloUpper8ve
"d 121"		U+E8AD	accdnRH3RanksMaster
"d 12+0"		U+E8A7	accdnRH3RanksImitationMusette
"d 12+1"			
"d 12-0"			
"d 12-1"	•••		
"d 130"		U+E8B2	accdnRH3RanksDoubleTremoloUpper8ve
"d 131"		U+E8B3	accdnRH3RanksFullFactory
"sb Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb Alto"		U+E8B5	accdnRH4RanksAlto
"sb Tenor"		U+E8B6	accdnRH4RanksTenor
"sb Master"		U+E8B7	accdnRH4RanksMaster
"sb Soft Bass"		U+E8B8	accdnRH4RanksSoftBass
"sb Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor
"sb Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb4 Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb4 Alto"		U+E8B5	accdnRH4RanksAlto
"sb4 Tenor"			
"sb4 Master"			
"sb4 Soft Bass"			
"sb4 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb4 Soft Bass/Alto"			
"sb4 Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor

"sb5 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb5 Soft Bass/Alto"			
"sb5 Alto"			
"sb5 Tenor"			
"sb5 Master"			
"sb5 Soft Bass"			
"sb5 Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor
"sb5 Soprano"		U+E8B4	accdnRH4RanksSoprano
"sb5 Sopranos"			
"sb5 Solo Bass"			
"sb6 Soprano"		U+E8B4	acadaDLI4DankaSanzana
-		UTEOD4	accdnRH4RanksSoprano
"sb6 Alto"			
"sb6 Soft Tenor"		U+E8B9	accdnRH4RanksSoftTenor
"sb6 Master"		U+E8B7	accdnRH4RanksMaster
"sb6 Alto/Soprano"			
"sb6 Bass/Alto"		U+E8BA	accdnRH4RanksBassAlto
"sb6 Soft Bass"		U+E8B8	accdnRH4RanksSoftBass
"fb 10"	\odot	U+E8BB	accdnLH2Ranks8Round
"fb 1"	\odot	U+E8BC	accdnLH2Ranks16Round
"fb 11"	:	U+E8BD	accdnLH2Ranks8Plus16Round
"fb Master"	Θ	U+E8BE	accdnLH2RanksMasterRound
"fb Master 1"	\odot	U+E8BF	accdnLH2RanksMasterPlus16Round
"fb Master 11"	③	U+E8C0	accdnLH2RanksFullMasterRound
U 1 U	•	11.500	
"sq 1" "sq 100"		U+E8C1	accdnLH3Ranks8Square
-	••	U+E8C2	accdnLH3Ranks2Square
"sq 2"	••	U+E8C3	accdnLH3RanksDouble8Square
"sq 101"	•	U+E8C4	accdnLH3Ranks2Plus8Square
"sq 102"	••	U+E8C5	accdnLH3RanksTuttiSquare

Accordion ricochet

\ekmRicochet NUMBER

Draw a ricochet symbol as an expressive mark (script). NUMBER is an integer in the range 2 thru 6. [Ly]



\ekmStemRicochet NUMBER MUSIC


Draw a ricochet symbol vertically centered on the stems in MUSIC. NUMBER is an integer in the range 2 thru 6.



Falls and doits

\ekmBendAfter STYLE DIRECTION

Draw a fall or doit (lift) symbol after a note. The style can be one of the following symbols. Note that only the sign of the direction is respected, contrary to $\begin{tabular}{l} \mathsf{bendAfter} \end{tabular}$.




Figured bass

\ekmSmuflOn #'fbass

Draw SMuFL bass figures with \figuremode . Some raised / diminished figures use precomposed glyphs which ignore the property $\figuredBassPlusDirection$.

0	0	U+EA50	figbass0
1	1	U+EA51	figbass1
2	2	U+EA52	figbass2
3	3	U+EA54	figbass3
4	4	U+EA55	figbass4
5	5	U+EA57	figbass5
6	6	U+EA5B	figbass6
7	7	U+EA5D	figbass7
8	8	U+EA60	figbass8
9	9	U+EA61	figbass9
!		U+EA65	figbassNatural
-	b	U+EA64	figbassFlat
+	#	U+EA66	figbassSharp
	\flat	U+EA63	figbassDoubleFlat
++	×	U+EA67	figbassDoubleSharp
	₩	U+ECC1	figbassTripleFlat
+++	ׇ	U+ECC2	figbassTripleSharp
\+	+	U+EA6C	figbassPlus
/	/	U+EA6D	figbassCombiningRaising
\\	_	U+EA6E	figbassCombiningLowering
2\+	2,	U+EA53	figbass2Raised
4\+	4+	U+EA56	figbass4Raised
5\+	5	U+EA58	figbass5Raised1
5\\	5	U+EA59	figbass5Raised2
5/	5	U+EA5A	figbass5Raised3
6\\	6	U+EA5C	figbass6Raised
6\+	8	U+EA6F	figbass6Raised2
7\+	7	U+EA5E	figbass7Raised1
7\\	7	U+EA5F	figbass7Raised2
7/	7	U+ECC0	figbass7Diminished
9\\	3	U+EA62	figbass9Raised


Examples:





with

\set figuredBassAlterationDirection = #LEFT | #RIGHT
\set figuredBassPlusDirection = #LEFT | #RIGHT



Lyrics

```
\ekmSmuflOn #'lyric
```

Draw the words in a lyric input mode (\logar) with \logar with \logar with \logar .

Note that the characters % must be quoted in order to be passed on to this command.

```
\ekm-tied-lyric STRING
```

Draw the string as markup, replacing the characters \sim _ % with the glyphs specified below. The space between the adjoining words depends on the width of the respective glyph, while the property word-space is ignored. The narrow elision for single characters works with all Unicode characters, contrary to \tied-lyric.

~	_	U+E551	lyricsElision
~X~	_	U+E550	lyricsElisionNarrow
~~	_	U+E552	lyricsElisionWide
_	_	U+E553	lyricsHyphenBaseline
9	%	U+E555	lyricsTextRepeat

Examples:

```
"Siam navi~all'onde~~algenti"

"Tutta la_vita~ē~un mar %"

Tutta la_vita_ē_un mar %
```

```
Che in ques -- ta-è-in quel -- l'al -- "tr_on" -- "da %" }

Che in ques - ta è in quel - l'al - tr_on - da %
```

Analytics symbols

\ekm-analytics DEFINITION

Draw analytics symbols as markup. DEFINITION may consist of the following keys.

Н	Н	U+E860	analyticsHauptstimme
СН	CH	U+E86A	analyticsChoralmelodie
RH	RH	U+E86B	analyticsHauptrhythmus
N	N	U+E861	analyticsNebenstimme
[Γ	U+E862	analyticsStartStimme
]	٦	U+E863	analyticsEndStimme
Th	Th	U+E864	analyticsTheme
hΤ	Th	U+E865	analyticsThemeRetrograde
ihT	ЧΙ	U+E866	analyticsThemeRetrogradeInversion
iTh	Th	U+E867	analyticsThemeInversion
Т	T	U+E868	analyticsTheme1
iT	T	U+E869	analyticsInversion1

Function theory symbols

\ekm-func DEFINITION

Draw a function theory symbol as markup. DEFINITION is a string of the form:

Paren Function, Bass, Soprano ^ Extra ... Paren

All parts are optional and may consist of the keys specified further below.

The bass / soprano symbol is placed below / above the function symbol.

The extra symbols are stacked vertically and raised to the right of the function symbol.

A leading / trailing parenthesis () [] { } is placed separately before / after the entire symbol. Used properties:

- font-size (0) for the function symbol.
- func-size (-4) relative to the font size for bass, soprano, and extra symbols.
- func-skip (2.5) for vertical distances.
- func-space (0.3) for horizontal space around the function symbol.

\ekmFunc DEFINITION

Set a function theory symbol as a music expression, for use in a Lyrics context. The symbol is drawn with a 4 steps smaller font size compared to \ekm-func . DEFINITION is a string as described above, with a further optional suffix:

- Starts an extender line after the symbol.
- . Stops an extender line at the symbol.
- + Inserts the symbol between notes with \set stanza.
- * Dito but with the 4 steps larger font size of \ekm-func.

Note that the Lyrics context requires the Text spanner engraver to draw extender lines.

\ekmFuncList DEFINITION-LIST

Set a sequence of function theory symbols as music expressions, for use in a Lyrics context. DEFINITION-LIST is a list of strings as for $\ensuremath{\verb|}ekmFunc$.

T		U+EA8B	functionTUpper
Tg	T_g		
Тр	T_{p}		
t	t	U+EA8C	functionTLower
D	D	U+EA7F	functionDUpper
/D	Ø	U+F644	functionSlashedD
Dp	D_p		
DD	Þ	U+EA81	functionDD
/DD	户	U+EA82	functionSlashedDD
d	d	U+EA80	functionDLower

S	S	U+EA89	functionSUpper
Sg	S S S S S S		
Sp	Sp		
SS	<i>§</i>	U+EA7D	functionSSUpper
S	S	U+EA8A	functionSLower
SS	B	U+EA7E	functionSSLower
F	F	U+EA99	functionFUpper
G	G	U+EA83	functionGUpper
g	g	U+EA84	functionGLower
I	I	U+EA9A	functionIUpper
i	i	U+EA9B	functionILower
K	K	U+EA9C	functionKUpper
k	k	U+EA9D	functionKLower
L	L	U+EA9E	functionLUpper
1	1	U+EA9F	functionLLower
М	М	U+ED00	functionMUpper
m	m	U+ED01	functionMLower
N	N	U+EA85	functionNUpper
n	n	U+EA86	functionNLower
Р	Р	U+EA87	functionPUpper
р	p	U+EA88	functionPLower
r	r	U+ED03	functionRLower
V	V	U+EA8D	functionVUpper
V	V	U+EA8E	functionVLower
0	0	U+EA70	functionZero
9	9	U+EA79	functionNine
<	<	U+EA7A	functionLessThan
>	>	U+EA7C	functionGreaterThan
-	-	U+EA7B	functionMinus
+	+	U+EA98	functionPlus
0	0	U+EA97	functionRing

((U+EA91	functionParensLeft
))	U+EA92	functionParensRight
[[U+EA8F	functionBracketLeft
]]	U+EA90	functionBracketRight
{	<	U+EA93	functionAngleLeft
}	>	U+EA94	functionAngleRight
		U+EA95	functionRepetition1
• •	••	O LASS	ranotom repetition i
+	±	U+EA96	functionRepetition2
+ b	:: b		
	: :: b #	U+EA96	functionRepetition2
b	•	U+EA96 U+ED60	functionRepetition2 csymAccidentalFlat
b #	#	U+ED60 U+ED62	functionRepetition2 csymAccidentalFlat csymAccidentalSharp
b # bb	# bb	U+ED60 U+ED62 U+ED64	functionRepetition2 csymAccidentalFlat csymAccidentalSharp csymAccidentalDoubleFlat

The key \sim draws a space with the dimensions of functionZero (U+EA70) . This is especially useful for empty extra symbols.

Example 1:

Uses \ekm-func in text scripts to attach function theory symbols to chords and spacer rest.

Sets \textLengthOn and TextScript.staff-padding for a consistent vertical alignment.

```
\relative c' {
 \textLengthOn
  \override TextScript.staff-padding = #6
  <c e g bes>2_\markup \ekm-func "D^7 "
  <e g bes! c\markup \ekm-func "(D,3^7)"
  \override TextScript.staff-padding = #11
  <c e g c>4_\markup \ekm-func "T___"
 g e' g c \markup \ekm-func "D^4^6"
  s_\markup \ekm-func "^-^-"
  \g d' g b>_\markup \ekm-func "^3^5"
  \key es \major
 \override TextScript.staff-padding = #7
 <g' b d>1 \markup \ekm-func "V#"
 <f as c e>_\markup \ekm-func "IV^7#"
 <ces es as!> \markup \ekm-func "VI,b"
}
```



Example 2:

Uses \ekmFuncList in a Lyrics context to synchronise function theory symbols to music and to ensure a consistent vertical alignment. The Lyrics context requires the Text_spanner_engraver and is aligned to a NullVoice context.

The sample is taken from Isr.di.unimi.it/LSR/Item?id=967 and adapted for Esmuflily.

```
funcSoprano = \relative c'' {
  e4 e e ( d)
  c4 d d2
  d4 e8 d c4 c
  d8(c) < b q > 4 c2
}
funcAltTenor = \relative c'' {
  \langle c g \rangle 4 \langle bes g \rangle \langle a f \rangle 2
  <a d,>4 < c a> ( <b g>)
 <be_{,}>2 < q e>4 < a f>
  < a d, > 4 d, 8 ( f) < g e > 2
}
funcBass = \relative c {
  \clef bass
  c4 cis d2
 f4 fis q2
  gis2 bes4 a8 g
  fis4 q c,2
}
funcAligner = \relative c {
  c4 cis d d
  f4 fis q q
  gis4 gis8 gis bes4 a8 g
  fis8 fis g g c,2
}
funcSymbols = \lyricmode {
  \set stanza = #"C major:"
  \ekmFuncList #'(
    "T,,3" " (*" "/D,3^7^9>" ")*" "Sp^9-" "^8."
    "S^5^6" "(D,3^7)" "D^2^4-" "^1^3."
    "(D,3^7-" "^8" "^7." "_) [Tp] +" "(D,7)" "S,3-" ",2."
    "DD, 3^8-" "^7." "D^5-" "^7." "T"
  )
}
\layout {
  \context {
    \Lyrics
    \consists "Text spanner engraver"
    \override StanzaNumber.font-family = #'sans
    \override StanzaNumber.font-series = #'medium
  }
}
```


Arrows and arrow heads

\ekm-arrow STYLE ORIENTATION

Draw an arrow, an arrow head, or a geometric shape according to ORIENTATION as markup. The style can be one of the following symbols. For most of the styles, diagonal and / or "bilateral" orientations are not supported, e.g. there are no both-sided arrow heads.

†	U+EB60	arrowBlackUp
Ŷ	U+EB68	arrowWhiteUp
\uparrow	U+EB70	arrowOpenUp
\uparrow	U+2191	
\uparrow	U+21D1	
\uparrow	U+290A	
1	U+27F0	
1	U+2B06	
Û	U+21E7	
†	U+2B61	
Ť	U+2B71	
†	U+2BED	
↑	U+21E1	
1	U+2B6B	
$\uparrow\downarrow$	U+21C5	
$\uparrow\downarrow$	U+2B81	
$\uparrow\uparrow$	U+21C8	
$\uparrow\uparrow$	U+2B85	
7	U+21B1	
ightharpoonup	U+2BA3	
♪	U+2934	
A	U+EB78	arrowheadBlackUp
Δ	U+EB80	arrowheadWhiteUp
٨	U+EB88	arrowheadOpenUp
A	U+2B9D	
A	U+2B99	
	U+25B2	
\triangle	U+25B3	
•	U+25B4	
Δ	U+25B5	
	U+2BCA	
$lue{lue}$	U+25D3	
	U+2B12	
\diamondsuit	U+2B18	
•	U+25D4	
		↑ U+EB68 ↑ U+EB70 ↑ U+2191 ↑ U+2191 ↑ U+21D1 ↑ U+290A ↑ U+27F0 ↑ U+2806 ↑ U+21E7 ↑ U+2B61 ↑ U+2B71 ↑ U+2B6B ↑ U+21E1 ↑ U+2B6B ↑ U+21C5 ↑ U+2B81 ↑ U+21C8 ↑ U+21C8 ↑ U+21B1 ↑ U+2B85 ↑ U+21B1 ↑ U+2B85 ↑ U+2B80 ↑ U+EB80

Examples:



\ekm-arrow-head AXIS DIRECTION FILLED

Draw an arrow head as markup, i.e. black-head if FILLED is a true value, else open-head.

Percussion symbols

\ekm-beater STYLE ORIENTATION

Draw a percussion beater according to ORIENTATION as markup. The style can be one of the following symbols. The suffix separated by – is optional. If it is not specified or unknown the first matching style in the list is drawn. Styles in the list without –... actually have the suffix –normal which need not be specified. Most of the beaters have predefined glyphs for the orientations N S NE NW, the others only for N S or N. The remaining orientations are achieved by flipping or by rotating through 90 or 30 degrees.

	_		
xyl-soft		U+E770	pictBeaterSoftXylophoneUp
xyl-medium		U+E774	pictBeaterMediumXylophoneUp
xyl-hard	•	U+E778	pictBeaterHardXylophoneUp
xyl-wood		U+E77C	pictBeaterWoodXylophoneUp
glsp-soft	Î	U+E780	pictBeaterSoftGlockenspielUp
glsp-hard	Ī	U+E784	pictBeaterHardGlockenspielUp
timpani-soft	7	U+E788	pictBeaterSoftTimpaniUp
timpani-medium	P	U+E78C	pictBeaterMediumTimpaniUp
timpani-hard	T	U+E790	pictBeaterHardTimpaniUp
timpani-wood		U+E794	pictBeaterWoodTimpaniUp
yarn-soft	Ì	U+E7A2	pictBeaterSoftYarnUp
yarn-medium	f	U+E7A6	pictBeaterMediumYarnUp
yarn-hard	†	U+E7AA	pictBeaterHardYarnUp
gum-soft	T T	U+E7BB	pictGumSoftUp
gum-medium	T	U+E7BF	pictGumMediumUp
gum-hard	Ť	U+E7C3	pictGumHardUp
bass-soft	7	U+E798	pictBeaterSoftBassDrumUp
bass-medium	P	U+E79A	pictBeaterMediumBassDrumUp
bass-hard	<u></u>	U+E79C	pictBeaterHardBassDrumUp
bass-metal	X T	U+E79E	pictBeaterMetalBassDrumUp
bass-double		U+E7A0	pictBeaterDoubleBassDrumUp
hammer-plastic	무	U+E7CD	pictBeaterHammerPlasticUp
hammer-wood		U+E7CB	pictBeaterHammerWoodUp
hammer-metal	$ \boxtimes$	U+E7CF	pictBeaterHammerMetalUp
stick	İ	U+E7E8	pictDrumStick
stick-snare	Λ	U+E7D1	pictBeaterSnareSticksUp
stick-jazz	Å	U+E7D3	pictBeaterJazzSticksUp

triangle	Φ	U+E7D5	pictBeaterTriangleUp
triangle-plain	/	U+E7EF	pictBeaterTrianglePlain
wound-soft	P	U+E7B7	pictWoundSoftUp
wound-hard	© 	U+E7B3	pictWoundHardUp
hand		U+E7E3	pictBeaterHand
hand-finger	P	U+E7E4	pictBeaterFinger
hand-fist	$^{\circ}$	U+E7E5	pictBeaterFist
hand-fingernail	A	U+E7E6	pictBeaterFingernails
superball	Î	U+E7AE	pictBeaterSuperballUp
metal	8	U+E7C7	pictBeaterMetalUp
brass	*	U+E7D9	pictBeaterBrassMalletsUp
brushes	Υ	U+E7D7	pictBeaterWireBrushesUp
mallet	T	U+E7DF	pictBeaterMallet

Examples:

ORIENTATION	#N	#NE	#E	#SE	#S	#SW	#W	#NW
xyl-medium	•	۶	→	>		6	•—	٩
bass-metal	×	A	-⊠	Ø	\boxtimes	ϕ	\boxtimes —	R
hand-finger	6	B	F	R	P	D		D

Electronic music symbols

\ekm-fader LEVEL ORIENTATION \ekm-midi LEVEL ORIENTATION


Draw a fader (volume control) and a MIDI controller, respectively, as markup. For the thumb position, the level is rounded to the nearest integral percent value, limited to 100. If this is a multiple of 20, the respective precomposed glyph is used. Else the empty control and the thumb glyphs are combined. Note that they are Ekmelos specific for the MIDI controller.

- LEVEL ≥ 0 is a percent value.
- LEVEL < 0 is a decibel (dB) value, e.g. -6.0 is equivalent to 50.


It is drawn as a label next to the control according to ORIENTATION or #f for no label.

Used properties:

- label-format (#f): #f uses "~a%" for percent and "~adB" for decibel values.
- font-size (0)
- label-size (-4) relative to the font size.
- padding (0.3)



Examples:



Other symbols

\ekm-fermata STYLE

Draw a fermata as markup. The style can be one of the following symbols. Used property:

• direction

default	\bigcirc	U+E4C0	fermataAbove
		U+E4C1	fermataBelow
short	Λ	U+E4C4	fermataShortAbove
		U+E4C5	fermataShortBelow
long		U+E4C6	fermataLongAbove
		U+E4C7	fermataLongBelow
veryshort	\triangle	U+E4C2	fermataVeryShortAbove
		U+E4C3	fermataVeryShortBelow
verylong		U+E4C8	fermataVeryLongAbove
	A	U+E4C9	fermataVeryLongBelow
extrashort		U+F69E	fermataExtraShortAbove
		U+F69F	fermataExtraShortBelow
extralong		U+F6A0	fermataExtraLongAbove
		U+F6A1	fermataExtraLongBelow
henzeshort	<i>(</i> .	U+E4CC	fermataShortHenzeAbove
		U+E4CD	fermataShortHenzeBelow
henzelong	\odot	U+E4CA	fermataLongHenzeAbove
		U+E4CB	fermataLongHenzeBelow

\ekm-eyeglasses DIRECTION


Draw eyeglasses as markup.

LEFT	60	U+EC62	miscEyeglasses
RIGHT	<i>6</i> €	U+F65F	miscEyeglassesRight

\ekm-brace SIZE DIRECTION

Draw a brace as markup with the size (height) in staff units. It makes use of the Ekmelos specific size variants, each for a specific range of sizes.

0 - 5	U+F706	brace005
	U+F707	reversedBrace005
6 – 11	U+E000	brace
	U+E001	reversedBrace
12 – 23	U+F708	brace020
	U+F709	reversedBrace020
24 - 39	U+F70A	brace040
	U+F70B	reversedBrace040
40 - 55	U+F70C	brace060
	U+F70D	reversedBrace060
56 – 71	U+F70E	brace080
	U+F70F	reversedBrace080
72 - 87	U+F710	brace100
	U+F711	reversedBrace100
88 – 103	U+F712	brace120
	U+F713	reversedBrace120
104 – 119	U+F714	brace140
	U+F715	reversedBrace140
120 – 135	U+F716	brace160
	U+F717	reversedBrace160
136 –	U+F718	brace180
	U+F719	reversedBrace180



\ekm-metronome COUNT

Draw COUNT metronome strokes as markup, i.e. the glyph noteTick (U+F614) which is Ekmelos specific. COUNT is a positive integer.


Used property:

• word-space

\ekmMetronome MUSIC

Attach metronome strokes to each note, chord, or rest in MUSIC as a horizontally centered markup above the staff, using \ekm-metronome. The number of strokes equals the number of quarter note values of the respective duration (possibly rounded up).

Examples:



Basic markup commands

They implement the underlying SMuFL output in Esmuflily.

\ekm-char CODEPOINT

Draw the glyph of CODEPOINT, or nothing (empty string) for zero.

Used property:

• font-size (0)

\ekm-chars CODEPOINT-LIST

Draw the glyphs of the CODEPOINTs in the list adjoined horizontally without padding, or nothing (empty string) for an empty list.

Used property:

• font-size (0)

```
\ekm-chars #'(#xE260 #xE2B4 #xE2B2)

\ekm-chars #'(#xE262 #xE566 #xEAA6 #xEAA5)

\ekm-chars #'(#xE1F0 #xE1F7 #xE1FC #xE1F7 #xE1F4)
```

\ekm-charf CODEPOINT FEATURES

Draw the glyph of CODEPOINT with font features. FEATURES is either a list of one or more strings, or the number of a stylistic alternate, or a negative number to draw the path instead of the font glyph.

```
#1 and #'(1) and #'("salt 1") are equivalent. #0 and #'() do not set font features.
```

#-1 and #'(-1) draw a filled path. Any other negative number $-\mathbb{N}$ draws the outline of the path with thickness \mathbb{N} which is scaled to the current font size.

This command is independent of globally drawing paths .

Used property:

• font-size (0)

```
\ekm-charf ##xE242 #0
\ekm-charf ##xE242 #'("salt 1")
\ekm-charf ##xE242 #'(2)
\ekm-charf ##xE242 #-20
```

\ekm-str STRING

Draw STRING with the selected font, independent of globally drawing paths .

\ekm-text EXTEXT

Draw EXTEXT. Depending on the argument type, it calls \ekm-char, \ekm-charf, or \ekm-chars, or it draws markup.

```
\ekm-text #'(#xE242 0)
\ekm-text #'(#xE242 "salt 1")
\ekm-text #'(#xE242 -20)
\ekm-text #'(#xE260 #xE2B4 #xE2B2)
```

\ekm-line EXTEXT-LIST

Draw the EXTEXTs in the list in a horizontal line.

Used properties:

- word-spacetext-direction

\ekm-def MAP DEFINITION

Draw a text according to DEFINITION.

MAP is an alist of EXTEXTs mapped onto key strings. A key which is a prefix of other keys must be arranged after them in MAP, i.e. the correct order is "abc", "ab", "a". A common key (" ", "_", etc.) can be overridden. The special value #f draws nothing, i.e. the key is simply ignored.

```
#(define my-map `(
    (".|:" . #xE040)
    ("tr#~" . (#xE262 #xE566 #xEAA6 #xEAA5))
    ("timp" . (#xE6D0 1))
    (" " . #f)
    ("w" . "with")
    ("box/" . , (markup #:box #:ekm-beater 'timpani-medium NE))
))

\ekm-def #my-map #".|:___tr#~"
\ekm-def #my-map #"timp w box/"
```

\ekm-label ORIENTATION LABEL ARG

Combine a markup with another markup placed as a label next to it according to ORIENTATION (= #f ignores the label).

Used properties:

- font-size (0)
- label-size (-4) relative to the font size.
- padding (0.3)

```
\ekm-label #SE \ekm-char ##xE836 "G" G®
\ekm-label #NW "Medium" \ekm-char ##xE78E
```

\ekm-number CODEPOINT NUMBER

Draw the integer NUMBER as a decimal digit string. CODEPOINT is either the code point of digit 0, or a vector with the code points of digit 0 - 9.

\ekm-cchar CENTER CODEPOINT

Draw the glyph of CODEPOINT, centered horizontally if CENTER is 1 or 3 (bit 0), and vertically if CENTER is 2 or 3 (bit 1).

```
\ekm-ctext CENTER EXTEXT
```

Draw EXTEXT . Markup is centered like \ekm-cchar . A list of code points is centered only horizontally. A single code point (possibly with font features) is never centered. This command is intended to draw symbols on stem.

\ekm-combine CODEPOINT X Y CODEPOINT2

Combine the glyphs of CODEPOINT and CODEPOINT2, where CODEPOINT2 is translated scaled by X,Y.

```
\ekm-combine ##xECA5 #-0.5 #1.0 ##xE56E
\ekm-combine ##xEA7F #0.3 #0 ##xE87B
```

Extended text

Some commands accept an EXTEXT value (or a list of EXTEXTs) which is one of the following:

A single code point (integer). See \ekm-char.

```
##xE695
```

A list of a single code point followed by font features, i.e. one or more strings or a number 0 thru 31 of a stylistic alternate, or a negative number to draw the path instead of the font glyph. See \ekm-charf.

Higher values are treated as code points (see below).

```
#'(#xE626 "salt 2")
#'(#xE626 2)
#'(#xE626 -1)
```

A list of one or more code points. See \ekm-chars.

```
#'(#xE260 #xE567 #xE262)
```

Any markup. Note that the commands \ekmTremolo and \ekmStem interpret some strings to draw predefined symbols.

```
#"poco a poco"
#(markup #:box #:ekm-char #xED19)
```

Definition string

Some commands and properties accept a DEFINITION value. This is a string of one or more keys, each consisting of one or more characters. Their corresponding values (mostly single glyphs) are stacked in a line. Any other character in the string produces a warning and only the text created so far is drawn.

Common keys

These keys are always applicable but can be overridden in the MAP specified with \ekm-def.

<space></space>	U+0020	space
_	U+200A	hairspace
	U+2009	thinspace
	U+2002	enspace
	U+2003	emspace

Orientation

Some commands accept an ORIENTATION value. This is the sum of axis (0, 1, or ± 0.5 for diagonal) and direction (± 1). The following symbols are defined for the 12 possible values. The last four values are intended for "bilateral" orientations. Currently, only $\ensuremath{\mbox{\mbox{ekm-arrow}}}$ supports them for a few styles.

An unsupported value is substituted with ${\tt N}$.

N	2	Y	+	UP
NE	1.5	0.5	+	UP
E	1	Χ	+	RIGHT
SE	0.5	-0.5	+	RIGHT
S	0	Y	+	DOWN
SW	-0.5	0.5	+	DOWN
W	-1	Χ	+	LEFT
NW	-1.5	-0.5	+	LEFT
NS	-2	Y	+	-3
NESW	-2.5	0.5	+	-3
EW	-3	Χ	+	-3
SENW	-3.5	-0.5	+	-3