



CERTIFICATE OF ANALYSIS
CEDARWOOD OIL - VIRGINIANA
ITEM: EHM1027
LOT: 365259-HM

Date of Production: April, 2026

Expiration Date: April, 2029

INCI Name: *Juniperus Virginiana (Cedarwood) Oil*

Description: Cedarwood Oil Virginiana essential oil is obtained by steam distillation from the wood of Juniperus Virginiana Tree.

Parameter	Unit	Min	Max	Result
Optical Rotation @ 25°C		-45.00	-16.00	-29.12
Specific Gravity @ 25°C		0.9390	0.9650	0.9490
Refractive Index @ 20°C		1.5000	1.5100	1.5050
alpha - Cedrene	%			25.20
beta - Cedrene	%			6.41
Thujopsene	%			18.33
Cedrol	%			19.02

Shelf life is expected to be three years from the date of production if the product is stored in the unopened original container between 15°C - 30°C, protected from light. Because this material is sensitive to oxidation, it is saturated with nitrogen and sealed with nitrogen atmosphere for protection. If containers are opened for sampling, be sure to refill atmosphere with nitrogen. Containers that have been opened should be tested at least yearly to ensure quality. Although Jedwards International, Inc. believes the above information to be accurate based on the information available to Jedwards, it is the responsibility of the customer and user of the material to perform its own investigation and due diligence prior to use to verify that the product purchased from Jedwards meets their quality requirements and is appropriate for the use to which the product is to be put. The information provided above shall be considered effective only for the lot with which the information is being provided. Use and purchase of this material is subject to Jedwards International, Inc. standard terms and conditions, which supersede any conflicting terms contained on Buyer's purchase order or any document or instrument supplied by Buyer.



SAFETY DATA SHEET

01. IDENTIFICATION

NAME OF PREPARATION OR SUBSTANCE:
SUPPLIER NAME:
SUPPLIER ADDRESS:

Cedarwood Oil – Virginiana (EHM1027)

Jedwards International, Inc.

141 Campanelli Drive

Braintree, MA 02184 USA

(617) 472-9300

TELEPHONE NUMBER:

RECOMMENDED USE:

For manufacturing and repackaging use only

EMERGENCY TELEPHONE NUMBER:

Chemtrec 1-800-424-9300 (24 hrs.)

02. HAZARD IDENTIFICATION

CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFIED ACCORDING TO REGULATION (EC) No.
1272/2008 [CLP]

SKIN CORROSION/IRRITATION, CATEGORY 2

H315

SKIN SENSITISATION, CATEGORY 1B:

H317

ASPIRATION HAZARD, CATEGORY 1:

H304

HAZARDOUS TO THE AQUATIC ENVIRONMENT

– CHRONIC HAZARD, CATEGORY 2:

H411

LABEL ELEMENTS

LABELLING ACCORDING TO REGULATION (EC) No. 1272/2008 [CLP]

HAZARD PICTOGRAMS (CLP)



SIGNAL WORD (CLP):

Danger

HAZARD INGREDIENTS:

ALPHA-CEDRENE

HAZARD STATEMENTS (CLP):

H304 – May be fatal if swallowed and enters airways.

H315 – Causes skin irritation.

H317 – May cause an allergic skin reaction.

H411 – Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS (CLP):

P261 - Avoid breathing

Dust/fume/gas/mist/vapors/spray.

P264 – Wash hands, forearms and face thoroughly
after handling.

P280 – Wear protective gloves/protective clothing/eye
protection/face protection/hearing protection.

P301+P310+P331 – IF SWALLOWED: Immediately call
a POISON CENTER or doctor. Do NOT induce vomiting.

P333+P313 – If skin irritation or rash occurs: Get
medical advice/attention.

P391 – Collect spillage

CHILD-RESISTANT FASTENING:

Not applicable.

TACTILE WARNING:

Not applicable.

LABELLING ACCORDING TO DIRECTIVE 67/548/EEC OR



1999/45/EC

OTHER HAZARDS

ADVERSE PHYSICO-CHEMICAL, HUMAN HEALTH AND
ENVIRONMENTAL EFFECTS:

May be fatal if swallowed and enters airways. Very
toxic to aquatic life. Toxic to aquatic life with long
lasting effects.

CONTAINS NO PBT AND/OR vPvB SUBSTANCES .0.1%
ASSESSED IN ACCORDANCE WITH REACH ANNEX XIII

03. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCES:
MIXTURES

Not applicable

NAME	PRODUCT IDENTIFIER	%	CLASSIFICATION ACCORDING TO REGULATION (EC) No. 1272/2008 (CLP)
CEDROL	(CAS-No.) 77-53-2	16.2 – 20.25	Aquatic Chronic 2, H411
ALPHA-CEDRENE	(CAS-No.) 469-61-4 (EC-No.) 207-418-4	10 - 25	Skin Irrit. 2, H315 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

INGREDIENTS:
PRODUCT NAME:

CEDARWOOD OIL
CEDARWOOD OIL VIRGINIANA
INCI Name: *Juniperus virginiana* Oil
CAS No.: 8000-27-9
EC-No.: 285-370-3
Raw material.

PRODUCT GROUP:

04. FIRST AID MEASURES

DESCRIPTION OF FIRST AID MEASURES

FIRST-AID MEASURES GENERAL

FIRST-AID MEASURES AFTER INHALATION:

Call a physician immediately.

Remove person to fresh air and keep comfortable for
breathing. Aspiration in the lungs can produce
severe lung damage. If breathing has stopped, give
artificial respiration. Get medical attention
immediately.

FIRST-AID MEASURES AFTER SKIN CONTACT:

Wash with soap and plenty of water. May cause an
allergic skin reaction. In case skin irritation for allergic
reactions physician.

FIRST-AID MEASURES AFTER EYE CONTACT:

FIRST-AID MEASURES AFTER INGESTION:

Rinse eyes with water as a precaution.

ASPIRATION HAZARD IF SWALLOWED – CAN ENTER
LUNGS AND CAUSE DAMAGE.-Do NOT induce vomiting.
Call a physician immediately. If vomiting occurs
spontaneously, keep head below hips to prevent
aspiration. Clean mouth with water and drink
afterwards. Never give anything by mouth to an
unconscious person. Get immediate medical
advice/attention.

SELF-PROTECTION OF THE FIRST AIDER:

Ensure that medical personnel are aware of the
materials(s) involved, take precautions to protect



themselves and prevent spread of contamination.
Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required-

**MOST IMPORTANT SYMPTOMS AND EFFECTS,
BOTH ACUTE AND DELAYED**

SYMPTOMS/EFFECTS AFTER INHALATION:

Irritation to the respiratory tract. Irritation of the nasal mucous membranes.
Tingling/irritation of the skin.
Irritation of the eye issue.
Risk or oedema.

SYMPTOMS/EFFECTS AFTER SKIN CONTACT:

SYMPTOMS/EFFECTS AFTER EYE CONTACT:

SYMPTOMS/EFFECTS AFTER INGESTION:

**INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION
AND SPECIAL TREATMENT NEEDED:**

Treat symptomatically.

05. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA

SUITABLE EXTINGUISHING MEDIA

Water spray. Dry powder, Foam, Carbon dioxide.

UNSUITABLE EXTINGUISHING MEDIA

Do not use a heavy water stream.
water streams.

**SPECIAL HAZARDS ARISING FROM THE
SUBSTANCE OR MIXTURE:**

Product is or contains a sensitizer. May cause sensitization by skin contact
Combustible liquid.
No data available.

FIRE HAZARD:

EXPLOSION HAZARD:

**HAZARDOUS DECOMPOSITION PRODUCTS IN
CASE OF FIRE:**

Toxic fumes may be released.

ADVICE FOR FIREFIGHTERS

PRECAUTIONARY MEASURES FIRE:

FIREFIGHTING INSTRUCTIONS:

Keep upwind.
No data available.
Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

PROTECTION DURING FIREFIGHTING:

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

DECOMPOSITION PRODUCTS:

Burning liberates carbon monoxide, carbon dioxide and smoke

06. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT
AND EMERGENCY PROCEDURES
FOR NON-EMERGENCY PERSONAL**

PROTECTIVE EQUIPMENT:

EMERGENCY PROCEDURES:

FOR EMERGENCY RESPONDERS

PROTECTIVE EQUIPMENT:

Protective clothing. Gloves. Ace shield
Ventilate spillage area.

Do not attempt to take action without suitable protective equipment.



ENVIRONMENTAL PRECAUTIONS:
METHODS AND MATERIAL FOR CONTAINMENT
AND CLEANING UP
FOR CONTAINMENT:
METHODS FOR CLEANING UP
OTHER INFORMATION

Avoid release to the environment.

Collect spillage
Take up liquid spill into absorbent material.
Dispose of materials or solid residues at an authorized site.

07. HANDLING & STORAGE

PRECAUTIONS FOR SAFE HANDLING
PRECAUTIONS FOR SAFE HANDLING

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

HYGIENE MEASURES:

CONDITIONS FOR SAFE STORAGE, INCLUDING
ANY INCOMPATIBILITIES
STORAGE CONDITIONS

Store locked up. Store in a well-ventilated place. Keep cool.

HEAT AND IGNITION SOURCES:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep away from oxidizing agents.
Meet the legal requirements. Store in a dark area.
Meet the legal requirements. Opaque.
No data available.
No additional information available.

INFORMATION ON MIXED STORAGE:
STORAGE AREA:
SPECIAL RULES ON PACKAGING:
PACKAGING MATERIALS:
SPECIFIC END USE(S):

08. EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS
EXPOSURE CONTROLS
APPROPRIATE ENGINEERING CONTROLS:
MATERIALS FOR PROTECTIVE CLOTHING:
HAND PROTECTION
EYE PROTECTION
SKIN AND BODY PROTECTION
RESPIRATORY PROTECTION:

Ensure good ventilation of the workstation.
No data available.

Gloves
Safety glasses
Protective clothing
In case of inadequate ventilation wear respiratory protection.



ENVIRONMENTAL EXPOSURE CONTROLS:

Avoid release to the environment.

09. PHYSICAL & CHEMICAL PROPERTIES

INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:

Liquid



APPEARANCE:	Liquid
COLOUR:	Light yellow
ODOR:	Sweet aromatic.
ODOR THRESHOLD:	No data available
pH:	No data available
RELATIVE EVAPORATION RATE (BUTYLACETATE=1):	No data available
RELEATIVE EVAPORATION RATE (EITHER=1):	>1
MELTING POINT:	Not applicable
FREEZING POINT:	No data available
BOILING POINT:	No data available
FLASH POINT:	93.88 °C
AUTO-IGNITION TEMPERATURE:	No data available
DECOMPOSITION TEMPERATURE:	No data available
FLAMMABILITY:	Not applicable
VAPOR PRESSURE:	0.007 mm Hg 20°C
RELATIVE VAPOUR DENSITY at 20°C:	No data available
RELATIVE DENSITY:	0.9485
DENSITY:	952 kg/m ³
SOLUBILITY:	Soluble in ethanol. Soluble in ether. Insoluble in water.
	Water: <0.1 g/100ml
PARTITION COEFFICIENT n-octanol/water (Log Pow):	No data available
VISCOSITY, KINEMATIC:	No data available
VISCOSITY, DYNAMIC:	No data available
EXPLOSIVE PROPERTIES:	No data available
OXIDIZING PROPERTIES:	No data available
EXPLOSIVE LIMITS:	No data available
OTHER INFORMATION	
OTHER PROPERTIES:	Slightly volatile. Gas/vapour heavier than air at 20°C.

10. STABILITY & REACTIVITY

REACTIVITY	On combustion, forms; carbon oxides (CO and CO ₂).
CHEMICAL STABILITY	Stable under normal conditions.
POSSIBILITY OF HAZARDOUS REACTIONS:	No dangerous reactions known under normal conditions of use.
CONDITIONS TO AVOID:	None under recommended storage and handling conditions
INCOMPATIBLE MATERIALS:	No additional information available.
HAZARDOUS DECOMPOSITION PRODUCTS:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS	
ACUTE TOXICITY:	Not classified.

CEDARWOOD OIL VIRGINIANA (8000-27-9)	
LD50 ORAL RAT	>5000 mg/kg (Rat)
LD50 DERMAL RABBIT	> 5000 mg/kg (Rabbit)

SKIN CORROSION/IRRITATION:	Causes skin irritation.
SERIOUS EYE DAMAGE/EYE IRRITATION:	Not classified.
RESPIRATORY OR SKIN SENSITIZATION:	May cause an allergic skin reaction.
GERM CELL MUTAGENICITY:	Not classified.
CARCINOGENICITY:	Not classified.
REPRODUCTIVE TOXICITY:	Not classified.



STOT-SINGLE EXPOSURE:
STOT-REPEATED EXPOSURE:
ASPIRATION HAZARD:
PRODUCT INFORMATION
INHALATION:

Not classified.
Not classified.
May be fatal if swallowed and enters airways.

EYE CONTACT:

Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

SKIN CONTACT:

Specific test data for the substance or mixture is not available. May cause irritation. May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Causes mild skin irritation.

INGESTION:

Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

TOXICITY:
ECOLOGY – GENERAL:

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

ECOLOGY – AIR:
ECOLOGY – WATER:

Not classified.
No data available on ecotoxicity.

PERSISTENCE AND DEGRADABILITY

CEDARWOOD OIL VIRGINIANA (8000-27-9)	
PERSISTENCE AND DEGRADABILITY	Biodegradability in water: No data available.
ALPHA-CEDRENE (469-61-4)	
PERSISTENCE AND DEGRADABILITY	May cause long-term adverse effects in the environment.
CEDROL (77-53-2)	
PERSISTENCE AND DEGRADABILITY	May cause long-term adverse effects in the environment.
BIOACCUMULATIVE POTENTIAL	
CEDARWOOD OIL VIRGINIANA (8000-27-9)	
BIOACCUMULATIVE POTENTIAL	Not established.
CEDROL (77-53-2)	
BIOACCUMULATIVE POTENTIAL	Not established.

MOBILITY IN SOIL:
RESULTS OF PBT AND vPvB ASSESSMENT:
OTHER ADVERSE EFFECTS

No additional information available.
No additional information available.

13. DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS
WASTE TREATMENT METHODS:

Dispose of contents/container in accordance with licensed collector's sorting instructions.



PRODUCT/PACKAGING DISPOSAL RECOMMENDATIONS:

CONTAMINATED PACKAGING:
ADDITIONAL INFORMATION:
EUROPEAN LIST OF WASTE (LoW, EC 2000/532):

Comply with local regulations for disposal.
Remove to an authorized waste treatment plant. Dispose in a safe manner in accordance with local/national regulations.
Do not reuse empty containers
Hazardous waste.
02 01 99 – wastes not otherwise specified.
16 05 06* - laboratory chemicals consisting of or containing of or containing dangerous substances including mixtures of laboratory chemicals.

14. TRANSPORT INFORMATION

IN ACCORDANCE WITH ADR/RID/IMDG/IATA/AND
UN NUMBER

UN-No. (ADR): 3082
UN-No. (IMDG): 3082
UN-No. (IATA): 3082

UN PROPER SHIPPING NAME

PROPER SHIPPING NAME (ADR): ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

PROPER SHIPPING NAME (IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

PROPER SHIPPING NAME (IATA): ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

TRANSPORT DOCUMENT DESCRIPTION (ADR): UN 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (ALPHA
CEDRENE), 9, III, (-)

TRANSPORT DOCUMENT DESCRIPTION (IMDG): UN 3082 ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S. (ALPHA-
CEDRENE), 9, III, MARINE POLLUTANT

TRANSPORT HAZARD CLASS(ES)

ADR

TRANSPORT HAZARD CLASS(ES) ADR: 9

DANGER LABELS (ADR): 9

IMDG

TRANSPORT HAZARD CLASS(ES) IMDG: 9

DANGER LABELS (IMDG): 9

IATA

TRANSPORT HAZARD CLASS(ES) IATA: 9

DANGER LABELS IATA: 9

PACKING GROUP

PACKING GROUP (ADR): III

PACKING GROUP (IMDG): III

PACKING GROUP (IATA): III

ENVIRONMENTAL HAZARDS

DANGEROUS FOR THE ENVIRONMENT: Yes

MARINE POLLUTANT: Yes (ALPHA-CEDRENE)

OTHER INFORMATION: No supplementary information available.

SPECIAL PRECAUTIONS FOR USER

-OVERLAND TRANSPORT

CLASSIFICATION CODE (ADR): M6

SPECIAL PROVISIONS (ADR): 274, 335, 375, 601



LIMITED QUANTITIES (ADR):	5I
EXCEPTED QUANTITIES (ADR):	E1
PACKING INSTRUCTIONS (ADR):	P001, IBC03, LP01, R001
SPECIAL PACKING PROVISIONS (ADR):	PP1
MIXED PACKING PROVISIONS (ADR):	MP19
PORTABLE TANK AND BULK CONTAINER INSTRUCTIONS (ADR):	T4
PORTABLE TANK AND BULK CONTAINER SPECIAL PROVISIONS (ADR):	TP1, TP29
TANK CODE (ADR):	LGBV
VEHICLE FOR TANK CARRIAGE:	AT
TRANSPORT CATEGORY (ADR):	3
SPECIAL PROVISIONS FOR CARRIAGE – PACKAGES (ADR):	V12
SPECIAL PROVISIONS FOR CARRIAGE – LOADING, UNLOADING AND HANDLING (ADR):	CV13
HAZARD IDENTIFICATION NUMBER (KEMLER No.):	90
ORANGE PLATES:	<u>90</u> 3082
TUNNEL RESTRICTION CODE (ADR):	-
EAC CODE:	3Z
-TRANSPORT BY SEA	
TRANSPORT REGULATIONS (IMDG):	Not subject
SPECIAL PROVISIONS (IMDG):	274, 335, 969
LIMITED QUANTITIES (IMDG):	5 L
EXCEPTED QUANTITIES (IMDG):	E1
PACKING INSTRUCTIONS (IMDG):	LP01, P001
SPECIAL PACKING PROVISIONS (IMDG):	PP1
IBC PACKING INSTRUCTIONS (IMDG):	IBC03
TANK INSTRUCTIONS (IMDG):	T4
TANK SPECIAL PROVISIONS (IMDG):	TP1, TP29
EmS-No. (FIRE):	F-A
EmS-No. (SPILLAGE):	S-F
STOWAGE CATEGORY (IMDG):	A
MFAG-No.:	171
-AIR TRANSPORT	
TRANSPORT REGULATIONS (IATA):	Not subject
PCA EXCEPTED QUANTITIES (IATA):	E1
PCA LIMITED QUANTITIES (IATA):	Y964
PCA LIMITED QUANTITY MAX NET QUANTITY (IATA):	30kgG
PCA PACKING INSTRUCTIONS (IATA):	964
PCA MAX NET QUANTITY (IATA):	450L
CAO PACKING INSTRUCTIONS (IATA):	964
CAO MAX NET QUANTITY (IATA):	450L
SPECIAL PROVISIONS (IATA):	A97, A158, A197, A215
ERG CODE (IATA):	9L
TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE	

15. REGULATORY INFORMATION

SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION
SPECIFIC FOR THE SUBSTANCE OR MIXTURE

EU-REGULATIONS

CONTAINS NO SUBSTANCE(S) LISTED ON REACH ANNEX XVII (Restriction Conditions)
CONTAINS NO SUBSTANCE(S) LISTED ON THE REACH CANDIDATE LIST



CONTAINS NO SUBSTANCE(S) LISTED ON REACH ANNEX XIV (Authorisation List)

NATIONAL REGULATIONS

LISTED ON THE UNITED STATES TSCA (Toxic Substances Control Act) Inventory

16. OTHER INFORMATION

FULL TEXT OF H- AND EUH-STATEMENTS:

Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp.Tox 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin Corrosion/irritation, Category 2.
Skin Sens. 1B	Skin Sensitisation, Category 1B

Revised on 05/15/2026

The information provided above is intended only as a guide to the appropriate precautionary handling of the material by properly trained personnel using this product. It is the responsibility of the customer and user to ensure it has in place provisions for the safe and proper handling of the material. Although Jedwards International, Inc. believes the above information to be accurate based on the information available to Jedwards, it is the responsibility of the customer and user of the material to perform its own investigation and due diligence prior to use to verify that the product purchased from Jedwards meets their quality requirements and is appropriate for the use to which the product is to be put. Use and purchase of this material is subject to Jedwards International, Inc. standard terms and conditions, which supersede any conflicting terms contained on Buyer's purchase order or any document or instrument supplied by Buyer.