


Simulation Hospital
Medication Administration Record
(page 1 of 4)

Patient Name: Yoder, Sherman DOB: 6/26/19XX MRN: 64646428	Weight: 84 Kg Code: FULL Attending Physician: Baker, Frank	 64646428																																																	
Scheduled Medications																																																			
Medication (Sort by Name)	0700-1859	1900-0659																																																	
<div>diTIAZem SR (Cardizem) tablet TABS Freq: 1 TIME DAILY Route: ORAL Order Dose: 240 mg Admin Amount: 1 tablet (1 x 240 mg tablet) Order Start Time: -/--/20-- at 0900 Last Admin Given: -/--/20-- 0923</div> <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr></thead><tbody><tr><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td></tr><tr><td style="text-align: center;">0930</td><td style="text-align: center;">0923</td><td style="text-align: center;">0900</td><td style="text-align: center;">0900</td></tr></tbody></table>				Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	0930	0923	0900	0900																																				
Last 2 Actions		Next 2 Scheduled																																																	
-/--	-/--	-/--	-/--																																																
0930	0923	0900	0900																																																
<div>insulin aspart (Novolog SSI) Freq: q 6 hours Route: SQ Order Dose: Follow moderate protocol Admin Amount: Follow moderate protocol</div> <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th>Blood Sugar (mg/dl)</th><th>Low Dose Scale</th><th>Moderate Dose Scale</th><th>High Dose Scale</th></tr></thead><tbody><tr><td style="text-align: center;"><70</td><td style="text-align: center;">Initiate Hypoglycemia Protocol</td><td style="text-align: center;">Initiate Hypoglycemia Protocol</td><td style="text-align: center;">Initiate Hypoglycemia Protocol</td></tr><tr><td style="text-align: center;">70-130</td><td style="text-align: center;">0 units</td><td style="text-align: center;">0 units</td><td style="text-align: center;">0 units</td></tr><tr><td style="text-align: center;">131-180</td><td style="text-align: center;">2 units</td><td style="text-align: center;">4 units</td><td style="text-align: center;">8 units</td></tr><tr><td style="text-align: center;">181-240</td><td style="text-align: center;">4 units</td><td style="text-align: center;">8 units</td><td style="text-align: center;">12 units</td></tr><tr><td style="text-align: center;">241-300</td><td style="text-align: center;">6 units</td><td style="text-align: center;">10 units</td><td style="text-align: center;">16 units</td></tr><tr><td style="text-align: center;">301-350</td><td style="text-align: center;">8 units</td><td style="text-align: center;">12 units</td><td style="text-align: center;">20 units</td></tr><tr><td style="text-align: center;">351-400</td><td style="text-align: center;">10 units</td><td style="text-align: center;">16 units</td><td style="text-align: center;">24 units</td></tr><tr><td style="text-align: center;">>400</td><td style="text-align: center;">12 units and call MD</td><td style="text-align: center;">20 units and call MD</td><td style="text-align: center;">28 units and call MD</td></tr></tbody></table> <div>Order Start Time: -/--/20-- at 0600 Last Admin Given: -/--/20-- 0606</div> <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr></thead><tbody><tr><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td><td style="text-align: center;">-/--</td></tr><tr><td style="text-align: center;">0024</td><td style="text-align: center;">0606</td><td style="text-align: center;">1200</td><td style="text-align: center;">1800</td></tr></tbody></table>				Blood Sugar (mg/dl)	Low Dose Scale	Moderate Dose Scale	High Dose Scale	<70	Initiate Hypoglycemia Protocol	Initiate Hypoglycemia Protocol	Initiate Hypoglycemia Protocol	70-130	0 units	0 units	0 units	131-180	2 units	4 units	8 units	181-240	4 units	8 units	12 units	241-300	6 units	10 units	16 units	301-350	8 units	12 units	20 units	351-400	10 units	16 units	24 units	>400	12 units and call MD	20 units and call MD	28 units and call MD	Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	0024	0606	1200	1800
Blood Sugar (mg/dl)	Low Dose Scale	Moderate Dose Scale	High Dose Scale																																																
<70	Initiate Hypoglycemia Protocol	Initiate Hypoglycemia Protocol	Initiate Hypoglycemia Protocol																																																
70-130	0 units	0 units	0 units																																																
131-180	2 units	4 units	8 units																																																
181-240	4 units	8 units	12 units																																																
241-300	6 units	10 units	16 units																																																
301-350	8 units	12 units	20 units																																																
351-400	10 units	16 units	24 units																																																
>400	12 units and call MD	20 units and call MD	28 units and call MD																																																
Last 2 Actions		Next 2 Scheduled																																																	
-/--	-/--	-/--	-/--																																																
0024	0606	1200	1800																																																

Simulation Hospital
Medication Administration Record
(page 2 of 4)

<div><div>insulin glargine (Lantus)</div><div>Freq: 1 TIME DAILY</div><div>Route: SQ</div><div>Order Dose: 10 units</div><div>Admin Amount: 1 (1 x 15 units)</div><div>Order Start Time: -/--/20-- at 21:00</div><div>Last Admin Given: -/--/20-- at 21:23</div><table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/--</td><td>-/--</td><td>-/--</td><td>-/--</td></tr><tr><td>21:00</td><td>21:23</td><td>21:00</td><td>21:00</td></tr></table></div>	Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	21:00	21:23	21:00	21:00		
Last 2 Actions		Next 2 Scheduled												
-/--	-/--	-/--	-/--											
21:00	21:23	21:00	21:00											
<div><div>lisinopril (Prinivil) tablet TABS</div><div>Freq: 1 TIME DAILY</div><div>Route: ORAL</div><div>Order Dose: 5 mg</div><div>Admin Amount: 1 tablet (1 x 5 mg tablet)</div><div>Order Start Time: -/--/20-- at 0900</div><div>Last Admin Given: -/--/20-- 0923</div><table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/--</td><td>-/--</td><td>-/--</td><td>-/--</td></tr><tr><td>0930</td><td>0923</td><td>0900</td><td>0900</td></tr></table></div>	Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	0930	0923	0900	0900		
Last 2 Actions		Next 2 Scheduled												
-/--	-/--	-/--	-/--											
0930	0923	0900	0900											
<div><div>metFORMIN (Glucophage) tablet TABS</div><div>Freq: 2 TIMES DAILY</div><div>Route: ORAL</div><div>Order Dose: 500 mg</div><div>Admin Amount: 1 tablet (1 x 500 mg tablet)</div><div>Order Start Time: -/--/20-- at 0900</div><div>Last Admin Given: -/--/20-- 0923</div><table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/--</td><td>-/--</td><td>-/--</td><td>-/--</td></tr><tr><td>1730</td><td>0923</td><td>1730</td><td>0900</td></tr></table></div>	Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	1730	0923	1730	0900		
Last 2 Actions		Next 2 Scheduled												
-/--	-/--	-/--	-/--											
1730	0923	1730	0900											
<div><div>piperacillin sodium/tazobactam (Zosyn)</div><div>Freq: EVERY 8 HOURS</div><div>Route: IV</div><div>Order Dose: 3.375 g</div><div>Admin Amount: 1 bag q 6 hrs (1 x 3.375 G / 50 mL)</div><div>Order Start Time: -/--/20-- at 0900</div><div>Last Admin Given: -/--/20-- 2123</div><table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/--</td><td>-/--</td><td>-/--</td><td>-/--</td></tr><tr><td>2108</td><td>0517</td><td>1300</td><td>2100</td></tr></table></div>	Last 2 Actions		Next 2 Scheduled		-/--	-/--	-/--	-/--	2108	0517	1300	2100		
Last 2 Actions		Next 2 Scheduled												
-/--	-/--	-/--	-/--											
2108	0517	1300	2100											

Simulation Hospital
Medication Administration Record
(page 3 of 4)

<p>simvastatin (Zocor) tablet TABS Freq: 1 TIME DAILY Route: ORAL Order Dose: 20 mg Admin Amount: 1 tablet (1 x 20 mg tablet) Order Start Time: -/--/20-- at 0900 Last Admin Given: -/--/20-- 0923</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th colspan="2" style="text-align: left;">Last 2 Actions</th> <th colspan="2" style="text-align: left;">Next 2 Scheduled</th> </tr> <tr> <td style="width: 25%;">-/-- 0930</td> <td style="width: 25%;">-/-- 0923</td> <td style="width: 25%;">-/-- 0900</td> <td style="width: 25%;">-/-- 0900</td> </tr> </table>	Last 2 Actions		Next 2 Scheduled		-/-- 0930	-/-- 0923	-/-- 0900	-/-- 0900		
Last 2 Actions		Next 2 Scheduled								
-/-- 0930	-/-- 0923	-/-- 0900	-/-- 0900							
<p>warfarin (Coumadin) tablet TABS Freq: 1 TIME DAILY Route: ORAL Order Dose: per daily PT/INR Admin Amount: 1 tablet (1 x __mg tablet) Order Start Time: Begin POD #2 -/--/20-- at 1800 Last Admin Given: -/--/20-- 0923</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th colspan="2" style="text-align: left;">Last 2 Actions</th> <th colspan="2" style="text-align: left;">Next 2 Scheduled</th> </tr> <tr> <td style="width: 25%;">3 Days Ago At Home</td> <td style="width: 25%;">-/--</td> <td style="width: 25%;">-/-- 1800</td> <td style="width: 25%;">-/-- 1800</td> </tr> </table>	Last 2 Actions		Next 2 Scheduled		3 Days Ago At Home	-/--	-/-- 1800	-/-- 1800		
Last 2 Actions		Next 2 Scheduled								
3 Days Ago At Home	-/--	-/-- 1800	-/-- 1800							
IV Infusions										
<p>D5 0.9% NaCl with 20 mEq KCl Freq: Continuous Route: IV Order Dose: 125 mL / hr Order Start Time: -/--/20-- at 0900 Last Admin Given: -/--/20-- 0923</p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th colspan="2" style="text-align: left;">Last 2 Actions</th> <th colspan="2" style="text-align: left;">Next 2 Scheduled</th> </tr> <tr> <td style="width: 25%;">-/-- 0930</td> <td style="width: 25%;">-/-- 1723</td> <td style="width: 25%;">-/--</td> <td style="width: 25%;">-/--</td> </tr> </table>	Last 2 Actions		Next 2 Scheduled		-/-- 0930	-/-- 1723	-/--	-/--		
Last 2 Actions		Next 2 Scheduled								
-/-- 0930	-/-- 1723	-/--	-/--							

Simulation Hospital
Medication Administration Record
(page 4 of 4)

PRN Medications											
ondansetron (Zofran) Freq: PRN q 6 hrs Route: IV Order Dose: 4 mg Admin Amount: (2 mg / 1 mL) Order Start Time: -/--/20-- at 0900 Last Admin Given: <table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/-- 2300</td><td>-/--</td><td>-/--</td><td>-/--</td></tr></table>				Last 2 Actions		Next 2 Scheduled		-/-- 2300	-/--	-/--	-/--
Last 2 Actions		Next 2 Scheduled									
-/-- 2300	-/--	-/--	-/--								
HYDROmorphine hydrochloride (Dilaudid) Freq: PRN q 2 hrs severe pain Route: IV Order Dose: 1 mg Admin Amount: 1 mL Order Start Time: -/--/20-- at 0900 Last Admin Given: <table><tr><th colspan="2">Last 2 Actions</th><th colspan="2">Next 2 Scheduled</th></tr><tr><td>-/-- 2345</td><td>-/-- 0445</td><td>-/--</td><td>-/--</td></tr></table>				Last 2 Actions		Next 2 Scheduled		-/-- 2345	-/-- 0445	-/--	-/--
Last 2 Actions		Next 2 Scheduled									
-/-- 2345	-/-- 0445	-/--	-/--								