ubuntu@ubuntu: ~/Desktop

GNU nano 7.2 task3.sh *

```
#!/bin/bash
target="${1:-.}"
if [ ! -d "$target" ]; then
    echo "Error: '$target' is not a directory."
    exit 1
fi
echo "Contents of directory: $target"
echo "================================"
for file in "$target"/*; do
    if [ -e "$file" ]; then
        perm=$(stat -c "%A" "$file" 2>/dev/null || stat -f "%Sp" "$file" 2>/dev>
        echo "$perm  $(basename "$file")"
    fi
done
```

May 2 10:44

ubuntu@ubuntu: ~/Desktop

GNU nano 7.2 task1.sh

```
#!/bin/bash
src="$0"
backup_dir="$HOME/backup"
mkdir -p "$backup_dir"
base=$(basename "$src")
timestamp=$(date +%Y%m%d-%H%M%S)
backup_file="$backup_dir/${base}_${timestamp}.tar.gz"
tar czf "$backup_file" "$src"
echo "Backup created: $backup_file"
```

[Read 10 lines]

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line

align_stderr_multi.txt
align_stderr_single.txt
build_stderr.txt
build_stdout.txt
Install Ubuntu 24.04.3 LTS
Home
task1.sh

```
ubuntu@ubuntu:~/Desktop$ chmod +x task3.sh
ubuntu@ubuntu:~/Desktop$ ./task3.sh /tmp
Contents of directory: /tmp
================================
srwxrwxr-x  OSL_PIPE_1000_SingleOfficeIPC_0c2b9f29dd5c3e2fd44b51148e0a4bb
-rw------  gdm3-config-err-M315N3
drwx------  lu100173a61x.tmp
drwx------  snap-private-tmp
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-ModemManager.servic
e-L7bwNV
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-colord.service-pps3
w6
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-fwupd.service-zVZBc
3
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-polkit.service-BMKx
2i
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-power-profiles-daem
on.service-XbQx5F
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-spice-vdagentd.serv
ice-Lhnk2i
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-switcheroo-control.
service-ec355V
drwx------  systemd-private-1b9c4706ac0d4537b13be6db26d9ad6f-systemd-logind.serv
```

ubuntu@ubuntu: ~/Desktop

```
  GNU nano 7.2                    task4.sh *
#!/bin/bash
if [ $# -ne 2 ]; then
    echo "Usage: $0 <extension> <directory>"
    echo "Example: $0 .txt /home/user/docs"
    exit 1
fi
ext="$1"
dir="$2"
[[ "$ext" != .* ]] && ext=".$ext"
if [ ! -d "$dir" ]; then
    echo "Error: Directory '$dir' does not exist."
    exit 1
fi
shopt -s nullglob
files=("$dir"/*"$ext")
count=${#files[@]}
echo "Number of files with extension '$ext' in '$dir': $count"
```




```
ubuntu@ubuntu:~/Desktop$ nano task4.sh
ubuntu@ubuntu:~/Desktop$ chmod +x task4.sh
ubuntu@ubuntu:~/Desktop$ ./tas4..sh /tmp
bash: ./tas4..sh: No such file or directory
ubuntu@ubuntu:~/Desktop$ ./task4.sh .txt /tmp
Number of files with extension '.txt' in '/tmp': 0
ubuntu@ubuntu:~/Desktop$
```

ubuntu@ubuntu: ~/Desktop

```
  GNU nano 7.2                    task2.sh *
#!/bin/bash
echo "Total parameters: $#"
echo "All parameters:"
count=1
for arg in "$@"; do
    echo "  Arg $count: $arg"
    ((count++))
done
if [ $# -ge 10 ]; then
    echo "The 10th argument is: ${10}"
fi
```

```
ubuntu@ubuntu:~$ chmod +x task2.sh
chmod: cannot access 'task2.sh': No such file or directory
ubuntu@ubuntu:~$ nano task2.sh
ubuntu@ubuntu:~$ chmod +x task2.sh
ubuntu@ubuntu:~$ ls -l task2.sh
-rwxrwxr-x 1 ubuntu ubuntu 207 May  2 10:51 task2.sh
ubuntu@ubuntu:~$
```

```
ubuntu@ubuntu:~$ nano task2.sh
ubuntu@ubuntu:~$ chmod +x task2.sh
ubuntu@ubuntu:~$ ls -l task2.sh
-rwxrwxr-x 1 ubuntu ubuntu 207 May  2 10:51 task2.sh
ubuntu@ubuntu:~$ ./task2.sh a b c d e f g h i j k l m n o
Total parameters: 15
All parameters:
  Arg 1: a
  Arg 2: b
  Arg 3: c
  Arg 4: d
  Arg 5: e
  Arg 6: f
  Arg 7: g
  Arg 8: h
  Arg 9: i
  Arg 10: j
  Arg 11: k
  Arg 12: l
  Arg 13: m
  Arg 14: n
  Arg 15: o
The 10th argument is: j
ubuntu@ubuntu:~$
```