

Emergency Contacts — Deployment Guide

How to update, deploy, and access your app from anywhere on your Synology NAS

1 · Your Setup at a Glance

Piece	Where it lives
App	Next.js + PostgreSQL, running in Docker on your NAS
Source code	GitHub: github.com/dblademasteh/emergency_contact (branch main)
NAS folder	/volume1/docker/emergency_contact
Local access	http://192.168.0.148:8080 (login: /login)
Outside access	Cloudflare Tunnel – public HTTPS URL, no port forwarding

2 · Deploy Changes to Production

Step 1 — On your PC, commit & push after editing:

```
git add -A
git commit -m "describe your change"
git push
```

Step 2 — SSH into the NAS, then pull the new code:

```
ssh bfpr2@192.168.0.148
cd /volume1/docker/emergency_contact
git pull
```

Step 3 — Rebuild & restart the app container:

```
sudo docker compose up -d --build
```

Tip: Database migrations run automatically on container start — no manual step needed.

3 · Access From Outside the Network

Your app is already exposed via a Cloudflare Tunnel:

```
https://26239e73-fdc0-4272-b1c5-6b5ef0a57a5d.cfargotunnel.com
Login page: .../cfargotunnel.com/login
```

Check the tunnel is running (on the NAS):

```
sudo docker compose ps
```

Look for emergency-contacts-cloudflared as Up. If not, run: `sudo docker compose up -d`

Test from your phone on mobile data (Wi-Fi off) to confirm it works outside your home.

4 · Admin Access to the NAS From Anywhere

To deploy you need a shell on the NAS — not just the app. Three ways, easiest first:

Option A — Synology QuickConnect (no extra software)

- Enable: Control Panel ! External Access ! QuickConnect ! sign in with a Synology Account
- From anywhere open `https://quickconnect.to/<your-id> !` log into DSM
- Open the Terminal app (Main Menu) ! you're at the NAS shell ! run the deploy commands

Option B — SSH via QuickConnect (use your PC's terminal)

```
ssh -p <port> bfpr2@<your-id>.quickconnect.to
```

Find <port> and <your-id> in Control Panel ! External Access ! QuickConnect ! Advanced (enable SSH there).

Option C — Tailscale (recommended for speed)

- Install the Tailscale package on the NAS and app on your devices
- Gives the NAS a stable IP that works from anywhere (peer-to-peer, faster than QuickConnect)
- Then SSH normally and deploy

5 · Deploying a New Project

Use this app as your template — same recipe every time:

```
sudo mkdir /volume1/docker/mynewapp
cd /volume1/docker/mynewapp
git clone https://github.com/you/mynewapp.git .
sudo cp /volume1/docker/emergency_contact/.env ./env # edit passwords + DB name
sudo cp /volume1/docker/emergency_contact/Dockerfile .
sudo cp /volume1/docker/emergency_contact/docker-compose.yml .
```

Then edit `docker-compose.yml`: change the name, `container_name`, and ports (e.g. 8081:3000) so it doesn't clash. Build & start:

```
sudo docker compose up -d --build
```

For public access, copy the cloudflared service block from this project's compose and create a new tunnel.

6 · Quick Command Reference

Task	Command
Deploy app changes	<code>git pull && sudo docker compose up -d --build</code>
Just restart (no code change)	<code>sudo docker compose up -d</code>
See container status	<code>sudo docker compose ps</code>
View app logs	<code>sudo docker compose logs -f app</code>
Create admin accounts (prints credentials)	<code>sudo docker compose exec app npx prisma db seed</code>
Rebuild everything from scratch	<code>sudo docker compose down && sudo docker compose up -d --build</code>

7 · Troubleshooting

Seed error: Cannot find module '../lib/passwords'

The container was missing the lib/ folder. Quick fix without rebuilding:

```
sudo docker cp /volume1/docker/emergency_contact/lib emergency-contacts:/app/  
sudo docker compose exec app npx prisma db seed
```

The Dockerfile has been updated to copy lib/, so a normal rebuild prevents this permanently.

Forgot the admin password?

There is no default password. Re-run the seed — it creates admin1, admin2, admin3 with random passwords printed to the console. Copy them immediately (shown only once).

