



Week 1 Exercise


1. Please use either Chrome (preferred) or Microsoft Edge Browser
2. Go to UiPath studio web and click “Create New” → RPA Workflow




3. Open a new tab, go to <https://uipath-registration-app.streamlit.app/>. Keep this browser tab open.
4. Go back to UiPath Studio Web tab
5. Right-click on “Solution” and rename it to “User Interface Automation”



6. Right-click on “Solution” and rename it to “User Interface Automation”
7. If you are running it for the first time, at some point, you would be prompted to Install **UiPath Studio Web Automation** Extension. Please do so.




8. Click on the + sign and add a new activity




9. Search and select “use application/browser” activity



11. Under “Work in scope”, choose “Streamlit”. If you cannot find this option, make sure that another tab has url: <https://uipath-registration-app.streamlit.app/> opened.



12. Click the + to add a new activity



13. Add a **Type Into** activity

Type Into ⓘ
Enters text in a specified UI element, for example a text box.

UI Automation

Click **Indicate Target**

Type Into


Indicate target

Type this *

Verify

[Show additional properties](#)

14. It would bring you to Streamlit (the next active window), select **User name** field



Event Registration App

Log in

Enter your user name and password to log in.

Selection Helper ⓘ

Pause (5s)


Hover over the element you want to indicate and click to select it.

If the element is not being detected/highlighted, make sure the browser extension is properly installed.

[Indicate target via UI Explorer](#)

Validate Cancel Confirm

If everything goes well, you will see a green selection (target) and a blue selection (anchor), click confirm



Event Registration App

Log in

Enter your user name and password to log in.

r name

Selection Helper

Pause (5s)

Target found
Hit Enter to confirm.

Add anchor via UI Explorer

> Target

> Anchor

> Window selector

ValidateReindicateCancelConfirm

What is a UiPath Anchor?

A **UiPath anchor** is a stable UI element used as a reference point to help a robot locate a target element that lacks unique attributes or frequently changes position. By establishing a spatial relationship between the anchor (such as a fixed text label) and the target (such as an empty input field), the automation becomes significantly more resilient to dynamic layout changes or fluctuating IDs. We need anchors because modern applications often generate non-static selectors or use identical-looking fields, making these "landmarks" essential for ensuring the robot interacts with the correct element every time.

15. In the **Type this** field, type any username

The screenshot shows a 'Type Into' activity window titled 'Type Into 'User name''. The window contains a preview of a login form with fields for 'User name' and 'Password'. Below the preview, the 'Type this *' field contains the text 'michael'. To the right of this field is an '@' icon and a settings icon. Below the 'Type this *' field is a 'Verify' dropdown menu set to 'None'. At the bottom is a 'Show additional properties' link with a dropdown arrow.


16. Add another **Type into** activity, this time targeting the password field. In the **Type this** field, Key in **AgenticAndRobotic**

The screenshot shows a 'Type Into' activity window titled 'Type Into 'Password''. The window contains a preview of a login form with fields for 'User name' and 'Password'. Below the preview, the 'Type this *' field contains the text 'AgenticAndRobotic'. To the right of this field is an '@' icon and a settings icon. Below the 'Type this *' field is a 'Verify' dropdown menu set to 'None'. At the bottom is a 'Show additional properties' link with a dropdown arrow.

17. Click the + sign and add a **Click** activity



Click on **Indicate Target**, you will be brought to the streamlit site. Choose the **submit** button as target and click **Confirm**




Important!

The Streamlit login page is intentionally designed in a slightly unusual way — the first click on the **Submit** button does not fully complete the login, so you need to click it a second time to proceed. This may seem like an issue, but UiPath can handle it easily.

To automate this correctly, simply add two consecutive **Click** activities targeting the same **Submit** button. In other words, after recording or indicating the first click, just repeat the same step once more in your workflow. This ensures the login process completes successfully without errors.

18. Go to the **Streamlit** tab and login



Event Registration App

Log in

Enter your user name and password to log in.

User name

michael

Password

.....



Submit

19. After logging in, you should see this page

Conference Participants

Name: Finley Vega

Company: CloudForge Labs

Role: Software Engineer

Email: finley.vega@cloudforge labs.com

Ticket type: Standard

Name: Morgan Lee

Company: Optima Robotics

Role: Data Scientist

Email: morgan.lee@optimarobotics.com

Ticket type: Silver

20. Go back to UiPath Studio web, add a **Extract table Data** activity

extract table data

Extract Table Data

Extracts tabular data from a specified web page or application.

UI Automation

Click **Indicate target**

Type Into 'User name'

Type Into 'Password'

Click 'Submit' Successful

Extract Table Data

Indicate target

Show additional properties

21. In **Work in scope** dropdown, choose **Streamlit**

Extract Table Data

Choose the browser tab you want to automate.

Work in scope

Select a tab to automate

Streamlit
uipath-registration-app.streamlit.app

22. You will be brought to the Conference participants page, click on the first name field on the page

Conference Participants

Name: Finley Vega
Company: CloudForge Labs
Role: Software Engineer
Email: finley.vega@cloudforgelabs.com
Ticket type: Standard
Name: Morgan Lee
Company: Optima Robotics
Role: Data Scientist
Email: morgan.lee@optimarobotics.com
Ticket type: Silver

Table Extraction

Stop selection

Show highlights

Select data to extract

Hover over data in the page and click to select. Pause the selection (F2) to navigate.



Nothing selected for extraction yet.

Select Data to Extract

Cancel

Save & close

When prompted, choose **Yes**

Extract table

Would you like to extract all the columns from the table?

Yes

No

Toggle **Extract data from multiple pages**

Table Extraction

Selection stopped

Click 'Select Data to Extract' for more data

If the data is on multiple pages, enable Extract data from multiple pages.

5 Columns 4 Rows

Preview

Column-0

[Finley Vega, Mor...]

Column-1

[CloudForge Labs,...]

Column-2

[Software Enginee...]

Column-3

[finley.vega@clou...]

Column-4

[Standard, Silver...]

Select Data to Extract

Extract data from multiple pages

Cancel

Save & close

Table Extraction

Stop selection

Select pagination link

Indicate the "next" link or button used to navigate to the next page. Set the page limit from the settings.

5 Columns 4 Rows

Preview

Column-0

[Finley Vega, Mor...]

Column-1

[CloudForge Labs,...]

Column-2

[Software Enginee...]

Column-3

[finley.vega@clou...]

Column-4

[Standard, Silver...]

Select Data to Extract

Extract data from multiple pages

Next Button

Cancel

Save & close

Shift the pop-up table around so that you can see the **next→** button, click on the **next→** button. Click **Save & Close**

Table Extraction
?

▶ Selection stopped
⚙️
⚙️

ℹ️ Click 'Select Data to Extract' for more data
 If the data is on multiple pages, enable Extract data from multiple pages and then click Next link to configure the navigation.

5 Columns 4 Rows
 👁️ Preview

4	Column-0	[Finley Vega, Mor...]	🗑️ ⚙️
4	Column-1	[CloudForge Labs,...]	🗑️ ⚙️
4	Column-2	[Software Enginee...]	🗑️ ⚙️
4	Column-3	[finley.vega@clou...]	🗑️ ⚙️
4	Column-4	[Standard, Silver...]	🗑️ ⚙️

Select Data to Extract

☒ Extract data from multiple pages

➡️ Next Button **Next** ➡️
 🗑️ ⚙️

Cancel
Save & close

Next ➡️

Extract Table Data
⋮

Show additional properties
⌵

23. The Destination data table property defines where the extracted data table is stored. Note that this property is populated with an automatically generated

object Destination data table.

The screenshot shows the 'Main.xaml' workflow editor on the left and the 'Extract Table Data' configuration panel on the right. The workflow includes a 'Manual Trigger', 'Use Browser Chrome: Streamlit', 'Type Into 'User name'', 'Type Into 'Password'', 'Click 'Submit'', and 'Extract Table Data' steps. The 'Extract Table Data' panel shows the 'Target' section with 'Extract metadata' and 'Table settings' tabs. The 'Table settings' tab displays XML schema details for a table named 'Table'. The 'Input/Output' section shows 'Destination data table' as the output, with a 'See more' button and a 'Create variable' button highlighted.

Let's replace it with a variable. Click See more and choose Create variable.

This screenshot shows a close-up of the 'Destination data table' configuration panel. The 'See more' button is highlighted, and the 'Create variable' button is also highlighted. The 'Create variable' button is a blue button with a plus sign and the text 'Create variable'.

Provide a descriptive name, like **ExtractedDataTable** and click **Create**. And with this, we're done with configuring the structured data extraction.

Create variable

×

Variable name*

ExtractedTableData

Scope*

Main

Type*

DataTable

Default value


new System.Data.DataTable With {.TableName = "TableName"}



Cancel

Create

25. OK, now it's time to add the extracted data to the input form. We want to add the data on one row to the form, click submit and repeat until all rows are done. Since we're working with a different page, add a new **Use Application/Browser** activity.



Open a new tab in your browser and go to Conference Contact Form
<https://forms.cloud.microsoft/r/U4wJVYUry>


The screenshot shows a web browser displaying the 'Conference Contacts' form. The form has the following fields:

1. Name [🔗]
Enter your answer
2. Company [🔗]
Enter your answer
3. Role [🔗]
Enter your answer
4. Email [🔗]
Enter your answer


Under Work in scope, indicate the Conference Contacts form.



26. Add For Each Row in Data Table activity



In the property panel, click the **Data Table** field to show the drop down



Choose ExtractedTableData

For Each Row in Data Table

Data Table*

Click to use a variable

Q Search

Use Application/Browser

{-} Output element

{-} WSSessionData

Use Browser Chrome: Streamlit

Manual Trigger

ExtractedTableData

For Each Row in Data Table

Data Table*

{x} ExtractedTableData X

Item name*

CurrentRow

Others

Condition

Click to open condition builder

Max Iterations

Enter numeric expression

@


Index

Output

Index

16 | Page

27. Add a Fill Form activity




29. The Fill Form activity matches the names of the data table columns with the UI field names using AI without needing extra configuration. Notice that the Item name property inside the For Each Row in Data Table activity is set to CurrentRow. With each iteration, Current row loads a different row inside the data table and makes it available to activities executing within. Select **CurrentRow** as the **Data Source** for the Fill Form activity.

The screenshot shows the configuration window for the 'Fill Form' activity. The 'Data Source*' field is empty with a placeholder 'Select a data source'. Below it, the 'Enable validation' toggle is turned off. The 'Options' section includes 'Continue on error' with radio buttons for 'True' and 'False'. The 'Timings' section has 'Delay before' and 'Delay after' fields, both with a default of 0.2 and 0.3 seconds respectively. The 'Timeout' field is set to 'Default is 30 seconds'.


This screenshot shows the 'Data Source*' dropdown menu open. The search bar contains the text 'Search'. The dropdown list shows 'For Each Row in Data Table' expanded, with 'Index' and '.CurrentRow' listed below it. '.CurrentRow' is highlighted.

This screenshot shows the 'Data Source*' field with '{x} CurrentRow X' selected. The field has a blue highlight and a close button (X) on the right.

31. Add a Click activity



Click **Indicate target**, select the **Submit** button and click **Confirm** on the selection helper.



32. Add a Click activity