ROLE GUIDE 12

# System Administrator & Super User

Access control, organisation set-up, integrations, monitoring and records — keeping the system running for everyone else.

WHO THIS IS FOR

The platform administrator account, Super Users and the IT Department, DBL Group.

| SYSTEM | VERSION | PREPARED BY | CLASSIFICATION |
| --- | --- | --- | --- |
| DBL HRM · Talent Hub | 1.4 · 13 October 2026 | IT Department, DBL Group | Internal |

© 2026 DBL Group. For internal use.

ABOUT THIS DOCUMENT

# Document control

| | |
|---|---|
| Document | Role Guide — System Administrator & Super User |
| System | DBL HRM · Talent Hub (talenthub.dbl-group.com) |
| Version | 1.4 · 13 October 2026 · Describes the system as it is in production on this date |
| Prepared by | IT Department, DBL Group |
| Intended readers | The platform administrator; Super Users; the IT Department, DBL Group. |
| Related documents | DBL HRM · System Workflow (master document) and the role guides for each participant. |

CONTENTS

1 Your role at a glance 3

2 Access and signing in 4
Signing in

3 Access Control 5
Roles in the system · People & access · HR Layering · Roles

4 Organisation set-up 7
Unit Configuration and the organogram · Approval Paths · Setting up a new unit — checklist

5 Integrations and automation 7

6 Monitoring and records 8

7 Deleting a requisition 9

8 Security overview 9

9 Questions and answers 9

10 Quick reference 10

SECTION 1

# Your role at a glance

IN SHORT

Two kinds of account administer the system. The **platform administrator** is a dedicated login with every right, including the account-level integrations. A **Super User** is a member of staff holding the Super User role: they see all data, manage access, and bypass the unit and ownership checks that bind everyone else.

Administrators decide who can sign in and what each person may do, keep the organisation's structure accurate, connect the system to ZingHR, Google and BDJobs, and watch the logs.

| Capability | Platform administrator | Super User |
|---|---|---|
| See and act on every requisition, candidate and step | ✓ | ✓ |
| Access Control — grant and remove roles, reset passwords, HR Layering, custom roles | ✓ | ✓ |
| System Activity and API Logs | ✓ | ✓ |
| Approval Paths, Unit Config, AI Settings, Board Groups, AI Proficiency Bank | ✓ | ✓ |
| Integrations: ZingHR, Google, BDJobs, automation, master email switch | ✓ | — |
| Permanently delete a requisition | ✓ | — |

## Where you fit in the hiring lifecycle

Everywhere and nowhere: administrators do not take part in the hiring workflow by default, but every phase depends on the access, structure and integrations you maintain — and a super user can act on any stuck step.

PHASE 1
**Manpower Requisition**
- Raise the requisition
- Job analysis
- Approval chain
- CHRO / Board (if escalated)

PHASE 2
**Sourcing & CV Collection**
- CV sources & recruiter
- Role profile & job posting
- CVs arrive from all channels
- AI screening & shortlist

PHASE 3
**Assessment & Interviews**
- Screening tests
- First interview
- Factory HR Head approval
- Second / final interview

PHASE 4
**Selection & Salary**
- Panel evaluation
- Salary fixation
- Mark as selected
- Regret letters

PHASE 5
**Pre-employment & Onboarding**
- Documents & facilities
- Medical clearance
- Board approval & offer
- Verification & joining

SECTION 2

# Access and signing in

The platform administrator signs in with its own email address and password. Because it is shared by few people and has every right, protect it with two-factor authentication, and use named Super User accounts for day-to-day administration so that the activity log shows who did what.

## 2.1 Signing in

1. **Open the system**
   Go to **https://talenthub.dbl-group.com** in Chrome, Edge or another current browser, on a computer or a phone.
2. **Sign in**
   Enter your DBL **email address** and password, then **Sign in**. Tick **Remember me** on your own device to keep your email filled in; your browser can save the password.
3. **First sign-in or after a reset**
   Your temporary password is your **employee code**. The system then asks you to choose your own password of 6 to 12 characters before you can continue.

- **Forgot your password?** Select **Forgot password?** on the sign-in page. A 6-digit code is emailed to you; it is valid for 10 minutes. Enter it, then set a new password. Every other session is signed out.
- **Locked out?** After 5 wrong passwords the account is locked for 15 minutes. A super user can also reset your password to your employee code.
- **Two-factor authentication** (recommended) is switched on under **Account settings** › **Security** — use an authenticator app or a code sent by email.
- **Sessions** last 24 hours; after that you sign in again. Signing out on one device does not sign you out anywhere else.

> **No role, no sign-in**
> The system lets a person sign in only while they hold at least one role. If you are told your account is not enabled for sign-in, ask Head of Talent Acquisition or a super user to check your access.

SECTION 3

# Access Control

Configuration › Access Control: who can sign in, what they can do, and who covers them. Three tabs.

## 3.1 Roles in the system

| Role | Scope | What it is for | How it is granted | Guide |
|---|---|---|---|---|
| **Super User** | All units | Full access to all data and to Access Control, System Activity and API Logs. | Access Control | 12 |
| **CHRO** | All units | Escalated requisitions, Hiring Approval Sheets, letter signatory, oversight. | Access Control | 05 |
| **Head of Talent Acquisition** | All units | Final approval, Approval Paths, launching recruitment, approval sheets, medical scheduling. | Access Control | 04 |
| **Corporate Recruiter** | All units | Runs recruitment for requisitions they are assigned to (or covering). | Access Control | 07 |
| **Requisition Raiser** | Per unit | Raises requisitions for the unit. | Automatic, from Approval Paths | 01 |
| **Unit Approver** | Per unit | Signs the levels they are named on; sees those requisitions. | Automatic, from Approval Paths | 03 |
| **SBU Head** | Per unit | Can be named as an approver; maintains Unit Configuration for their units. | Access Control | 03 |
| **Factory HR** | Per unit | Job analysis; sends CVs; runs delegated first interviews. | Access Control | 02 |
| **Factory HR Head** | Per unit | Approves first-interview finalists; sends CVs. | Access Control | 08 |
| **Interviewer** | Per unit | Runs first interviews for candidates handed to them — nothing else. | Automatic, on Send for interview | 09 |
| **Medical Officer** | All units | Examines candidates and records medical findings. | Access Control | 10 |
| **Central Medical Officer** | All units | Confirms, overturns or returns every medical finding. | Access Control | 10 |

**Sign-in needs a role**

Apart from the platform administrator, nobody can sign in without at least one role. Approval Paths and “Send for interview” grant the minimum role automatically so that the people they name can act. Board members and candidates never need to sign in: they act from emailed links.

## 3.2 People & access

1. **Find the person**
   The left rail lists units; the table lists who holds what. Filter by unit or person.
2. **Grant access**
   Select **Grant access**. Search the employee by name, code or designation, choose the role and — for a unit-scoped role — the unit (or **Global · all units**). Granting a role unlocks sign-in.
3. **Remove access**
   Remove an assignment from the table. The page tells you what else went with it.
4. **Reset a password**
   Resets the password to the person's employee code, signs them out everywhere, clears their two-factor set-up and makes them choose a new password at the next sign-in. You cannot reset your own password here.

| When you remove… | The system also… |
|---|---|
| **Requisition Raiser (for a unit)** | Deletes that person's approval chain for the unit. |
| **Unit Approver (for a unit)** | Takes them off every level of the unit's chains and renumbers the remaining levels. |
| **Factory HR** | Releases any job analysis addressed to them and renumbers the unit's HR layering. |

Requisitions already in flight are never changed: their chain was copied when they were raised. The table shows a **No approval path** chip on any raiser without a chain, and a read-only **1st priority** chip from HR Layering.

> ! **Two records for one person**
> Many staff have two user records: the one synchronised from ZingHR and, for administrators, a separate login. The employee search lists the synchronised records — grant roles to the record the person actually signs in with.

## 3.3 HR Layering

Each unit's Factory HR shown as cards in priority order (1st, 2nd …), with who is away. Drag to reorder. The order labels people; it does not route work — every on-duty Factory HR shares the unit's job-analysis queue. Units with nobody available are listed together: their job analyses go to Head of Talent Acquisition and the Corporate Recruiters.

## 3.4 Roles

The catalogue of roles with their scope (Global or Unit-scoped) and description. You can add a role for your own organisation's use — a name, an optional description and a scope. The built-in roles carry the system's permissions and cannot be deleted.

SECTION 4

# Organisation set-up

## 4.1 Unit Configuration and the organogram

**Configuration** › **Unit Config** holds units → departments → sections → sanctioned seats. Each seat has a designation, category, **sanctioned** count and **filled** count; **vacant** is worked out. The **Organogram** shows the result, unit by unit, and the requisition form reads the vacant-post figure from it. Head of Talent Acquisition, the CHRO, SBU Heads (for their units) and super users can edit it.

> **Use the unit names ZingHR uses**
> Units are matched by name. ZingHR names sometimes carry trailing punctuation ("Jinnat Textile Mills Ltd."). Configure units and grant roles on exactly the name employees are synchronised under, or lookups and role routing will not find each other.

## 4.2 Approval Paths

Who may raise requisitions in each unit, and each raiser's own approval chain. Head of Talent Acquisition usually maintains it; the Head of Talent Acquisition guide explains it in full.

## 4.3 Setting up a new unit — checklist

- Create the unit in Unit Config under its ZingHR name; add departments, sections and seats.
- Grant Factory HR (and a Factory HR Head, if the unit has one) in Access Control; set their order on HR Layering.
- In Approval Paths, add the unit's raisers and build each one's chain.
- Check that Corporate Recruiters, Board Groups and medical roles are in place.

SECTION 5

# Integrations and automation

Configuration › Integrations — platform administrator only.

| Integration | What it does | Controls |
|---|---|---|
| **ZingHR · Employee Sync** | Pulls DBL's employee master every night and updates employees and their user records (designation, department, section, grade, unit, location, line manager, dates). Only current employees are written. | Run a sync now with a live console; pause the schedule; see the last result. |
| **Google** | Drive (each posted requisition's CV workspace and every candidate's joining documents), Gmail (all system email) and Calendar (interview invitations) — all through the recruitment account **hr.recruitment@dbl-group.com**. | Connection status; one-time consent. |
| **BDJobs** | Publishes vacancies on BDJobs and receives BDJobs' shortlisted applicants into the pipeline. | BDJobs posting on or off; credentials; posting defaults. |

| Integration | What it does | Controls |
|---|---|---|
| **Master email switch** | Turns all outgoing system email on or off. While off, calendar events are still created but invite nobody — and Notify IT refuses to send, because IT would receive nothing. | One switch. |
| **IT account requests** | Where **Notify IT** (onboarding's last step) sends the request for a new hire's work email and, for a replacement, the deletion of the leaver's. By default hr-it-req@dbl-group.com. | One or more addresses; how the email opens ("Dear …,"); the default email platform. |

### Automation

| Job | When | What it does |
|---|---|---|
| **Emailed-CV ingestion** | Every 15 minutes | Reads the recruitment mailbox; CVs whose subject carries a requisition code join that pipeline. |
| **Approval & marks reminders** | Each morning | Reminds approvers with requisitions waiting and panelists with marks to submit. |
| **Database backup to Drive** | Nightly | A compressed copy of the database to a private Drive folder; the last 30 are kept. |
| **Employee sync** | Nightly | The ZingHR sync described above. |
| **Talent Bank matching** | Nightly, and on approval/posting | Matches past finalists to open requisitions. |

The automation console shows each job's recent runs; schedules can be paused and resumed.

SECTION 6

# Monitoring and records

| Record | What it holds | Kept for |
|---|---|---|
| **System Activity** | Every change in the system — who, when and what changed. Viewing is not logged. | 30 days |
| **API Logs** | Every failed request, every request slower than 3 seconds, and every error reported by a user's browser — with security tokens masked. | 7 days |
| **Notifications** | Every in-app notification, read or unread. | 60 days |
| **Requisition history** | Each requisition's own activity log: edits, decisions, hand-overs. | Permanent |
| **Database backups** | Nightly copies on Drive, plus a verified copy before every software release. | Last 30 nightly copies |

Clean-up jobs run at night (Dhaka time). The activity clean-up leaves a one-line summary in System Activity whenever it removes anything.

SECTION 7

# Deleting a requisition

Only the platform administrator can delete a requisition, and only by typing its code (for example **REQ-2026-015**) to confirm. Deletion is **permanent**: it removes the requisition with its candidates, interviews, evaluations, delegations, salary fixations, board approvals and onboarding records, the notifications that point to them, and any approval sheet left empty. Files on Google Drive are kept.

**Prefer rejection**
A requisition that is simply no longer needed should be rejected by the approver holding it, with a note — that keeps the record. Delete only test or erroneous entries.

SECTION 8

# Security overview

- Passwords: new passwords are 6 to 12 characters. Five wrong attempts lock an account for 15 minutes.
- Two-factor authentication by authenticator app or emailed code, set by each user under Account settings › Security.
- Sessions last 24 hours. Signing out ends that session only; a password change or reset ends them all.
- Forgotten passwords are reset by a 6-digit code sent to the registered email; the request never reveals whether an address is registered.
- E-signatures are visible only to their owner; letters embed them server-side.
- Careers-page applications require a verified email address.
- Board, panel, candidate and facility links are personal and single-purpose: each opens one item, for one person.

SECTION 9

# Questions and answers

Q **Someone cannot sign in although they are an employee.**
They hold no role. Grant the role they need in Access Control — or check that they were named in Approval Paths.

Q **A new employee is missing from the directory.**
The ZingHR sync runs nightly. Run a manual sync from Integrations if it is urgent, and check that the employee is active in ZingHR.

Q **No emails are going out.**
Check the master email switch on Integrations and the Google connection status.

Q **A requisition is stuck with an approver who has left.**
A super user can act on the step. Then update Approval Paths so that future requisitions route correctly.

SECTION 10

# Quick reference

A one-page summary you can print and keep beside you.

## Administrator — quick reference

### ACCESS

- Access Control → **Grant access** (person, role, unit)
- Remove: chains and layering tidy themselves
- Reset password → employee code; must change

### STRUCTURE

- Unit Config: units → departments → sections → seats
- Use ZingHR unit names exactly
- Approval Paths: raisers and chains

### INTEGRATIONS (ADMIN LOGIN)

- ZingHR sync: nightly or manual
- Google: Drive, Gmail, Calendar
- BDJobs · master switch · IT account requests

### RECORDS

- System Activity 30 days · API Logs 7 days
- Notifications 60 days · nightly backups (30 kept)
- Delete requisition: admin login, type the code