

THE FAILURE OF THE 2021 FMCO IN MALAYSIA

DAVID BENJAMIN LIM

ABSTRACT. We show for Pulau Pinang, Johor and Negeri Sembilan that during the first 6 weeks of total lockdown, workplace clusters contributed significantly to the state R_0 . A similar statement is still true for the Klang Valley, though in the first 4 weeks rather than 6. This gives strong evidence that if one stopped workplace clusters from happening, COVID-19 in these states would not have spiraled out of control.

CONTENTS

1. Introduction	1
2. Acknowledgments	2
3. The dangers of overly simplistic thinking	2
4. Summary of results	2
4.1. Conclusion for Johor, Pulau Pinang and Negeri Sembilan	2
4.2. The Klang Valley	3
4.3. Final comments	3
Appendix A. Measuring the total contribution of a particular sector to the total R_0	3
A.1. Theoretical Foundations	3
A.2. Real-world applications of Theorem A.1	4
A.3. An example calculation	5
References	5

1. INTRODUCTION

The COVID-19 pandemic has forced governments around the world to take measures to contain the spread of the disease. In Malaysia, the government has already implemented several rounds of lockdowns, the most recent of which is the FMCO (full movement control order) which started on 1/6/2021. The FMCO is to this date mostly at full strength albeit for a few states that have been scheduled to move on to what the Malaysian government calls “Phase 3” (Sarawak, Perlis and Labuan). During this phase, things such as indoor dining and gyms are allowed to operate among other things.

For any action taken to control the spread of COVID-19, there is an associated cost. Businesses ordered to close result in lost income and in worst-case scenarios the destruction of careers that have been built over many years, while sedentary lifestyles associated with stay-at-home orders impact mental/physical health. Given these facts, it is absolutely crucial that any lockdown initiated be effective in controlling the spread of COVID-19. Nonetheless, the total lockdown initiated on 1/6/2021 has largely failed. Case numbers dipped initially for the first 2 - 3 weeks, before rising again and hitting a new record-high of 11,618 cases on 14/7/2021.¹ Therefore, it is absolutely important to understand *why* the 2021 FMCO failed. In this article, we argue that in states with a large number of workplace clusters, namely the Klang Valley (Selangor and Kuala Lumpur),² Johor, Pulau Pinang and Negeri Sembilan, that the primary reason for this is due to the continued generation of such clusters during the crucial first 6 weeks of lockdown.

Our method is very simple. For each of these states, we calculate the basic reproduction number R_0 . Then, using data from the official Ministry of Health GitHub, we calculate the contribution of workplace clusters to R_0 . If upon subtracting this contribution from the total R_0 , we find a number significantly

Date: August 16, 2021.

¹Cases have continued to rise since then, hitting a record high of 21,668 on 12/8/2021.

²Given how interlinked Selangor and Kuala Lumpur are, it is necessary to consider them together as one “state.”

less than 1, this gives strong evidence that *if* there were no workplace clusters during this time period, COVID-19 would have *decreased*. See Section 3 and 4 for further discussion and results.

2. ACKNOWLEDGMENTS

We thank Eric Cooper of the Schleier-Smith Lab, Stanford University and Samuel Tenka of the Computer Science and Artificial Intelligence Lab, MIT for many insightful discussions concerning the mathematics behind COVID-19. We also thank Yang Liu (Stanford University), Mark Sellke (Stanford University) and Brian Lawrence (University of Chicago) for many helpful discussions. We are also grateful to have received the support of Latifah Hani Hamzah (Stanford University). We thank Dr. Arvinder Singh for pointing out that the nature of workplace clusters is such that one necessarily over-samples from these and under-samples from the general population.

3. THE DANGERS OF OVERLY SIMPLISTIC THINKING

In a speech in parliament on 27/7/2021, the minister of international trade and industry, Dato’ Seri Azmin Ali said that the manufacturing sector contributed to only 8.8% of all cases between 1/6/2021 and 23/7/2021 [TV21, 3:07:00]. After saying this, he says (in Malay): “Saya boleh bagi lagi sampling, Datuk Speaker sama ada harian, mingguan ataupun bulanan, yang membuktikan sumbangan sektor perkilangan kepada kes-kes harian (mic cuts out)” [TV21, 3:07:10]. In english, this translates to: “I can give you a sampling, Datuk Speaker be it daily, weekly or monthly, that proves that the contribution of the manufacturing sector to daily cases (mic cuts out).” Although the rest of this sentence cannot be heard, it can be inferred that the minister claims that because the manufacturing sector only contributed to 8.8% of all COVID-19 cases (during the time period mentioned above), that it *cannot* be the cause of the spread of COVID-19 in Malaysia.

However, this line of reasoning is wrong: More precisely, just because a particular group of people make up a small percentage of all COVID-19 cases, *does not mean* that they *cannot* be the source of the problem (see Appendix A). The reason for this is that it is entirely possible for there to be a small subset of the population that is very infectious (i.e. have very high R_0), and therefore contributes significantly to the *total* R_0 of Malaysia (Theorem A.1). To be maximally precise, we do not claim that the manufacturing sector *is* the source of the COVID-19 problem in Malaysia. All we are doing is pointing out that the line of reasoning employed by Dato’ Seri Azmin Ali is too simplistic to have any meaningful content.

4. SUMMARY OF RESULTS

This section relies on the theoretical ideas developed in Appendix A. All our results below are for the time period of 1/6/2021 to 14/7/2021.

TABLE 1. R_0 for each state

State	R_0	Contribution from workplace clusters	Residual
Klang Valley	1.121	0.163	0.959
Johor*	0.969	0.473	0.500
Pulau Pinang*	0.958	0.715	0.244
Negeri Sembilan	1.110	0.403	0.708

Table 1 summarizes the R_0 for each state, the contribution to the R_0 from workplace clusters, and the residual, i.e. the contribution from non-workplace clusters. For Johor, Pulau Pinang and Negeri Sembilan, the residual is significantly less than 1, while for the Klang Valley it is less than 1 but by not very much. The asterisks next to Pulau Pinang and Johor simply denote corrections that one must apply when calculating these numbers due to the high proportion of workplace cases to all cases. We refer the reader to A.3 for details.

4.1. Conclusion for Johor, Pulau Pinang and Negeri Sembilan. Given the residual for these states is significantly less than 1, we obtain *very strong* evidence that if there were no more workplace clusters during this time period, COVID-19 would have decreased. Indeed, even the *proportion* of cases from workplaces during this time period was very high:

TABLE 2. Breakdown of cases from Johor, Pulau Pinang and Negeri Sembilan

State	Total cases	Cases from workplace clusters	Proportion from workplace clusters
Johor	17654	8347	$\approx 50\%$
Pulau Pinang	8668	6222	$\approx 70\%$
Negeri Sembilan	29451	8475	$\approx 30\%$

Without even referring to R_0 , the reader can clearly see that for Pulau Pinang, workplaces were the problem - they contributed to 70% of all cases during this time period! Negeri Sembilan on the other hand is where this R_0 stuff hammers home the point. Cases from workplace clusters only constitute 30% of total cases, but the contribution to the R_0 is significant enough that the *residual* is 0.708 - much less than 1!

4.2. The Klang Valley. Exploring the Klang Valley in greater detail, we note that if we restrict to the first 4 (rather than 6) weeks of lockdown in the Klang Valley, we get a much more significant contribution to the R_0 from workplace clusters:

TABLE 3. R_0 for the Klang Valley from 1/6/2021 - 1/7/2021

State	R_0	Contribution from workplace clusters	Residual
Klang Valley	1.017	0.227	0.793

During this time period (1/6/2021 - 1/7/2021) we note that cases from workplace clusters only constitute $11979/64710 \approx 18.5\%$ of all cases, but their contribution to the R_0 is sufficiently big that the residual is much less than 1. At any rate, regardless of whether we look at the first 4-6 weeks of the 2021 FMCO, one can still make the argument that the contribution from workplace clusters is still significant, though not as strong Johor, Pulau Pinang and Negeri Sembilan. Nonetheless, we would like to point out that due to the higher case numbers in the Klang Valley compared to these other three states (5x higher population adjusted), it is entirely possible that contact tracing simply became impossible after the first generation, thus undercounting the true case numbers from these clusters.

4.3. Final comments. As pointed out by Dr. Arvinder Singh, there is an inherent bias in the way that testing is done in workplaces. Namely, the ministry of health tends to sample more in workplace clusters as compared to sporadic cases. This affects the calculations above by way of the probability p of a workplace cluster. Examining Appendix A.3 more closely, we see that the denominator in the calculation of p depends on the *recorded number* of total COVID-19 cases, of which there could be many more (test positivity rates $> 10\%$ during this time period suggest this). Nonetheless, even if we multiply the denominator of p by 2 (or even 3), i.e. we believe that the “true” number of COVID-19 cases is double (or triple) what is currently recorded, not much changes for Pulau Pinang, Johor and Negeri Sembilan. The same is true for the Klang Valley if we look at the first 4 weeks of the 2021 FMCO. However, if we expand our time horizon to 6 weeks from the start of the 2021 FMCO, the residual for the Klang Valley is very close to 1, and so inserting a factor of 2 or 3 in the denominator for p brings the residual above 1, weakening the argument for the Klang Valley.

APPENDIX A. MEASURING THE TOTAL CONTRIBUTION OF A PARTICULAR SECTOR TO THE TOTAL R_0

A.1. Theoretical Foundations.

Theorem A.1. Consider the random tree generated by the following algorithm:

```
# Initialize k nodes
# Initialize number of generations n
# Initialize probabilities p and q with p + q = 1
# Initialize growth rates R_p and R_q

do n times:
    for node in nodes:
        node.color = red w/ probability p, blue w/ probability q
```

```

    if node.color is red:
        add R_p children to node
    else:
        add Pois(R_q) children to node
nodes = nodes.children

```

Then as $n \rightarrow \infty$, the expected number of nodes is infinite if $pR_p + qR_q > 1$, and $k/(1 - (pR_p + qR_q))$ (in particular finite!) if $pR_p + qR_q < 1$.

Proof. We use 0-indexing. Let X_i be the random variable that counts the number of nodes at generation i ; by definition $X_0 = k$. Conditioning on whether a node at generation $i - 1$ is blue or red, we have

$$\mathbf{E}[X_i | X_{i-1}] = X_{i-1}(pR_p + qR_q).$$

Hence, by the law of total expectation,

$$\mathbf{E}[X_i] = \mathbf{E}[\mathbf{E}[X_i | X_{i-1}]] = \mathbf{E}[X_{i-1}(pR_p + qR_q)] = \mathbf{E}[X_{i-1}](pR_p + qR_q).$$

It follows that $\mathbf{E}[X_i] = k(pR_p + qR_q)^i$ and hence

$$\begin{aligned}
 \text{Expected total nodes after } n\text{-generations} &= \sum_{i=0}^{n-1} \mathbf{E}[X_i] \\
 &= \sum_{i=0}^{n-1} k(pR_p + qR_q)^i \\
 &= k \left[\frac{(pR_p + qR_q)^n - 1}{(pR_p + qR_q) - 1} \right].
 \end{aligned}$$

Letting $n \rightarrow \infty$, this computation shows that if $pR_p + qR_q > 1$, then on average the tree has an infinite number of nodes, and if it is less than 1, it has $k/(1 - (pR_p + qR_q))$ nodes. \square

A.2. Real-world applications of Theorem A.1. Theorem A.1 above shows the following. It is possible to have a proportion p of red nodes, with $p \ll q$, but with large R_p in a way that $pR_p + qR_q > 1$. The random tree we generate in Theorem A.1 above will grow indefinitely even though the total proportion of red nodes is small. Furthermore, one may also arrange so that $R_q < 1$, so that if there are no red nodes present (set $p = 0$ and $q = 1$), then the number of nodes in the tree will be finite. This shows that even though the red nodes make up a very small portion of the tree, it is precisely these nodes that contribute to the tree growing indefinitely.

Said differently, if a red node represents a workplace cluster and blue node a sporadic case, then it is entirely possible for the number of workplace clusters (red nodes) to be very small, but that it is the main driver behind the spread of COVID-19. In practice, Theorem A.1 can be used to as follows. Fix some time period. Then (for example) red nodes may be workplace clusters and blue sporadic cases. The probability p (and hence $q = 1 - p$) can be empirically calculated from the file `epidemic/clusters.csv` in the (public!) GitHub repository of the Malaysian Ministry of Health [oHM21]. The same is true of R_p , and then $R_q = (R_0 - pR_p)/q$ is calculated using R_p and the total R_0 during this time period. If we find that $R_q < 1$, this gives strong evidence to the fact that if there were *no* workplace clusters during our fixed time period, that COVID-19 would have “died off”, i.e. workplaces were behind the spread of COVID-19.

As a final note, for the purpose of quick and fast empirical estimates, R_0 during this time period may be calculated as follows. Let t_{start} and t_{end} be the start and end of the time period respectively, and $f(t)$ the number of daily new cases reported at time t (The value $f(t)$ can be obtained empirically from the file `epidemic/cases_malaysia.csv` of *loc. cit.*, or for a breakdown by state, `epidemic/cases_state.csv`). Then

$$(1) \quad R_0 \approx \exp \left(\frac{\log f(t_{\text{end}}) - \log f(t_{\text{start}})}{\text{length (in days) of time period}} \times \tau \right),$$

where τ is the serial interval of COVID-19.

A.3. An example calculation. Let us think of a workplace cluster as corresponding to a single red node, and every other COVID-19 case as a single blue node. We now show how the ideas in this appendix can be used in practice.

Recall first that p is the probability of a red node (i.e. workplace cluster) and R_p the number of children of a red node (i.e. the average size of a workplace cluster). We have

$$\begin{aligned}
 (2) \quad p &= \text{probability of a workplace cluster} \\
 (3) \quad &= \frac{\text{\#people that started a workplace cluster}}{\text{\#people who could have started a workplace cluster}} \\
 (4) \quad &\approx \frac{\text{\#workplace clusters}}{\text{Total cases} - \text{Total workplace cases} + \text{\#workplace clusters}}.
 \end{aligned}$$

When the number of cases from workplaces is very high compared to the total number of cases (e.g. Johor and Pulau Pinang), we need to take the denominator in (4) to be the total number of cases. If we do not do so, p will be so big that $R_0 - pR_p$ will be negative. The quantity R_p , i.e. the average size of a workplace cluster is

$$R_p = \frac{\text{Total workplace cases}}{\text{\#workplace clusters}}.$$

For the sake of concreteness, let us now calculate p and R_p for the whole of Malaysia during the time period 1/6/2021 - 23/7/2021. We choose this time period because all the data we need has already been conveniently laid out in the form of a facebook post by Dato' Seri Azmin Ali [Ali21].³ For the results in Section 4, we simply wrote a simple python script to process data from the files `epidemic/cases_state.csv` and `epidemic/clusters.csv` of the Ministry of Health's GitHub. The calculation is *mutadis mutandis* the same as what follows. As per Dato' Seri Azmin Ali's facebook post, we have

$$\begin{aligned}
 \text{Total cases} &= 408,134 \\
 \text{Total workplace cases} &= 60,587 \\
 \text{\#workplace clusters} &= 743
 \end{aligned}$$

from which it follows that $p = 0.0021$, $R_p = 81.5437$. Hence the *total contribution* to the R_0 of Malaysia from workplaces is

$$pR_p = 0.1712.$$

On the other hand, by the method of least squares, we find that the R_0 for Malaysia is

$$R_0 = 1.0764.$$

The reader may obtain a similar value without the method of least squares using the estimate (1). The residual R_q (i.e. R_0 from non-workplace clusters) is thus

$$R_q = \frac{R_0 - pR_p}{1 - p} = 0.907.$$

REFERENCES

- [Ali21] Dato' Seri Azmin Ali, *Kes COVID-19 dalam Sektor Pembuatan di Malaysia*, <https://www.facebook.com/MohamedAzminAli/photos/4322810617783251>, 2021, [Online; accessed 16-August-2021].
- [oHM21] Ministry of Health Malaysia, *Open data on COVID-19 in Malaysia*, <https://github.com/MoH-Malaysia/covid19-public/>, 2021, [Online; accessed 16-August-2021].
- [TV21] Ubah TV, *Sidang Khas Dewan Rakyat, 26 Julai 2021 (Sesi Petang)*, <https://www.youtube.com/watch?v=R1FMhYkgBOY>, 2021, [Online; accessed 16-August-2021].

³The data from this facebook page is from the Ministry of Health's GitHub [oHM21].