

Table of Contents

1.0 Overview

2.0 User's Guide

2.1 Quick Start

2.1.1 Setup

2.2 General

2.3 Selected User

2.3.1 Click on a callsign

2.3.2 Posting Messages

2.3.3 Drop Down Options

2.4 Timer

2.5 Buttons and Text Boxes

2.5.1 CQ

2.5.2 QRV

2.5.3 Running

3.0 Menu Items

3.1 Options

3.1.1 Setup

3.1.2 Font

3.1.3 Colors...

3.1.4 History

3.1.5 Chat Page Font

3.1.6 Update Call3.txt

3.2 View

3.2.1 N5TM Chat

3.2.2 DX Cluster

3.3 Refresh...

3.4 Web Links

3.5 Help

3.6 URL Select Drop Down

4.0 Selected User

4.1 Highlighted lines


4.2 Format

5.0 CQ QRV and Frequency Posting

6.0 Displayed User

1.0 Overview

PJClient is a software program which poles PingJockey, EME-1, EME-1 or JT65 Terrestrial pages. It then reformats the pages into a more easily viewed screen.



The software poles each page in the background and watches for changes. All changes are then displayed in near real-time. No waiting for the one minute refresh on the actual pages.

Additionally, there is no annoying refresh right in the middle of typing a message.

2.0 User's Guide

2.1 Quick Start

2.1.1 Setup

In order for PJClient to spoof the web pages into thinking you are using a browser, it must set cookies to emulate what the browser page does after you fill in your personal information (Callsign, name, grid, etc..)

From the "Options" menu, select "Setup".

The Setup Dialog box will then be displayed.

The screenshot shows a window titled "InfoDialog" with a close button (X) in the top right corner. The window contains several input fields and a "Distance Units" section.

Input Fields:

- JT65 EME Callsign:** N5TM/4X7H/KW
- PJ Callsign:** N5TM/2/KW
- Callsign:** N5TM
- Firstname:** Dan
- State:** TX
- Country:** (empty field)
- Grid:** EL29ds
- email:** n5tm@katytx.net

Distance Units:

- ☒ miles
- ☐ Km

Checkboxes and Paths:

- ☒ Use WSJT Log
- WSJT Path:** C:\WSJT97\WSJT.LOG (with a "Browse ..." button)
- Call3.txt WSJT Path:** C:\WSJT97\CALL3.TXT (with a "Browse ..." button)
- Call3.txt MAP65 Path:** C:\MAP65\CALL3.TXT (with a "Browse ..." button)

Buttons: OK, Cancel

JT65 EME Callsign – This is how you want your posts displayed on EME pages.
(example: N5TM/4X7H/KW)

PJ Callsign – This is how you want your posts displayed on Ping Jockey
(example: N5TM/6m/QRO)

Callsign – Enter your callsign here.

Firstname – Your first name

State – State

Country – optional

Grid – your grid square

Email – optional

Use WSJT Log – check if you want PJClient to scan your WSJT log for contacts.

WSJT Path - use the browse button to find the folder where your WSJT.LOG file is located.

Call3.txt Path – use the browse button to find the folder where your Call3.txt file for WSJT and MAP65 are located

2.2 General

As the page is scanned each user on the page is listed in the upper right box and assigned a



Callsign	Na...	Grid	Dis...	Azmu...
AA4SC	Ric	EM9...	932	63
AH6LE	Ken	CN8...	1824	314
CT1HZE	Joe	IM5...	4846	58
DK3RU	Ha...	JO3...	5070	37
F4EZJ	Stef	JN05...	5051	47
KD3UY	Bob	FM1...	1245	53
NC2V	Ba...	EL98...	897	91
NJ2R	Ro...	FN20...	1423	52
ZL2MQ	Da...	RF80k	7362	234

color.

You can track the posts from particular users via the color. Note the highlighted lines. This indicates that callsign was found in WSJT.Log file which means you have worked this station before on some WSJT mode.

2.3 Selected User

2.3.1 Click on a callsign

If you click on a user in the upper right box any future posts from that user are highlighted and also displayed in the station tab of the lower right box.



that feels like one way

0 NJ2R/2XP20/KW Roger NJ FN20uu => ZL2MQ yes it seems that way. I've tried both pol on TX

1 NJ2R/2XP20/KW Roger NJ FN20uu => ZL2MQ Thanks for the try one day it will happen!

1 AH6LE/4XK1FO/KW Ken OR CN85nk => Seeing both of you fine here. FWIW

1 AH6LE/4XK1FO/KW Ken OR CN85nk => Dave -23 Roger -21

2 ZL2MQ/2XP9/KW Dave xx RF80k => NJ2R/2XP20/KW Roger, OK thanks try and report KEN

3 NJ2R/2XP20/KW Roger NJ FN20uu => 146 319 68 171200 2.7 -24 NJ2R ZL2MQ RF80 1 59 108

3 NJ2R/2XP20/KW Roger NJ FN20uu => Thanks Ken for the report

4 ZL2MQ/2XP9/KW Dave xx RF80k => NJ2R/2XP20/KW Roger, stopping breakfast call BBL

5 NJ2R/2XP20/KW Roger NJ FN20uu => Enjoy your breakfast, lunch here!

17:11: Seeing both of you fine here. FWIW

17:11: Dave -23 Roger -21

15:22: It gets harder and harder for new initials!

15:21: CT1HZE Joe. Yep,

2.3.2 Posting Messages

It's easy to miss a post from someone. PJClient watches for your callsign in all posted messages and highlights that message so you will know someone has addressed a message to you.


10/21 21:01 N5TM/4X7H/KW Dan TX EL29ds => N5TM Dan, how are condx tonight?

To facilitate the embedding of callsigns in messages a feature is included to pre-build the callsign and name of the selected person you wish to address. To do this, click the “name” field as below before typing the message.




2.3.3 Drop Down Options

The dropdown box to the left of the callsign can be used to display info on this user, post canned messages, or send an email.




2.4 Timer


A Timer is included to indicate how long you have been attempting the contact. This timer can be started by clicking the “Start” button. It is also started if the “Running” message is selected from the drop down.



If you select the Tnx QSO message while on the Ping Jockey page the distance and time of the contact is also displayed.



On EME pages “Best-“ is displayed



2.5 Buttons and Text Boxes

- 2.5.1 CQ
- 2.5.2 QRV
- 2.5.3 Running

3.0 Menu Items

3.1 Options

- 3.1.1 Setup
- 3.1.2 Font
- 3.1.3 Colors...
- 3.1.4 History
- 3.1.5 Chat Page Font
- 3.1.6 Update Call3.txt

3.2 View

- 3.2.1 N5TM Chat
- 3.2.2 DX Cluster

3.3 Refresh...

3.4 Web Links

3.5 Help

- 3.6 URL Select Drop Down**
- 4.0 Selected User**
 - 4.1 Highlighted lines**
 - 4.2 Format**
- 5.0 CQ QRV and Frequency Posting**
- 6.0 Displayed User**
 - 6.1**