


# Git bisect

Examinando o arquivo **example.md**, encontramos um bug: o conteúdo repete o **3**. Pense nisso como uma funcionalidade “quebrada”.




```
9148674 added number 6
3750c16 added number 5
aad41f4 added number 4
f215b1c added number 3
b4bef0c added number 2
e5b4b29 added number 1
efad026 initial commit
git-demo git:(master) cat example.md
1
2
3
3
5
6
7
8
9
10
git-demo git:(master)
```

Vamos descobrir qual commit introduziu o erro e examina-lo?



# Git bisect



A terminal window titled "NSBrazil 2019" with a dark background and light-colored text. The window shows a list of Git commits on the left, followed by a command to run 'cat example.md'. The output of the command shows a list of numbers from 1 to 10. Below this, the command 'git bisect start' is entered and highlighted with a red box. A red arrow points from the text 'Passo 1: iniciar a caça ao bug!' to the 'start' argument in the command.

```
3750c16 added number 5
aad41f4 added number 4
f215b1c added number 3
b4bef0c added number 2
e5b4b29 added number 1
efad026 initial commit
git-demo git:(master) cat example.md
1
2
3
3
5
6
7
8
9
10
git-demo git:(master) git bisect start
git-demo git:(master) 
```

**Passo 1:**  
**iniciar a caça**  
**ao bug!**