

Git bisect

Esses são os arquivos do projeto

```
NSBrazil 2019
git-demo git:(master) l
total 16
drwxr-xr-x  5 danielbonates  staff  160B Nov 12 21:57 .
drwxr-xr-x 11 danielbonates  staff  352B Nov 12 21:56 ..
drwxr-xr-x 13 danielbonates  staff  416B Nov 12 21:58 .git
-rwxr-xr-x@ 1 danielbonates  staff  497B Nov 12 20:34 build.sh
-rw-r--r-- 1 danielbonates  staff   21B Nov 12 21:57 example.md
git-demo git:(master) 
```


Git bisect

Listando os últimos
commits

```
drwxr-xr-x  5 danielbonates  staff   160B Nov 12 21:57 .
drwxr-xr-x 11 danielbonates  staff   352B Nov 12 21:56 ..
drwxr-xr-x 13 danielbonates  staff   416B Nov 12 21:58 .git
-rwxr-xr-x@ 1 danielbonates  staff   497B Nov 12 20:34 build.sh
-rw-r--r-- 1 danielbonates  staff    21B Nov 12 21:57 example.md
➔ git-demo git:(master) git --no-pager log --oneline
17c7315 (HEAD -> master) backup of demo commands
069d1fb added number 10
8063830 added number 9
99533d5 added number 8
e30105f added number 7
9148674 added number 6
3750c16 added number 5
aad41f4 added number 4
f215b1c added number 3
b4bef0c added number 2
e5b4b29 added number 1
efad026 initial commit
➔ git-demo git:(master) |
```

O “funcionamento
correto” seria um
arquivo com
números sequenciais
de 1 a 10.