


Git bisect

Examinando o arquivo **example.md**, encontramos um bug: o conteúdo repete o **3**.




```
9148674 added number 6
3750c16 added number 5
aad41f4 added number 4
f215b1c added number 3
b4bef0c added number 2
e5b4b29 added number 1
efad026 initial commit
git-demo git:(master) cat example.md
1
2
3
3
5
6
7
8
9
10
git-demo git:(master)
```

A terminal window titled "NSBrazil 2019" showing a list of Git commits. The commit hashes are in orange, and the messages are in white. The last commit is "efad026 initial commit". Below the list, the command "git-demo git:(master) cat example.md" is executed. The output shows a list of numbers: 1, 2, 3, 3, 5, 6, 7, 8, 9, 10. The number 3 is circled in red, and a red arrow points from the text "o conteúdo repete o 3." to it.

Git bisect

Examinando o arquivo **example.md**, encontramos um bug: o conteúdo repete o **3**. Pense nisso como uma funcionalidade “quebrada”.



```
9148674 added number 6
3750c16 added number 5
aad41f4 added number 4
f215b1c added number 3
b4bef0c added number 2
e5b4b29 added number 1
efad026 initial commit
git-demo git:(master) cat example.md
1
2
3
3
5
6
7
8
9
10
git-demo git:(master)
```

Vamos descobrir
qual commit
introduziu o erro
e examina-lo?