The Structure Of A Webpage: example.html

```
<!doctype html>[]
<html>[]
<head>[]
    <title>Example Domain</title>[]
    <meta charset="utf-8" />[]
    <meta http-equiv="Content-type" content="text/html; charset=utf-8" \ensuremath{/>}
    <meta name="viewport" content="width=device-width, initial-scale=1" />[]
    <style type="text/css">[]
    body {□
        background-color: #f0f0f2;[]
        margin: 0; [
        padding: 0;
        font-family: "Open Sans", "Helvetica Neue", Helvetica, Arial, sans-
serif;
        }□
    div {□
        width: 600px;□
        margin: 5em auto;
        padding: 50px;□
        background-color: #fff;[]
        border-radius: 1em; []
```

```
}□
   a:link, a:visited {
       color: #38488f;[]
       text-decoration: none;
   }□
    @media (max-width: 700px) {[]
       body {
           background-color: #fff;[]
       }□
       div {[
           width: auto;
           margin: 0 auto;
           border-radius: 0; []
           padding: 1em;
       }□
   }□
   </style>
               </head>[]
<body>[]
<div>
   <h1>Example Domain</h1>
   This domain is established to be used for illustrative examples in
documents. You may use this [
   domain in examples without prior coordination or asking for permission.
   <a href="http://www.iana.org/domains/example">More information...</a>
</div>[]
</body>[]
```

</html>[]