


Pegamos el paso a paso de inserción de datos en MySQL Workbench.

Paso 1

Trabajamos sobre la tabla departamentos que no contiene ninguna FK y es la primera que creamos



Paso 2: Buscamos donde tenemos guardado el csv a importar





Table Data Import

Configure Import Settings

Detected file format: csv 

Encoding: utf-8


Columns:

<input checked="" type="checkbox"/> Source Column	Dest Column
<input checked="" type="checkbox"/> id_departamento	id_ct
<input checked="" type="checkbox"/> Nombre	nombre


id_deporta...	Nombre
NULL	Fútbol
NULL	Prensa
NULL	Marketing
NULL	Polideportivo
NULL	Educativo

< Back Next > Cancel

Paso 5: importamos los datos



Paso 6: Vemos que se importaron 5 registros.



Paso 7: Chequeamos que estén los mismos.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator Id River Plate After DDL Centro Médico SQL File 12* Script Creación de tablas_v2* cuerpo_tecnico jugadores departamentos x SQLAdditions

Filter objects

carp
proyecto_centro_medico_dg
river_plate
sakila
sys
world

1 • SELECT * FROM clubriverplate.departamentos;

Result Grid

	id_departamento	nombre
1	1	Futbol
2	2	Prensa
3	3	Marketing
4	4	Poledeportivo
5	5	Educativo

Schema: river_plate

departamentos 6 x

Output

#	Time	Action	Message	Duration / Fetch
471	14:24:28	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK	0.000 sec
472	14:24:28	SHOW DATABASES	OK	0.000 sec
473	14:24:34	SHOW SESSION VARIABLES LIKE 'lower_case_table_names'	OK	0.000 sec
474	14:24:34	SHOW COLUMNS FROM 'clubriverplate' 'departamentos'	OK	0.000 sec
475	14:24:36	PREPARE stmt FROM 'INSERT INTO 'clubriverplate' 'departamentos' ('id_departamento...	OK	0.000 sec
476	14:24:36	DEALLOCATE PREPARE stmt	OK	0.000 sec
477	14:25:02	SELECT * FROM clubriverplate.departamentos LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Query Completed