

Osnias-ID — KK Network Registry & Native Escrow Account Formats							
Architecture rule: native escrow identifier → KK network/rail registry → Osnias-ID → Sei Clearing Registry → local Sei 0x clearing address.							
Osnias-ID	KK	Network / Authority	Category	Native escrow identifier	Native format / structure	Format status	Reference source
01—NNN-AAAAAAAA-XX	01	Ethereum	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
02—NNN-AAAAAAAA-XX	02	Sei EVM	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
03—NNN-AAAAAAAA-XX	03	Arbitrum One	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
04—NNN-AAAAAAAA-XX	04	Avalanche C-Chain	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
05—NNN-AAAAAAAA-XX	05	Base	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
06—NNN-AAAAAAAA-XX	06	BNB Smart Chain	EVM	0x address	42 characters: 0x + 40 hexadecimal characters	Fixed	https://ethereum.org/developers/docs/accounts
07/15—NNN-AAAAAAAA-XX	07–15	Reserved EVM	EVM reserve	0x address	EVM-compatible address: 0x + 40 hexadecimal characters	Reserved	https://ethereum.org/developers/docs/accounts
16—NNN-AAAAAAAA-XX	16	Solana	Non-EVM	Solana account address	32-byte address displayed as a Base58-encoded string	Fixed	https://github.com/solana-foundation/solana-com/blob/main/apps/docs/content/docs/en/core/accounts/account-structure.mdx
17—NNN-AAAAAAAA-XX	17	TRON	Non-EVM	TRON address	Base58Check: 34 characters, starts with T; equivalent hex form begins with 41	Fixed	https://developers.tron.network/docs/account
18—NNN-AAAAAAAA-XX	18	Stellar / Soroban	Non-EVM	Stellar account ID / account address	Classic Stellar accounts use G... addresses; Soroban contract accounts use C... addresses	Fixed	https://developers.stellar.org/docs/learn/fundamentals/stellar-data-structures/accounts
19/79—NNN-AAAAAAAA-XX	19–79	Reserved network	Network reserve	Native identifier	Native account / escrow identifier of the allocated network	Reserved	
80—NNN-AAAAAAAA-XX	80	Institutional Rail Reserve	Institutional reserve	Institutional rail identifier	Reserved namespace for institutional rails	Reserved	
81—NNN-AAAAAAAA-XX	81	Reserve Bank of Australia (RBA)	Banking / institutional	BSB + Account Number	BSB: 6 digits (commonly XXX-XXX) + domestic account number; account format is institution-specific	Variable	https://bsb.australia.net.au/
82—NNN-AAAAAAAA-XX	82	Bank of Canada	Banking / institutional	Canadian routing + Account Number	3-digit financial institution number + 5-digit branch transit number + beneficiary account number	Variable	https://www.payments.ca/payment-resources/support-guides/consumer-guides/wire-payment
83—NNN-AAAAAAAA-XX	83	Monetary Authority of Singapore (MAS)	Banking / institutional	Bank / Branch + Account Number	Domestic bank account number; length and branch-code treatment vary by participating bank	Variable	https://www.abs.org.sg/docs/library/2024-07-16-fast-fact-sheet.pdf

