

```

[
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "_lzEndpoint",
        "type": "address"
      },
      {
        "internalType": "address",
        "name": "_initialManager",
        "type": "address"
      }
    ],
    "stateMutability": "nonpayable",
    "type": "constructor"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "target",
        "type": "address"
      }
    ],
    "name": "AddressEmptyCode",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "account",
        "type": "address"
      }
    ],
    "name": "AddressInsufficientBalance",
    "type": "error"
  },
  {
    "inputs": [],
    "name": "CheckpointUnorderedInsertion",
    "type": "error"
  },
  {
    "inputs": [],
    "name": "ECDSAInvalidSignature",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint256",
        "name": "length",

```

```

        "type": "uint256"
    }
],
"name": "ECDSAInvalidSignatureLength",
"type": "error"
},
{
    "inputs": [
        {
            "internalType": "bytes32",
            "name": "s",
            "type": "bytes32"
        }
    ],
    "name": "ECDSAInvalidSignatureS",
    "type": "error"
},
{
    "inputs": [
        {
            "internalType": "uint256",
            "name": "increasedSupply",
            "type": "uint256"
        },
        {
            "internalType": "uint256",
            "name": "cap",
            "type": "uint256"
        }
    ],
    "name": "ERC20ExceededSafeSupply",
    "type": "error"
},
{
    "inputs": [
        {
            "internalType": "address",
            "name": "spender",
            "type": "address"
        },
        {
            "internalType": "uint256",
            "name": "allowance",
            "type": "uint256"
        },
        {
            "internalType": "uint256",
            "name": "needed",
            "type": "uint256"
        }
    ],
    "name": "ERC20InsufficientAllowance",
    "type": "error"
},

```

```

{
  "inputs": [
    {
      "internalType": "address",
      "name": "sender",
      "type": "address"
    },
    {
      "internalType": "uint256",
      "name": "balance",
      "type": "uint256"
    },
    {
      "internalType": "uint256",
      "name": "needed",
      "type": "uint256"
    }
  ],
  "name": "ERC20InsufficientBalance",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "approver",
      "type": "address"
    }
  ],
  "name": "ERC20InvalidApprover",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "receiver",
      "type": "address"
    }
  ],
  "name": "ERC20InvalidReceiver",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "sender",
      "type": "address"
    }
  ],
  "name": "ERC20InvalidSender",
  "type": "error"
},

```

```

{
  "inputs": [
    {
      "internalType": "address",
      "name": "spender",
      "type": "address"
    }
  ],
  "name": "ERC20InvalidSpender",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "uint256",
      "name": "deadline",
      "type": "uint256"
    }
  ],
  "name": "ERC2612ExpiredSignature",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "signer",
      "type": "address"
    },
    {
      "internalType": "address",
      "name": "owner",
      "type": "address"
    }
  ],
  "name": "ERC2612InvalidSigner",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "uint256",
      "name": "timepoint",
      "type": "uint256"
    },
    {
      "internalType": "uint48",
      "name": "clock",
      "type": "uint48"
    }
  ],
  "name": "ERC5805FutureLookup",
  "type": "error"
},

```

```

{
  "inputs": [],
  "name": "ERC6372InconsistentClock",
  "type": "error"
},
{
  "inputs": [],
  "name": "FailedInnerCall",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "account",
      "type": "address"
    },
    {
      "internalType": "uint256",
      "name": "currentNonce",
      "type": "uint256"
    }
  ],
  "name": "InvalidAccountNonce",
  "type": "error"
},
{
  "inputs": [],
  "name": "InvalidDelegate",
  "type": "error"
},
{
  "inputs": [],
  "name": "InvalidEndpointCall",
  "type": "error"
},
{
  "inputs": [],
  "name": "InvalidLocalDecimals",
  "type": "error"
},
{
  "inputs": [
    {
      "internalType": "bytes",
      "name": "options",
      "type": "bytes"
    }
  ],
  "name": "InvalidOptions",
  "type": "error"
},
{
  "inputs": [],

```

```

    "name": "InvalidShortString",
    "type": "error"
  },
  {
    "inputs": [],
    "name": "LzTokenUnavailable",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint32",
        "name": "eid",
        "type": "uint32"
      }
    ],
    "name": "NoPeer",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint256",
        "name": "msgValue",
        "type": "uint256"
      }
    ],
    "name": "NotEnoughNative",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "addr",
        "type": "address"
      }
    ],
    "name": "OnlyEndpoint",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint32",
        "name": "eid",
        "type": "uint32"
      },
      {
        "internalType": "bytes32",
        "name": "sender",
        "type": "bytes32"
      }
    ],

```

```

    "name": "OnlyPeer",
    "type": "error"
  },
  {
    "inputs": [],
    "name": "OnlySelf",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "owner",
        "type": "address"
      }
    ],
    "name": "OwnableInvalidOwner",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "account",
        "type": "address"
      }
    ],
    "name": "OwnableUnauthorizedAccount",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint8",
        "name": "bits",
        "type": "uint8"
      },
      {
        "internalType": "uint256",
        "name": "value",
        "type": "uint256"
      }
    ],
    "name": "SafeCastOverflowedUintDowncast",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "token",
        "type": "address"
      }
    ],
  },

```

```

    "name": "SafeERC20FailedOperation",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "bytes",
        "name": "result",
        "type": "bytes"
      }
    ],
    "name": "SimulationResult",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint256",
        "name": "amountLD",
        "type": "uint256"
      },
      {
        "internalType": "uint256",
        "name": "minAmountLD",
        "type": "uint256"
      }
    ],
    "name": "SlippageExceeded",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "string",
        "name": "str",
        "type": "string"
      }
    ],
    "name": "StringTooLong",
    "type": "error"
  },
  {
    "inputs": [
      {
        "internalType": "uint256",
        "name": "expiry",
        "type": "uint256"
      }
    ],
    "name": "VotesExpiredSignature",
    "type": "error"
  },
  {
    "anonymous": false,

```



```

"inputs": [
  {
    "indexed": true,
    "internalType": "address",
    "name": "owner",
    "type": "address"
  },
  {
    "indexed": true,
    "internalType": "address",
    "name": "spender",
    "type": "address"
  },
  {
    "indexed": false,
    "internalType": "uint256",
    "name": "value",
    "type": "uint256"
  }
],
"name": "Approval",
"type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": true,
      "internalType": "address",
      "name": "delegator",
      "type": "address"
    },
    {
      "indexed": true,
      "internalType": "address",
      "name": "fromDelegate",
      "type": "address"
    },
    {
      "indexed": true,
      "internalType": "address",
      "name": "toDelegate",
      "type": "address"
    }
  ],
  "name": "DelegateChanged",
  "type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": true,
      "internalType": "address",

```

```

        "name": "delegate",
        "type": "address"
    },
    {
        "indexed": false,
        "internalType": "uint256",
        "name": "previousVotes",
        "type": "uint256"
    },
    {
        "indexed": false,
        "internalType": "uint256",
        "name": "newVotes",
        "type": "uint256"
    }
],
"name": "DelegateVotesChanged",
"type": "event"
},
{
    "anonymous": false,
    "inputs": [],
    "name": "EIP712DomainChanged",
    "type": "event"
},
{
    "anonymous": false,
    "inputs": [
        {
            "components": [
                {
                    "internalType": "uint32",
                    "name": "eid",
                    "type": "uint32"
                },
                {
                    "internalType": "uint16",
                    "name": "msgType",
                    "type": "uint16"
                },
                {
                    "internalType": "bytes",
                    "name": "options",
                    "type": "bytes"
                }
            ],
            "indexed": false,
            "internalType": "struct EnforcedOptionParam[]",
            "name": "_enforcedOptions",
            "type": "tuple[]"
        }
    ],
    "name": "EnforcedOptionSet",
    "type": "event"
}

```

```

},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": false,
      "internalType": "address",
      "name": "inspector",
      "type": "address"
    }
  ],
  "name": "MsgInspectorSet",
  "type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": true,
      "internalType": "bytes32",
      "name": "guid",
      "type": "bytes32"
    },
    {
      "indexed": false,
      "internalType": "uint32",
      "name": "srcEid",
      "type": "uint32"
    },
    {
      "indexed": true,
      "internalType": "address",
      "name": "toAddress",
      "type": "address"
    },
    {
      "indexed": false,
      "internalType": "uint256",
      "name": "amountReceivedLD",
      "type": "uint256"
    }
  ],
  "name": "OFTReceived",
  "type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": true,
      "internalType": "bytes32",
      "name": "guid",
      "type": "bytes32"
    }
  ],

```

```

    {
      "indexed": false,
      "internalType": "uint32",
      "name": "dstEid",
      "type": "uint32"
    },
    {
      "indexed": true,
      "internalType": "address",
      "name": "fromAddress",
      "type": "address"
    },
    {
      "indexed": false,
      "internalType": "uint256",
      "name": "amountSentLD",
      "type": "uint256"
    },
    {
      "indexed": false,
      "internalType": "uint256",
      "name": "amountReceivedLD",
      "type": "uint256"
    }
  ],
  "name": "OFTSent",
  "type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": true,
      "internalType": "address",
      "name": "previousOwner",
      "type": "address"
    },
    {
      "indexed": true,
      "internalType": "address",
      "name": "newOwner",
      "type": "address"
    }
  ],
  "name": "OwnershipTransferred",
  "type": "event"
},
{
  "anonymous": false,
  "inputs": [
    {
      "indexed": false,
      "internalType": "uint32",
      "name": "eid",

```

```

        "type": "uint32"
    },
    {
        "indexed": false,
        "internalType": "bytes32",
        "name": "peer",
        "type": "bytes32"
    }
],
"name": "PeerSet",
"type": "event"
},
{
    "anonymous": false,
    "inputs": [
        {
            "indexed": false,
            "internalType": "address",
            "name": "preCrimeAddress",
            "type": "address"
        }
    ],
    "name": "PreCrimeSet",
    "type": "event"
},
{
    "anonymous": false,
    "inputs": [
        {
            "indexed": true,
            "internalType": "address",
            "name": "from",
            "type": "address"
        },
        {
            "indexed": true,
            "internalType": "address",
            "name": "to",
            "type": "address"
        },
        {
            "indexed": false,
            "internalType": "uint256",
            "name": "value",
            "type": "uint256"
        }
    ],
    "name": "Transfer",
    "type": "event"
},
{
    "inputs": [],
    "name": "CLOCK_MODE",
    "outputs": [

```

```

        {
            "internalType": "string",
            "name": "",
            "type": "string"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "DOMAIN_SEPARATOR",
    "outputs": [
        {
            "internalType": "bytes32",
            "name": "",
            "type": "bytes32"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "GENESIS_SUPPLY",
    "outputs": [
        {
            "internalType": "uint256",
            "name": "",
            "type": "uint256"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "OSNIAS_DECIMALS",
    "outputs": [
        {
            "internalType": "uint8",
            "name": "",
            "type": "uint8"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "PROTOCOL",
    "outputs": [
        {
            "internalType": "string",

```

```

        "name": "",
        "type": "string"
    }
],
"stateMutability": "view",
"type": "function"
},
{
    "inputs": [],
    "name": "PROTOCOL_VERSION",
    "outputs": [
        {
            "internalType": "string",
            "name": "",
            "type": "string"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "SEND",
    "outputs": [
        {
            "internalType": "uint16",
            "name": "",
            "type": "uint16"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "SEND_AND_CALL",
    "outputs": [
        {
            "internalType": "uint16",
            "name": "",
            "type": "uint16"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "TOKEN_FULL_NAME",
    "outputs": [
        {
            "internalType": "string",
            "name": "",
            "type": "string"
        }
    ]
}

```

```

    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "components": [
        {
          "internalType": "uint32",
          "name": "srcEid",
          "type": "uint32"
        },
        {
          "internalType": "bytes32",
          "name": "sender",
          "type": "bytes32"
        },
        {
          "internalType": "uint64",
          "name": "nonce",
          "type": "uint64"
        }
      ],
      "internalType": "struct Origin",
      "name": "origin",
      "type": "tuple"
    }
  ],
  "name": "allowInitializePath",
  "outputs": [
    {
      "internalType": "bool",
      "name": "",
      "type": "bool"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "owner",
      "type": "address"
    },
    {
      "internalType": "address",
      "name": "spender",
      "type": "address"
    }
  ],

```



```

    "name": "allowance",
    "outputs": [
      {
        "internalType": "uint256",
        "name": "",
        "type": "uint256"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [],
    "name": "approvalRequired",
    "outputs": [
      {
        "internalType": "bool",
        "name": "",
        "type": "bool"
      }
    ],
    "stateMutability": "pure",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "spender",
        "type": "address"
      },
      {
        "internalType": "uint256",
        "name": "value",
        "type": "uint256"
      }
    ],
    "name": "approve",
    "outputs": [
      {
        "internalType": "bool",
        "name": "",
        "type": "bool"
      }
    ],
    "stateMutability": "nonpayable",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "account",
        "type": "address"
      }
    ]
  }

```

```

    }
  ],
  "name": "balanceOf",
  "outputs": [
    {
      "internalType": "uint256",
      "name": "",
      "type": "uint256"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "uint256",
      "name": "amount",
      "type": "uint256"
    }
  ],
  "name": "burn",
  "outputs": [],
  "stateMutability": "nonpayable",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "account",
      "type": "address"
    },
    {
      "internalType": "uint32",
      "name": "pos",
      "type": "uint32"
    }
  ],
  "name": "checkpoints",
  "outputs": [
    {
      "components": [
        {
          "internalType": "uint48",
          "name": "_key",
          "type": "uint48"
        },
        {
          "internalType": "uint208",
          "name": "_value",
          "type": "uint208"
        }
      ]
    }
  ],

```

```

        "internalType": "struct Checkpoints.Checkpoint208",
        "name": "",
        "type": "tuple"
    }
],
"stateMutability": "view",
"type": "function"
},
{
    "inputs": [],
    "name": "clock",
    "outputs": [
        {
            "internalType": "uint48",
            "name": "",
            "type": "uint48"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [
        {
            "internalType": "uint32",
            "name": "_eid",
            "type": "uint32"
        },
        {
            "internalType": "uint16",
            "name": "_msgType",
            "type": "uint16"
        },
        {
            "internalType": "bytes",
            "name": "_extraOptions",
            "type": "bytes"
        }
    ],
    "name": "combineOptions",
    "outputs": [
        {
            "internalType": "bytes",
            "name": "",
            "type": "bytes"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "decimalConversionRate",
    "outputs": [

```

```

    {
      "internalType": "uint256",
      "name": "",
      "type": "uint256"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [],
  "name": "decimals",
  "outputs": [
    {
      "internalType": "uint8",
      "name": "",
      "type": "uint8"
    }
  ],
  "stateMutability": "pure",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "delegatee",
      "type": "address"
    }
  ],
  "name": "delegate",
  "outputs": [],
  "stateMutability": "nonpayable",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "delegatee",
      "type": "address"
    },
    {
      "internalType": "uint256",
      "name": "nonce",
      "type": "uint256"
    },
    {
      "internalType": "uint256",
      "name": "expiry",
      "type": "uint256"
    }
  ],
  "inputs": [
    {
      "internalType": "uint8",

```

```

        "name": "v",
        "type": "uint8"
    },
    {
        "internalType": "bytes32",
        "name": "r",
        "type": "bytes32"
    },
    {
        "internalType": "bytes32",
        "name": "s",
        "type": "bytes32"
    }
],
"name": "delegateBySig",
"outputs": [],
"stateMutability": "nonpayable",
"type": "function"
},
{
    "inputs": [
        {
            "internalType": "address",
            "name": "account",
            "type": "address"
        }
    ],
    "name": "delegates",
    "outputs": [
        {
            "internalType": "address",
            "name": "",
            "type": "address"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [],
    "name": "eip712Domain",
    "outputs": [
        {
            "internalType": "bytes1",
            "name": "fields",
            "type": "bytes1"
        },
        {
            "internalType": "string",
            "name": "name",
            "type": "string"
        },
        {
            "internalType": "string",

```

```

        "name": "version",
        "type": "string"
    },
    {
        "internalType": "uint256",
        "name": "chainId",
        "type": "uint256"
    },
    {
        "internalType": "address",
        "name": "verifyingContract",
        "type": "address"
    },
    {
        "internalType": "bytes32",
        "name": "salt",
        "type": "bytes32"
    },
    {
        "internalType": "uint256[]",
        "name": "extensions",
        "type": "uint256[]"
    }
],
"stateMutability": "view",
"type": "function"
},
{
    "inputs": [],
    "name": "endpoint",
    "outputs": [
        {
            "internalType": "contract ILayerZeroEndpointV2",
            "name": "",
            "type": "address"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{
    "inputs": [
        {
            "internalType": "uint32",
            "name": "eid",
            "type": "uint32"
        },
        {
            "internalType": "uint16",
            "name": "msgType",
            "type": "uint16"
        }
    ],
    "name": "enforcedOptions",

```

```

    "outputs": [
      {
        "internalType": "bytes",
        "name": "enforcedOption",
        "type": "bytes"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "uint256",
        "name": "timepoint",
        "type": "uint256"
      }
    ],
    "name": "getPastTotalSupply",
    "outputs": [
      {
        "internalType": "uint256",
        "name": "",
        "type": "uint256"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "account",
        "type": "address"
      },
      {
        "internalType": "uint256",
        "name": "timepoint",
        "type": "uint256"
      }
    ],
    "name": "getPastVotes",
    "outputs": [
      {
        "internalType": "uint256",
        "name": "",
        "type": "uint256"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {

```

```

"inputs": [
  {
    "internalType": "address",
    "name": "account",
    "type": "address"
  }
],
"name": "getVotes",
"outputs": [
  {
    "internalType": "uint256",
    "name": "",
    "type": "uint256"
  }
],
"stateMutability": "view",
"type": "function"
},
{
  "inputs": [
    {
      "components": [
        {
          "internalType": "uint32",
          "name": "srcEid",
          "type": "uint32"
        },
        {
          "internalType": "bytes32",
          "name": "sender",
          "type": "bytes32"
        },
        {
          "internalType": "uint64",
          "name": "nonce",
          "type": "uint64"
        }
      ],
      "internalType": "struct Origin",
      "name": "",
      "type": "tuple"
    },
    {
      "internalType": "bytes",
      "name": "",
      "type": "bytes"
    },
    {
      "internalType": "address",
      "name": "_sender",
      "type": "address"
    }
  ],
  "name": "isComposeMsgSender",

```



```

"outputs": [
  {
    "internalType": "bool",
    "name": "",
    "type": "bool"
  }
],
"stateMutability": "view",
"type": "function"
},
{
  "inputs": [
    {
      "internalType": "uint32",
      "name": "_eid",
      "type": "uint32"
    },
    {
      "internalType": "bytes32",
      "name": "_peer",
      "type": "bytes32"
    }
  ],
  "name": "isPeer",
  "outputs": [
    {
      "internalType": "bool",
      "name": "",
      "type": "bool"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "components": [
        {
          "internalType": "uint32",
          "name": "srcEid",
          "type": "uint32"
        },
        {
          "internalType": "bytes32",
          "name": "sender",
          "type": "bytes32"
        },
        {
          "internalType": "uint64",
          "name": "nonce",
          "type": "uint64"
        }
      ]
    }
  ],

```

```

        "internalType": "struct Origin",
        "name": "_origin",
        "type": "tuple"
    },
    {
        "internalType": "bytes32",
        "name": "_guid",
        "type": "bytes32"
    },
    {
        "internalType": "bytes",
        "name": "_message",
        "type": "bytes"
    },
    {
        "internalType": "address",
        "name": "_executor",
        "type": "address"
    },
    {
        "internalType": "bytes",
        "name": "_extraData",
        "type": "bytes"
    }
],
"name": "lzReceive",
"outputs": [],
"stateMutability": "payable",
"type": "function"
},
{
    "inputs": [
        {
            "components": [
                {
                    "components": [
                        {
                            "internalType": "uint32",
                            "name": "srcEid",
                            "type": "uint32"
                        },
                        {
                            "internalType": "bytes32",
                            "name": "sender",
                            "type": "bytes32"
                        }
                    ],
                    "internalType": "uint64",
                    "name": "nonce",
                    "type": "uint64"
                }
            ],
            "internalType": "struct Origin",
            "name": "origin",

```

```

        "type": "tuple"
    },
    {
        "internalType": "uint32",
        "name": "dstEid",
        "type": "uint32"
    },
    {
        "internalType": "address",
        "name": "receiver",
        "type": "address"
    },
    {
        "internalType": "bytes32",
        "name": "guid",
        "type": "bytes32"
    },
    {
        "internalType": "uint256",
        "name": "value",
        "type": "uint256"
    },
    {
        "internalType": "address",
        "name": "executor",
        "type": "address"
    },
    {
        "internalType": "bytes",
        "name": "message",
        "type": "bytes"
    },
    {
        "internalType": "bytes",
        "name": "extraData",
        "type": "bytes"
    }
],
"internalType": "struct InboundPacket[]",
"name": "_packets",
"type": "tuple[]"
}
],
"name": "lzReceiveAndRevert",
"outputs": [],
"stateMutability": "payable",
"type": "function"
},
{
    "inputs": [
        {
            "components": [
                {
                    "internalType": "uint32",

```

```

        "name": "srcEid",
        "type": "uint32"
    },
    {
        "internalType": "bytes32",
        "name": "sender",
        "type": "bytes32"
    },
    {
        "internalType": "uint64",
        "name": "nonce",
        "type": "uint64"
    }
],
"internalType": "struct Origin",
"name": "_origin",
"type": "tuple"
},
{
    "internalType": "bytes32",
    "name": "_guid",
    "type": "bytes32"
},
{
    "internalType": "bytes",
    "name": "_message",
    "type": "bytes"
},
{
    "internalType": "address",
    "name": "_executor",
    "type": "address"
},
{
    "internalType": "bytes",
    "name": "_extraData",
    "type": "bytes"
}
],
"name": "lzReceiveSimulate",
"outputs": [],
"stateMutability": "payable",
"type": "function"
},
{
    "inputs": [],
    "name": "msgInspector",
    "outputs": [
        {
            "internalType": "address",
            "name": "",
            "type": "address"
        }
    ]
},
],

```

```

    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [],
    "name": "name",
    "outputs": [
      {
        "internalType": "string",
        "name": "",
        "type": "string"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "uint32",
        "name": "",
        "type": "uint32"
      },
      {
        "internalType": "bytes32",
        "name": "",
        "type": "bytes32"
      }
    ],
    "name": "nextNonce",
    "outputs": [
      {
        "internalType": "uint64",
        "name": "nonce",
        "type": "uint64"
      }
    ],
    "stateMutability": "view",
    "type": "function"
  },
  {
    "inputs": [
      {
        "internalType": "address",
        "name": "owner",
        "type": "address"
      }
    ],
    "name": "nonces",
    "outputs": [
      {
        "internalType": "uint256",
        "name": "",
        "type": "uint256"
      }
    ]
  }

```

```

    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "account",
      "type": "address"
    }
  ],
  "name": "numCheckpoints",
  "outputs": [
    {
      "internalType": "uint32",
      "name": "",
      "type": "uint32"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [],
  "name": "oApp",
  "outputs": [
    {
      "internalType": "address",
      "name": "",
      "type": "address"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [],
  "name": "oAppVersion",
  "outputs": [
    {
      "internalType": "uint64",
      "name": "senderVersion",
      "type": "uint64"
    },
    {
      "internalType": "uint64",
      "name": "receiverVersion",
      "type": "uint64"
    }
  ],
  "stateMutability": "pure",
  "type": "function"
}

```

```

},
{
  "inputs": [],
  "name": "oftVersion",
  "outputs": [
    {
      "internalType": "bytes4",
      "name": "interfaceId",
      "type": "bytes4"
    },
    {
      "internalType": "uint64",
      "name": "version",
      "type": "uint64"
    }
  ],
  "stateMutability": "pure",
  "type": "function"
},
{
  "inputs": [],
  "name": "owner",
  "outputs": [
    {
      "internalType": "address",
      "name": "",
      "type": "address"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "uint32",
      "name": "eid",
      "type": "uint32"
    }
  ],
  "name": "peers",
  "outputs": [
    {
      "internalType": "bytes32",
      "name": "peer",
      "type": "bytes32"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [
    {

```

```

        "internalType": "address",
        "name": "owner",
        "type": "address"
    },
    {
        "internalType": "address",
        "name": "spender",
        "type": "address"
    },
    {
        "internalType": "uint256",
        "name": "value",
        "type": "uint256"
    },
    {
        "internalType": "uint256",
        "name": "deadline",
        "type": "uint256"
    },
    {
        "internalType": "uint8",
        "name": "v",
        "type": "uint8"
    },
    {
        "internalType": "bytes32",
        "name": "r",
        "type": "bytes32"
    },
    {
        "internalType": "bytes32",
        "name": "s",
        "type": "bytes32"
    }
    ],
    "name": "permit",
    "outputs": [],
    "stateMutability": "nonpayable",
    "type": "function"
},
{
    "inputs": [],
    "name": "preCrime",
    "outputs": [
        {
            "internalType": "address",
            "name": "",
            "type": "address"
        }
    ],
    "stateMutability": "view",
    "type": "function"
},
{

```



```

"inputs": [
  {
    "components": [
      {
        "internalType": "uint32",
        "name": "dstEid",
        "type": "uint32"
      },
      {
        "internalType": "bytes32",
        "name": "to",
        "type": "bytes32"
      },
      {
        "internalType": "uint256",
        "name": "amountLD",
        "type": "uint256"
      },
      {
        "internalType": "uint256",
        "name": "minAmountLD",
        "type": "uint256"
      },
      {
        "internalType": "bytes",
        "name": "extraOptions",
        "type": "bytes"
      },
      {
        "internalType": "bytes",
        "name": "composeMsg",
        "type": "bytes"
      },
      {
        "internalType": "bytes",
        "name": "oftCmd",
        "type": "bytes"
      }
    ],
    "internalType": "struct SendParam",
    "name": "_sendParam",
    "type": "tuple"
  }
],
"name": "quoteOFT",
"outputs": [
  {
    "components": [
      {
        "internalType": "uint256",
        "name": "minAmountLD",
        "type": "uint256"
      },
      {

```

```

        "internalType": "uint256",
        "name": "maxAmountLD",
        "type": "uint256"
    }
],
"internalType": "struct OFTLimit",
"name": "oftLimit",
"type": "tuple"
},
{
    "components": [
        {
            "internalType": "int256",
            "name": "feeAmountLD",
            "type": "int256"
        },
        {
            "internalType": "string",
            "name": "description",
            "type": "string"
        }
    ],
    "internalType": "struct OFTFeeDetail[]",
    "name": "oftFeeDetails",
    "type": "tuple[]"
},
{
    "components": [
        {
            "internalType": "uint256",
            "name": "amountSentLD",
            "type": "uint256"
        },
        {
            "internalType": "uint256",
            "name": "amountReceivedLD",
            "type": "uint256"
        }
    ],
    "internalType": "struct OFTReceipt",
    "name": "oftReceipt",
    "type": "tuple"
}
],
"stateMutability": "view",
"type": "function"
},
{
    "inputs": [
        {
            "components": [
                {
                    "internalType": "uint32",
                    "name": "dstEid",

```

```

        "type": "uint32"
    },
    {
        "internalType": "bytes32",
        "name": "to",
        "type": "bytes32"
    },
    {
        "internalType": "uint256",
        "name": "amountLD",
        "type": "uint256"
    },
    {
        "internalType": "uint256",
        "name": "minAmountLD",
        "type": "uint256"
    },
    {
        "internalType": "bytes",
        "name": "extraOptions",
        "type": "bytes"
    },
    {
        "internalType": "bytes",
        "name": "composeMsg",
        "type": "bytes"
    },
    {
        "internalType": "bytes",
        "name": "oftCmd",
        "type": "bytes"
    }
],
"internalType": "struct SendParam",
"name": "_sendParam",
"type": "tuple"
},
{
    "internalType": "bool",
    "name": "_payInLzToken",
    "type": "bool"
}
],
"name": "quoteSend",
"outputs": [
    {
        "components": [
            {
                "internalType": "uint256",
                "name": "nativeFee",
                "type": "uint256"
            },
            {
                "internalType": "uint256",

```



```

        "internalType": "bytes",
        "name": "oftCmd",
        "type": "bytes"
    }
],
"internalType": "struct SendParam",
"name": "_sendParam",
"type": "tuple"
},
{
    "components": [
        {
            "internalType": "uint256",
            "name": "nativeFee",
            "type": "uint256"
        },
        {
            "internalType": "uint256",
            "name": "lzTokenFee",
            "type": "uint256"
        }
    ],
    "internalType": "struct MessagingFee",
    "name": "_fee",
    "type": "tuple"
},
{
    "internalType": "address",
    "name": "_refundAddress",
    "type": "address"
}
],
"name": "send",
"outputs": [
    {
        "components": [
            {
                "internalType": "bytes32",
                "name": "guid",
                "type": "bytes32"
            },
            {
                "internalType": "uint64",
                "name": "nonce",
                "type": "uint64"
            }
        ],
        {
            "components": [
                {
                    "internalType": "uint256",
                    "name": "nativeFee",
                    "type": "uint256"
                },
                {

```

```

        "internalType": "uint256",
        "name": "lzTokenFee",
        "type": "uint256"
    }
],
"internalType": "struct MessagingFee",
"name": "fee",
"type": "tuple"
}
],
"internalType": "struct MessagingReceipt",
"name": "msgReceipt",
"type": "tuple"
},
{
    "components": [
        {
            "internalType": "uint256",
            "name": "amountSentLD",
            "type": "uint256"
        },
        {
            "internalType": "uint256",
            "name": "amountReceivedLD",
            "type": "uint256"
        }
    ],
    "internalType": "struct OFTReceipt",
    "name": "oftReceipt",
    "type": "tuple"
}
],
"stateMutability": "payable",
"type": "function"
},
{
    "inputs": [
        {
            "internalType": "address",
            "name": "_delegate",
            "type": "address"
        }
    ],
    "name": "setDelegate",
    "outputs": [],
    "stateMutability": "nonpayable",
    "type": "function"
},
{
    "inputs": [
        {
            "components": [
                {
                    "internalType": "uint32",

```

```

        "name": "eid",
        "type": "uint32"
    },
    {
        "internalType": "uint16",
        "name": "msgType",
        "type": "uint16"
    },
    {
        "internalType": "bytes",
        "name": "options",
        "type": "bytes"
    }
],
"internalType": "struct EnforcedOptionParam[]",
"name": "_enforcedOptions",
"type": "tuple[]"
}
],
"name": "setEnforcedOptions",
"outputs": [],
"stateMutability": "nonpayable",
"type": "function"
},
{
    "inputs": [
        {
            "internalType": "address",
            "name": "_msgInspector",
            "type": "address"
        }
    ],
    "name": "setMsgInspector",
    "outputs": [],
    "stateMutability": "nonpayable",
    "type": "function"
},
{
    "inputs": [
        {
            "internalType": "uint32",
            "name": "_eid",
            "type": "uint32"
        },
        {
            "internalType": "bytes32",
            "name": "_peer",
            "type": "bytes32"
        }
    ],
    "name": "setPeer",
    "outputs": [],
    "stateMutability": "nonpayable",
    "type": "function"
}

```

```

},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "_preCrime",
      "type": "address"
    }
  ],
  "name": "setPreCrime",
  "outputs": [],
  "stateMutability": "nonpayable",
  "type": "function"
},
{
  "inputs": [],
  "name": "sharedDecimals",
  "outputs": [
    {
      "internalType": "uint8",
      "name": "",
      "type": "uint8"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [],
  "name": "symbol",
  "outputs": [
    {
      "internalType": "string",
      "name": "",
      "type": "string"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{
  "inputs": [],
  "name": "token",
  "outputs": [
    {
      "internalType": "address",
      "name": "",
      "type": "address"
    }
  ],
  "stateMutability": "view",
  "type": "function"
},
{

```



```

"inputs": [],
"name": "totalSupply",
"outputs": [
  {
    "internalType": "uint256",
    "name": "",
    "type": "uint256"
  }
],
"stateMutability": "view",
"type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "to",
      "type": "address"
    },
    {
      "internalType": "uint256",
      "name": "value",
      "type": "uint256"
    }
  ],
  "name": "transfer",
  "outputs": [
    {
      "internalType": "bool",
      "name": "",
      "type": "bool"
    }
  ],
  "stateMutability": "nonpayable",
  "type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "from",
      "type": "address"
    },
    {
      "internalType": "address",
      "name": "to",
      "type": "address"
    },
    {
      "internalType": "uint256",
      "name": "value",
      "type": "uint256"
    }
  ],

```

```
"name": "transferFrom",
"outputs": [
  {
    "internalType": "bool",
    "name": "",
    "type": "bool"
  }
],
"stateMutability": "nonpayable",
"type": "function"
},
{
  "inputs": [
    {
      "internalType": "address",
      "name": "newOwner",
      "type": "address"
    }
  ],
  "name": "transferOwnership",
  "outputs": [],
  "stateMutability": "nonpayable",
  "type": "function"
}
]
```