```
function names=PreDREEGd(F,p)
%PREDREEGd Selects and plots the tSNE points in F (dreegstruc) at
% percentage p (default = 0.5) away from the center of mass. Names output
% denotes selected points.
응
    Authors:
응
       Michael Caiola (Michael.Caiola@fda.hhs.gov)
응
        Meijun Ye (Meijun.Ye@fda.hhs.gov)
응
응
    Disclaimer: This software and documentation (the "Software") were
    developed at the Food and Drug Administration (FDA) by employees of
응
    the Federal Government in the course of their official duties.
응
    Pursuant to Title 17, Section 105 of the United States Code,
응
    this work is not subject to copyright protection and is in the
응
    public domain. Permission is hereby granted, free of charge, to any
응
    person obtaining a copy of the Software, to deal in the Software
응
응
    without restriction, including without limitation the rights to
    use, copy, modify, merge, publish, distribute, sublicense, or sell
응
    copies of the Software or derivatives, and to permit persons to
응
    whom the Software is furnished to do so. FDA assumes no
응
    responsibility whatsoever for use by other parties of the Software,
응
응
    its source code, documentation or compiled executables, and makes
    no guarantees, expressed or implied, about its quality,
응
    reliability, or any other characteristic. Further, use of this code
응
응
    in no way implies endorsement by the FDA or confers any advantage
    in regulatory decisions. Although this software can be
응
응
    redistributed and/or modified freely, we ask that any derivative
    works bear some notice that they are derived from it, and any
응
    modified versions bear some notice that they have been modified.
응
응
    The Software is not intended to make clinical diagnoses or to be
응
   used in any way to diagnose or treat subjects for whom the EEG is
    taken.
if nargin < 2</pre>
    p = 0.5;
end
if and (p>1, p \le 100)
    p=p/100;
elseif p>100
    error("p must be less than 1")
end
y=ClusterCohesion(F.out.Z);
[\sim, x] = sort(y);
x1=x(1:floor(end*p));
x2=x(floor(end*p)+1:end);
figure
sscatter3 (F.out.Z(x2,1), F.out.Z(x2,2), F.out.Z(x2,3),
15, 'k', 'filled', 'MarkerFaceAlpha', 'flat', 'AlphaData', repmat(.001, [1, length(x2)]));
scatter3(F.out.\mathbb{Z}(x2,1), F.out.\mathbb{Z}(x2,2), F.out.\mathbb{Z}(x2,3),
15, 'k', 'MarkerEdgeAlpha', 'flat', 'AlphaData', repmat(.001, [1,length(x2)]));
hold on
```

```
scatter3(F.out.Z(x1,1),F.out.Z(x1,2),F.out.Z(x1,3),15,y(x1),'filled');
caxis([min(y),max(y)])
title("Cluster and Outliers")
figure
scatter3(F.out.Z(x1,1),F.out.Z(x1,2),F.out.Z(x1,3),15,y(x1),'filled');
caxis([min(y), max(y)])
title("Cluster")
names=F.out.allnames(x1,:);
function y=ClusterCohesion(x)
y=zeros(length(x),1);
for i=1:length(y)
    a=1:length(y);
    a(i) = [];
    for j=a
        y(i) = y(i) + norm(x(i,:) - x(j,:));
    y(i) = y(i) *1/(length(y)-1);
end
```