
Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651


399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373

DOUBLE WALL ROUND *Gored Elbows*




DE90
90° 5–PIECE ELBOW




DE60
60° 3–PIECE ELBOW

STANDARD CENTER LINE RADIUS
EQUALS 1-1/2 TIMES DIAMETER
R = 1.5 × A



DE45
45° 3–PIECE ELBOW



DE30
30° 2–PIECE ELBOW


Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138


Phone: 1-662-429-0373

DOUBLE WALL ROUND *Mitered Elbows*




DMEV90
90° 2-PIECE MITERED ELBOW W/ VANES


Dia. (A)	# of Vanes
8" – 9"	2
10" – 14"	3
15" – 19"	4
20" – 60"	5



DME90
90° 2-PIECE MITERED ELBOW



D3P90
90° 3-PIECE ELBOW




D3P90H
90° 3-PIECE ELBOW

STANDARD CENTER LINE
EQUALS 1-1/2 TIMES DIAMETER.
R = 1.5 × A


Spiral Systems Incorporated

DOUBLE WALL ROUND

Bullhead Tees



DBT90
BULLHEAD TEE 90°
L= A + 3"
R= Refer to reducer drawing.



DBTV90
BULLHEAD TEE 90° W/ VANES
L= A + 3"
R= Refer to reducer drawing.


Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651


399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373


DOUBLE WALL ROUND *Tees and Crosses*




DT90
TEE 90°
L = B + 3"



DRT90
REDUCING TEE 90°
L = B + 3"
R = Refer to reducer drawing.



DC180
CROSS 180°
L = Largest Tap + 3"



DRC180
REDUCING CROSS 180°
L = Largest Tap + 3"
R = Refer to reducer drawing.

Spiral Systems Incorporated


860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138


Phone: 1-662-429-0373

DOUBLE WALL ROUND


Conical Tees and Conical Crosses




DCT90
CONICAL TEE 90°
L = B + 5"



DRCT90
REDUCING CONICAL TEE 90°
L = C + 5"
R = Refer to reducer drawing.



DCC180
CONICAL CROSS 180°
L = Largest Tap + 5"



DRCC180
REDUCING CONICAL CROSS 180°
L = Largest Tap + 5"
R = Refer to reducer drawing.


Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651


399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373


DOUBLE WALL ROUND *Laterals*




DL45
LATERAL 45°
L = C × 1.414 + 3"



DRL45
REDUCING LATERAL 45°
L = C × 1.414 + 3"
R = Refer to reducer drawing.



DLC45
LATERAL CROSS 45°
L = B × 1.414 + 3", B > C



DRLC45
REDUCING LATERAL CROSS 45°
L = C × 1.414 + 3", C > D
R = Refer to reducer drawing.