
Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651


399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373

SINGLE WALL ROUND *Gored Elbows*




E90
90° 5-PIECE ELBOW




E60
60° 3-PIECE ELBOW

STANDARD CENTER LINE RADIUS
EQUALS 1-1/2 TIMES DIAMETER.
R = 1.5 x A



E45
45° 3-PIECE ELBOW



E30
30° 2-PIECE ELBOW

Spiral Systems Incorporated


860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373


SINGLE WALL ROUND

Mitered Elbows




MEV90
90° 2–PIECE MITERED ELBOW W/ VANES


Dia. (A)	# of Vanes
8" – 9"	2
10" – 14"	3
15" – 19"	4
20" – 60"	5



ME90
90° 2–PIECE MITERED ELBOW



3P90
90° 3–PIECE ELBOW



3P90H
90° 3–PIECE ELBOW

STANDARD CENTER LINE RADIUS EQUALS 1-1/2 TIMES DIAMETER.
R = 1.5 x A

Spiral Systems Incorporated


860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138


Phone: 1-662-429-0373

SINGLE WALL ROUND

Bullhead Tees



BT90
BULLHEAD TEE 90°
L = A + 3"
R = Refer to reducer drawing.



BTV90
BULLHEAD TEE 90° W/ VANES
L = A + 3"
R = Refer to reducer drawing.


Spiral Systems Incorporated

860 Old Hwy 51
Nesbit, MS 38651


399 Old Hickory Blvd,
Old Hickory, TN 37138

Phone: 1-662-429-0373


SINGLE WALL ROUND *Tees and Crosses*




T90
TEE 90°
L = B + 3"



RT90
REDUCING TEE 90°
L = C + 3"
R = Refer to reducer drawing.



C180
CROSS 180°
L= Largest Tap + 3"



RC180
REDUCING CROSS 180°
L = Largest Tap + 3"
R = Refer to reducer drawing.

Spiral Systems Incorporated


860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138


Phone: 1-662-429-0373

SINGLE WALL ROUND


Conical Tees and Conical Crosses




CT90
CONICAL TEE 90°
L= B + 5"



RCT90
REDUCING CONICAL TEE 90°
L= C + 5"
R= Refer to reducer drawing.



CC180
CONICAL CROSS 180°
L= B + 5", B > C



RCC180
REDUCING CONICAL CROSS 180°
L= C + 5",C > D
R= Refer to reducer drawing.

Spiral Systems Incorporated


860 Old Hwy 51
Nesbit, MS 38651

399 Old Hickory Blvd,
Old Hickory, TN 37138


Phone: 1-662-429-0373

SINGLE WALL ROUND


Laterals




L45
LATERAL 45°
L = B x 1.414 + 3"



RL45
REDUCING LATERAL 45°
L = C x 1.414 + 3"
R = Refer to reducer drawing.



LC45
LATERAL CROSS 45°
L = B x 1.414 + 3", B > C



RLC45
REDUCING LATERAL CROSS 45°
L = C x 1.414 + 3", C > D
R = Refer to reducer drawing.