Detailed numerical simulation results

Table Results-1: Simulation results of the variation of mean recipient and donor age ($\mu_{\text{R.age}}$ and $\mu_{\text{D.age}}$) in the target population. The median over all simulations for each condition together with the 2.5% and 97.5% quantiles as well as the Monte Carlo standard error (MCse) are reported.

Outcome	$\mu_{\text{D.age}}$	$\mu_{\text{R.age}}$	Performance measure	Median	95% quantiles	n_{sim}	MCse
UK DCD	30.0	30.0	Calibration intercept	-2.186	[-3.250, -1.687]	1000	0.013
UK DCD	30.0	30.0	Calibration slope	1.092	[0.064, 1.741]	1000	0.015
UK DCD	30.0	30.0	Net benefit to transplant no one	0.699	[0.650, 0.744]	1000	0.001
UK DCD	30.0	30.0	Net benefit to transplant all	-0.110	[-0.145, -0.078]	1000	0.001
UK DCD	30.0	30.0	AUC	0.677	[0.600, 0.754]	1000	0.001
UK DCD	30.0	40.0	Calibration intercept	-2.103	[-3.163, -1.611]	1000	0.013
UK DCD	30.0	40.0	Calibration slope	1.149	[0.080, 1.788]	1000	0.015
UK DCD	30.0	40.0	Net benefit to transplant no one	0.692	[0.643, 0.740]	1000	0.001
UK DCD	30.0	40.0	Net benefit to transplant all	-0.110	[-0.141, -0.071]	1000	0.001
UK DCD	30.0	40.0	AUC	0.687	[0.609, 0.759]	1000	0.001
UK DCD	30.0	50.0	Calibration intercept	-1.840	[-2.718, -1.445]	1000	0.010
UK DCD	30.0	50.0	Calibration slope	1.314	[0.240, 1.841]	1000	0.013
UK DCD	30.0	50.0	Net benefit to transplant no one	0.637	[0.589, 0.690]	1000	0.001
UK DCD	30.0	50.0	Net benefit to transplant all	-0.104	[-0.143, -0.060]	1000	0.001
UK DCD	30.0	50.0	AUC	0.715	[0.649, 0.776]	1000	0.001
UK DCD	30.0	57.8	Calibration intercept	-1.603	[-2.106, -1.289]	1000	0.007
UK DCD	30.0	57.8	Calibration slope	1.364	[0.577, 1.827]	1000	0.010
UK DCD	30.0	57.8	Net benefit to transplant no one	0.536	[0.484, 0.587]	1000	0.001
UK DCD	30.0	57.8	Net benefit to transplant all	-0.097	[-0.152, -0.041]	1000	0.001
UK DCD	30.0	57.8	AUC	0.722	[0.668, 0.773]	1000	0.001
UK DCD	30.0	60.0	Calibration intercept	-1.546	[-1.987, -1.270]	1000	0.006
UK DCD	30.0	60.0	Calibration slope	1.359	[0.620, 1.794]	1000	0.009
UK DCD	30.0	60.0	Net benefit to transplant no one	0.502	[0.447, 0.554]	1000	0.001
UK DCD	30.0	60.0	Net benefit to transplant all	-0.092	[-0.155, -0.037]	1000	0.001
UK DCD	30.0	60.0	AUC	0.717	[0.666, 0.769]	1000	0.001
UK DCD	30.0	70.0	Calibration intercept	-1.427	[-1.724, -1.196]	1000	0.004
UK DCD	30.0	70.0	Calibration slope	1.270	[0.820, 1.676]	1000	0.007
UK DCD	30.0	70.0	Net benefit to transplant no one	0.365	[0.308, 0.422]	1000	0.001
UK DCD	30.0	70.0	Net benefit to transplant all	-0.082	[-0.154, -0.007]	1000	0.001
UK DCD	30.0	70.0	AUC	0.681	[0.632, 0.725]	1000	0.001
UK DCD	30.0	80.0	Calibration intercept	-1.404	[-1.640, -1.191]	1000	0.004
UK DCD	30.0	80.0	Calibration slope	1.213	[0.871, 1.604]	1000	0.006
UK DCD	30.0	80.0	Net benefit to transplant no one	0.311	[0.253, 0.363]	1000	0.001
UK DCD	30.0	80.0	Net benefit to transplant all	-0.078	[-0.152, -0.001]	1000	0.001
UK DCD	30.0	80.0	AUC	0.662	[0.616, 0.709]	1000	0.001
UK DCD	40.0	30.0	Calibration intercept	-1.696	[-2.626, -1.280]	1000	0.011
UK DCD	40.0	30.0	Calibration slope	1.270	[0.237, 1.834]	1000	0.013
UK DCD	40.0	30.0	Net benefit to transplant no one	0.641	[0.583, 0.694]	1000	0.001
UK DCD	40.0	30.0	Net benefit to transplant all	-0.083	[-0.122, -0.045]	1000	0.001
UK DCD	40.0	30.0	AUC	0.705	[0.640, 0.764]	1000	0.001
UK DCD	40.0	40.0	Calibration intercept	-1.653	[-2.531, -1.193]	1000	0.010
UK DCD	40.0	40.0	Calibration slope	1.300	[0.303, 1.879]	1000	0.013
UK DCD	40.0	40.0	Net benefit to transplant no one	0.634	[0.577, 0.689]	1000	0.001
UK DCD	40.0	40.0	Net benefit to transplant all	-0.080	[-0.119, -0.039]	1000	0.001
UK DCD	40.0	40.0	AUC	0.709	[0.648, 0.769]	1000	0.001
UK DCD	40.0	50.0	Calibration intercept	-1.450	[-2.087, -1.077]	1000	0.008
UK DCD	40.0	50.0	Calibration slope	1.431	[0.587, 1.936]	1000	0.011
UK DCD	40.0	50.0	Net benefit to transplant no one	0.581	[0.526, 0.636]	1000	0.001
UK DCD	40.0	50.0	Net benefit to transplant all	-0.065	[-0.113, -0.015]	1000	0.001
UK DCD	40.0	50.0	AUC	0.730	[0.677, 0.783]	1000	0.001
UK DCD	40.0	57.8	Calibration intercept	-1.250	[-1.676, -0.974]	1000	0.005
UK DCD	40.0	57.8	Calibration slope	1.503	[0.815, 1.918]	1000	0.009
UK DCD	40.0	57.8	Net benefit to transplant no one	0.481	[0.422, 0.538]	1000	0.001
UK DCD	40.0	57.8	Net benefit to transplant all	-0.034	[-0.092, 0.030]	1000	0.001
UK DCD	40.0	57.8	AUC	0.735	[0.687, 0.783]	1000	0.001
UK DCD	40.0	60.0	Calibration intercept	-1.208	[-1.595, -0.941]	1000	0.005
UK DCD	40.0	60.0	Calibration slope	1.490	[0.854, 1.930]	1000	0.008
UK DCD	40.0	60.0	Net benefit to transplant no one	0.446	[0.381, 0.504]	1000	0.001
UK DCD	40.0	60.0	Net benefit to transplant all	-0.022	[-0.087, 0.042]	1000	0.001
UK DCD	40.0	60.0	AUC	0.731	[0.683, 0.778]	1000	0.001

UK DCD	40.0	70.0	Calibration intercept	-1.110	[-1.349, -0.886]	1000	0.004
UK DCD	40.0	70.0	Calibration slope	1.414	[0.971, 1.811]	1000	0.007
UK DCD	40.0	70.0	Net benefit to transplant no one	0.312	[0.247, 0.372]	1000	0.001
UK DCD	40.0	70.0	Net benefit to transplant all	0.022	[-0.060, 0.100]	1000	0.001
UK DCD	40.0	70.0	AUC	0.699	[0.654, 0.741]	1000	0.001
UK DCD	40.0	80.0	Calibration intercept	-1.083	[-1.300, -0.873]	1000	0.003
UK DCD	40.0	80.0	Calibration slope	1.372	[1.041, 1.757]	1000	0.006
UK DCD	40.0	80.0	Net benefit to transplant no one	0.259	[0.192, 0.317]	1000	0.001
UK DCD	40.0	80.0	Net benefit to transplant all	0.037	[-0.047, 0.122]	1000	0.001
UK DCD	40.0	80.0	AUC	0.683	[0.641, 0.723]	1000	0.001
UK DCD	50.0	30.0	Calibration intercept	-1.147	[-1.706, -0.795]	1000	0.007
UK DCD	50.0	30.0	Calibration slope	1.367	[0.659, 1.812]	1000	0.009
UK DCD	50.0	30.0	Net benefit to transplant no one	0.513	[0.448, 0.581]	1000	0.001
UK DCD	50.0	30.0	Net benefit to transplant all	-0.032	[-0.074, 0.018]	1000	0.001
UK DCD	50.0	30.0	AUC	0.715	[0.670, 0.763]	1000	0.001
UK DCD	50.0	40.0	Calibration intercept	-1.112	[-1.660, -0.776]	1000	0.007
UK DCD	50.0	40.0	Calibration slope	1.391	[0.705, 1.849]	1000	0.009
UK DCD	50.0	40.0	Net benefit to transplant no one	0.512	[0.440, 0.579]	1000	0.001
UK DCD	50.0	40.0	Net benefit to transplant all	-0.024	[-0.071, 0.026]	1000	0.001
UK DCD	50.0	40.0	AUC	0.720	[0.671, 0.763]	1000	0.001
UK DCD	50.0	50.0	Calibration intercept	-0.944	[-1.367, -0.644]	1000	0.006
UK DCD	50.0	50.0	Calibration slope	1.496	[0.900, 1.924]	1000	0.008
UK DCD	50.0	50.0	Net benefit to transplant no one	0.460	[0.389, 0.528]	1000	0.001
UK DCD	50.0	50.0	Net benefit to transplant all	0.018	[-0.038, 0.073]	1000	0.001
UK DCD	50.0	50.0	AUC	0.737	[0.693, 0.775]	1000	0.001
UK DCD	50.0	57.8	Calibration intercept	-0.771	[-1.074, -0.540]	1000	0.004
UK DCD	50.0	57.8	Calibration slope	1.593	[1.071, 1.967]	1000	0.007
UK DCD	50.0	57.8	Net benefit to transplant no one	0.364	[0.290, 0.432]	1000	0.001
UK DCD	50.0	57.8	Net benefit to transplant all	0.098	[0.028, 0.172]	1000	0.001
UK DCD	50.0	57.8	AUC	0.743	[0.704, 0.778]	1000	0.001
UK DCD	50.0	60.0	Calibration intercept	-0.732	[-1.009, -0.508]	1000	0.004
UK DCD	50.0	60.0	Calibration slope	1.592	[1.124, 1.959]	1000	0.007
UK DCD	50.0	60.0	Net benefit to transplant no one	0.329	[0.253, 0.397]	1000	0.001
UK DCD	50.0	60.0	Net benefit to transplant all	0.125	[0.052, 0.198]	1000	0.001
UK DCD	50.0	60.0	AUC	0.741	[0.701, 0.774]	1000	0.001
UK DCD	50.0	70.0	Calibration intercept	-0.635	[-0.821, -0.445]	1000	0.003
UK DCD	50.0	70.0	Calibration slope	1.549	[1.187, 1.902]	1000	0.006
UK DCD	50.0	70.0	Net benefit to transplant no one	0.197	[0.127, 0.263]	1000	0.001
UK DCD	50.0	70.0	Net benefit to transplant all	0.232	[0.143, 0.320]	1000	0.001
UK DCD	50.0	70.0	AUC	0.714	[0.679, 0.750]	1000	0.001
UK DCD	50.0	80.0	Calibration intercept	-0.616	[-0.778, -0.434]	1000	0.003
UK DCD	50.0	80.0	Calibration slope	1.511	[1.228, 1.869]	1000	0.005
UK DCD	50.0	80.0	Net benefit to transplant no one	0.147	[0.078, 0.212]	1000	0.001
UK DCD	50.0	80.0	Net benefit to transplant all	0.275	[0.182, 0.368]	1000	0.002
UK DCD	50.0	80.0	AUC	0.699	[0.667, 0.733]	1000	0.001
UK DCD	57.1	30.0	Calibration intercept	-0.847	[-1.299, -0.553]	1000	0.006
UK DCD	57.1	30.0	Calibration slope	1.352	[0.751, 1.748]	1000	0.007
UK DCD	57.1	30.0	Net benefit to transplant no one	0.390	[0.317, 0.462]	1000	0.001
UK DCD	57.1	30.0	Net benefit to transplant all	0.019	[-0.028, 0.074]	1000	0.001
UK DCD	57.1	30.0	AUC	0.708	[0.665, 0.749]	1000	0.001
UK DCD	57.1	40.0	Calibration intercept	-0.807	[-1.230, -0.524]	1000	0.006
UK DCD	57.1	40.0	Calibration slope	1.367	[0.829, 1.769]	1000	0.008
UK DCD	57.1	40.0	Net benefit to transplant no one	0.385	[0.304, 0.463]	1000	0.001
UK DCD	57.1	40.0	Net benefit to transplant all	0.032	[-0.021, 0.087]	1000	0.001
UK DCD	57.1	40.0	AUC	0.712	[0.670, 0.751]	1000	0.001
UK DCD	57.1	50.0	Calibration intercept	-0.638	[-0.967, -0.393]	1000	0.005
UK DCD	57.1	50.0	Calibration slope	1.502	[1.008, 1.862]	1000	0.007
UK DCD	57.1	50.0	Net benefit to transplant no one	0.336	[0.254, 0.411]	1000	0.001
UK DCD	57.1	50.0	Net benefit to transplant all	0.098	[0.033, 0.162]	1000	0.001
UK DCD	57.1	50.0	AUC	0.731	[0.691, 0.765]	1000	0.001
UK DCD	57.1	57.8	Calibration intercept	-0.449	[-0.695, -0.218]	1000	0.004
UK DCD	57.1	57.8	Calibration slope	1.593	[1.191, 1.945]	1000	0.006
UK DCD	57.1	57.8	Net benefit to transplant no one	0.242	[0.162, 0.319]	1000	0.001
UK DCD	57.1	57.8	Net benefit to transplant all	0.227	[0.152, 0.311]	1000	0.001
UK DCD	57.1	57.8	AUC	0.742	[0.707, 0.772]	1000	0.001
UK DCD	57.1	60.0	Calibration intercept	-0.403	[-0.643, -0.196]	1000	0.003
UK DCD	57.1	60.0	Calibration slope	1.608	[1.205, 1.943]	1000	0.006
UK DCD	57.1	60.0	Net benefit to transplant no one	0.210	[0.128, 0.284]	1000	0.001
UK DCD	57.1	60.0	Net benefit to transplant all	0.272	[0.192, 0.357]	1000	0.001

UK DCD	57.1	60.0	AUC	0.739	[0.704, 0.770]	1000	0.001
UK DCD	57.1	70.0	Calibration intercept	-0.299	[-0.468, -0.134]	1000	0.003
UK DCD	57.1	70.0	Calibration slope	1.577	[1.276, 1.871]	1000	0.005
UK DCD	57.1	70.0	Net benefit to transplant no one	0.081	[0.004, 0.153]	1000	0.001
UK DCD	57.1	70.0	Net benefit to transplant all	0.446	[0.347, 0.540]	1000	0.002
UK DCD	57.1	70.0	AUC	0.716	[0.687, 0.747]	1000	0.000
UK DCD	57.1	80.0	Calibration intercept	-0.273	[-0.417, -0.114]	1000	0.003
UK DCD	57.1	80.0	Calibration slope	1.541	[1.285, 1.832]	1000	0.005
UK DCD	57.1	80.0	Net benefit to transplant no one	0.030	[-0.041, 0.099]	1000	0.001
UK DCD	57.1	80.0	Net benefit to transplant all	0.513	[0.411, 0.618]	1000	0.002
UK DCD	57.1	80.0	AUC	0.701	[0.672, 0.731]	1000	0.000
UK DCD	60.0	30.0	Calibration intercept	-0.751	[-1.150, -0.481]	1000	0.005
UK DCD	60.0	30.0	Calibration slope	1.316	[0.817, 1.674]	1000	0.007
UK DCD	60.0	30.0	Net benefit to transplant no one	0.335	[0.257, 0.409]	1000	0.001
UK DCD	60.0	30.0	Net benefit to transplant all	0.042	[-0.006, 0.097]	1000	0.001
UK DCD	60.0	30.0	AUC	0.701	[0.662, 0.740]	1000	0.001
UK DCD	60.0	40.0	Calibration intercept	-0.710	[-1.084, -0.429]	1000	0.005
UK DCD	60.0	40.0	Calibration slope	1.353	[0.863, 1.727]	1000	0.007
UK DCD	60.0	40.0	Net benefit to transplant no one	0.331	[0.243, 0.410]	1000	0.001
UK DCD	60.0	40.0	Net benefit to transplant all	0.056	[0.002, 0.116]	1000	0.001
UK DCD	60.0	40.0	AUC	0.707	[0.666, 0.744]	1000	0.001
UK DCD	60.0	50.0	Calibration intercept	-0.532	[-0.826, -0.291]	1000	0.004
UK DCD	60.0	50.0	Calibration slope	1.482	[1.041, 1.842]	1000	0.006
UK DCD	60.0	50.0	Net benefit to transplant no one	0.281	[0.199, 0.362]	1000	0.001
UK DCD	60.0	50.0	Net benefit to transplant all	0.134	[0.069, 0.198]	1000	0.001
UK DCD	60.0	50.0	AUC	0.726	[0.688, 0.761]	1000	0.001
UK DCD	60.0	57.8	Calibration intercept	-0.338	[-0.565, -0.129]	1000	0.004
UK DCD	60.0	57.8	Calibration slope	1.591	[1.222, 1.906]	1000	0.006
UK DCD	60.0	57.8	Net benefit to transplant no one	0.187	[0.106, 0.268]	1000	0.001
UK DCD	60.0	57.8	Net benefit to transplant all	0.285	[0.204, 0.373]	1000	0.001
UK DCD	60.0	57.8	AUC	0.738	[0.705, 0.769]	1000	0.001
UK DCD	60.0	60.0	Calibration intercept	-0.292	[-0.497, -0.090]	1000	0.003
UK DCD	60.0	60.0	Calibration slope	1.600	[1.259, 1.910]	1000	0.005
UK DCD	60.0	60.0	Net benefit to transplant no one	0.155	[0.075, 0.234]	1000	0.001
UK DCD	60.0	60.0	Net benefit to transplant all	0.336	[0.253, 0.425]	1000	0.001
UK DCD	60.0	60.0	AUC	0.737	[0.705, 0.767]	1000	0.001
UK DCD	60.0	70.0	Calibration intercept	-0.179	[-0.336, -0.011]	1000	0.003
UK DCD	60.0	70.0	Calibration slope	1.567	[1.287, 1.851]	1000	0.005
UK DCD	60.0	70.0	Net benefit to transplant no one	0.030	[-0.049, 0.102]	1000	0.001
UK DCD	60.0	70.0	Net benefit to transplant all	0.538	[0.436, 0.645]	1000	0.002
UK DCD	60.0	70.0	AUC	0.714	[0.684, 0.744]	1000	0.000
UK DCD	60.0	80.0	Calibration intercept	-0.147	[-0.294, 0.006]	1000	0.002
UK DCD	60.0	80.0	Calibration slope	1.531	[1.283, 1.824]	1000	0.004
UK DCD	60.0	80.0	Net benefit to transplant no one	-0.021	[-0.099, 0.048]	1000	0.001
UK DCD	60.0	80.0	Net benefit to transplant all	0.615	[0.511, 0.723]	1000	0.002
UK DCD	60.0	80.0	AUC	0.699	[0.671, 0.727]	1000	0.000
UK DCD	70.0	30.0	Calibration intercept	-0.542	[-0.842, -0.299]	1000	0.004
UK DCD	70.0	30.0	Calibration slope	1.182	[0.820, 1.493]	1000	0.005
UK DCD	70.0	30.0	Net benefit to transplant no one	0.153	[0.067, 0.246]	1000	0.001
UK DCD	70.0	30.0	Net benefit to transplant all	0.113	[0.053, 0.178]	1000	0.001
UK DCD	70.0	30.0	AUC	0.676	[0.636, 0.713]	1000	0.001
UK DCD	70.0	40.0	Calibration intercept	-0.490	[-0.774, -0.262]	1000	0.004
UK DCD	70.0	40.0	Calibration slope	1.229	[0.837, 1.544]	1000	0.005
UK DCD	70.0	40.0	Net benefit to transplant no one	0.147	[0.056, 0.239]	1000	0.001
UK DCD	70.0	40.0	Net benefit to transplant all	0.134	[0.070, 0.203]	1000	0.001
UK DCD	70.0	40.0	AUC	0.683	[0.647, 0.719]	1000	0.001
UK DCD	70.0	50.0	Calibration intercept	-0.295	[-0.524, -0.070]	1000	0.004
UK DCD	70.0	50.0	Calibration slope	1.378	[1.029, 1.684]	1000	0.005
UK DCD	70.0	50.0	Net benefit to transplant no one	0.101	[0.008, 0.186]	1000	0.001
UK DCD	70.0	50.0	Net benefit to transplant all	0.246	[0.173, 0.317]	1000	0.001
UK DCD	70.0	50.0	AUC	0.705	[0.673, 0.736]	1000	0.001
UK DCD	70.0	57.8	Calibration intercept	-0.051	[-0.243, 0.141]	1000	0.003
UK DCD	70.0	57.8	Calibration slope	1.508	[1.205, 1.792]	1000	0.005
UK DCD	70.0	57.8	Net benefit to transplant no one	0.008	[-0.084, 0.093]	1000	0.001
UK DCD	70.0	57.8	Net benefit to transplant all	0.466	[0.379, 0.561]	1000	0.001
UK DCD	70.0	57.8	AUC	0.723	[0.692, 0.753]	1000	0.000
UK DCD	70.0	60.0	Calibration intercept	0.005	[-0.184, 0.182]	1000	0.003
UK DCD	70.0	60.0	Calibration slope	1.522	[1.231, 1.814]	1000	0.005
UK DCD	70.0	60.0	Net benefit to transplant no one	-0.023	[-0.109, 0.059]	1000	0.001

UK DCD	70.0	60.0	Net benefit to transplant all	0.542	[0.448, 0.643]	1000	0.002
UK DCD	70.0	60.0	AUC	0.723	[0.693, 0.752]	1000	0.000
UK DCD	70.0	70.0	Calibration intercept	0.157	[0.000, 0.325]	1000	0.003
UK DCD	70.0	70.0	Calibration slope	1.476	[1.205, 1.750]	1000	0.004
UK DCD	70.0	70.0	Net benefit to transplant no one	-0.148	[-0.237, -0.065]	1000	0.001
UK DCD	70.0	70.0	Net benefit to transplant all	0.834	[0.727, 0.953]	1000	0.002
UK DCD	70.0	70.0	AUC	0.700	[0.671, 0.729]	1000	0.000
UK DCD	70.0	80.0	Calibration intercept	0.197	[0.061, 0.344]	1000	0.002
UK DCD	70.0	80.0	Calibration slope	1.416	[1.173, 1.680]	1000	0.004
UK DCD	70.0	80.0	Net benefit to transplant no one	-0.198	[-0.279, -0.117]	1000	0.001
UK DCD	70.0	80.0	Net benefit to transplant all	0.949	[0.841, 1.064]	1000	0.002
UK DCD	70.0	80.0	AUC	0.683	[0.655, 0.710]	1000	0.000
UK DCD	80.0	30.0	Calibration intercept	-0.443	[-0.700, -0.237]	1000	0.004
UK DCD	80.0	30.0	Calibration slope	1.077	[0.755, 1.348]	1000	0.005
UK DCD	80.0	30.0	Net benefit to transplant no one	0.030	[-0.067, 0.124]	1000	0.002
UK DCD	80.0	30.0	Net benefit to transplant all	0.159	[0.098, 0.229]	1000	0.001
UK DCD	80.0	30.0	AUC	0.655	[0.617, 0.688]	1000	0.001
UK DCD	80.0	40.0	Calibration intercept	-0.398	[-0.630, -0.200]	1000	0.004
UK DCD	80.0	40.0	Calibration slope	1.123	[0.828, 1.393]	1000	0.005
UK DCD	80.0	40.0	Net benefit to transplant no one	0.025	[-0.078, 0.123]	1000	0.002
UK DCD	80.0	40.0	Net benefit to transplant all	0.184	[0.120, 0.253]	1000	0.001
UK DCD	80.0	40.0	AUC	0.663	[0.626, 0.694]	1000	0.001
UK DCD	80.0	50.0	Calibration intercept	-0.176	[-0.378, 0.011]	1000	0.003
UK DCD	80.0	50.0	Calibration slope	1.278	[1.003, 1.550]	1000	0.004
UK DCD	80.0	50.0	Net benefit to transplant no one	-0.023	[-0.118, 0.071]	1000	0.002
UK DCD	80.0	50.0	Net benefit to transplant all	0.324	[0.246, 0.403]	1000	0.001
UK DCD	80.0	50.0	AUC	0.688	[0.655, 0.718]	1000	0.001
UK DCD	80.0	57.8	Calibration intercept	0.094	[-0.079, 0.269]	1000	0.003
UK DCD	80.0	57.8	Calibration slope	1.421	[1.167, 1.687]	1000	0.004
UK DCD	80.0	57.8	Net benefit to transplant no one	-0.114	[-0.211, -0.024]	1000	0.002
UK DCD	80.0	57.8	Net benefit to transplant all	0.588	[0.497, 0.688]	1000	0.002
UK DCD	80.0	57.8	AUC	0.708	[0.678, 0.738]	1000	0.000
UK DCD	80.0	60.0	Calibration intercept	0.158	[-0.011, 0.328]	1000	0.003
UK DCD	80.0	60.0	Calibration slope	1.433	[1.180, 1.697]	1000	0.004
UK DCD	80.0	60.0	Net benefit to transplant no one	-0.146	[-0.239, -0.057]	1000	0.002
UK DCD	80.0	60.0	Net benefit to transplant all	0.680	[0.587, 0.781]	1000	0.002
UK DCD	80.0	60.0	AUC	0.708	[0.681, 0.736]	1000	0.000
UK DCD	80.0	70.0	Calibration intercept	0.341	[0.193, 0.493]	1000	0.002
UK DCD	80.0	70.0	Calibration slope	1.362	[1.129, 1.627]	1000	0.004
UK DCD	80.0	70.0	Net benefit to transplant no one	-0.269	[-0.360, -0.177]	1000	0.001
UK DCD	80.0	70.0	Net benefit to transplant all	1.034	[0.922, 1.154]	1000	0.002
UK DCD	80.0	70.0	AUC	0.684	[0.656, 0.713]	1000	0.000
UK DCD	80.0	80.0	Calibration intercept	0.392	[0.252, 0.543]	1000	0.002
UK DCD	80.0	80.0	Calibration slope	1.275	[1.051, 1.540]	1000	0.004
UK DCD	80.0	80.0	Net benefit to transplant no one	-0.317	[-0.407, -0.232]	1000	0.001
UK DCD	80.0	80.0	Net benefit to transplant all	1.172	[1.062, 1.299]	1000	0.002
UK DCD	80.0	80.0	AUC	0.664	[0.635, 0.692]	1000	0.000
Swisstransplant	30.0	30.0	Calibration intercept	-2.103	[-2.310, -1.879]	1000	0.004
Swisstransplant	30.0	30.0	Calibration slope	-0.004	[-0.058, 0.101]	1000	0.001
Swisstransplant	30.0	30.0	Net benefit to transplant no one	0.380	[0.293, 0.460]	1000	0.001
Swisstransplant	30.0	30.0	Net benefit to transplant all	-0.073	[-0.114, -0.033]	1000	0.001
Swisstransplant	30.0	30.0	AUC	0.517	[0.478, 0.562]	1000	0.001
Swisstransplant	30.0	40.0	Calibration intercept	-2.063	[-2.267, -1.839]	1000	0.004
Swisstransplant	30.0	40.0	Calibration slope	-0.002	[-0.053, 0.126]	1000	0.002
Swisstransplant	30.0	40.0	Net benefit to transplant no one	0.366	[0.279, 0.446]	1000	0.001
Swisstransplant	30.0	40.0	Net benefit to transplant all	-0.072	[-0.110, -0.031]	1000	0.001
Swisstransplant	30.0	40.0	AUC	0.518	[0.481, 0.565]	1000	0.001
Swisstransplant	30.0	50.0	Calibration intercept	-2.031	[-2.243, -1.798]	1000	0.004
Swisstransplant	30.0	50.0	Calibration slope	0.000	[-0.056, 0.151]	1000	0.002
Swisstransplant	30.0	50.0	Net benefit to transplant no one	0.335	[0.247, 0.414]	1000	0.001
Swisstransplant	30.0	50.0	Net benefit to transplant all	-0.088	[-0.131, -0.042]	1000	0.001
Swisstransplant	30.0	50.0	AUC	0.515	[0.474, 0.563]	1000	0.001
Swisstransplant	30.0	57.8	Calibration intercept	-1.999	[-2.214, -1.770]	1000	0.003
Swisstransplant	30.0	57.8	Calibration slope	0.006	[-0.062, 0.189]	1000	0.002
Swisstransplant	30.0	57.8	Net benefit to transplant no one	0.286	[0.209, 0.363]	1000	0.001
Swisstransplant	30.0	57.8	Net benefit to transplant all	-0.123	[-0.172, -0.072]	1000	0.001
Swisstransplant	30.0	57.8	AUC	0.512	[0.464, 0.564]	1000	0.001
Swisstransplant	30.0	60.0	Calibration intercept	-1.989	[-2.207, -1.756]	1000	0.004
Swisstransplant	30.0	60.0	Calibration slope	0.007	[-0.068, 0.227]	1000	0.002

Swisstransplant	30.0	60.0	Net benefit to transplant no one	0.271	[0.193, 0.343]	1000	0.001
Swisstransplant	30.0	60.0	Net benefit to transplant all	-0.134	[-0.187, -0.079]	1000	0.001
Swisstransplant	30.0	60.0	AUC	0.512	[0.465, 0.564]	1000	0.001
Swisstransplant	30.0	70.0	Calibration intercept	-1.932	[-2.144, -1.674]	1000	0.004
Swisstransplant	30.0	70.0	Calibration slope	0.034	[-0.104, 0.384]	1000	0.004
Swisstransplant	30.0	70.0	Net benefit to transplant no one	0.210	[0.137, 0.281]	1000	0.001
Swisstransplant	30.0	70.0	Net benefit to transplant all	-0.177	[-0.238, -0.112]	1000	0.001
Swisstransplant	30.0	70.0	AUC	0.511	[0.467, 0.563]	1000	0.001
Swisstransplant	30.0	80.0	Calibration intercept	-1.880	[-2.133, -1.635]	1000	0.004
Swisstransplant	30.0	80.0	Calibration slope	0.082	[-0.186, 0.455]	1000	0.005
Swisstransplant	30.0	80.0	Net benefit to transplant no one	0.182	[0.109, 0.245]	1000	0.001
Swisstransplant	30.0	80.0	Net benefit to transplant all	-0.188	[-0.253, -0.122]	1000	0.001
Swisstransplant	30.0	80.0	AUC	0.516	[0.477, 0.562]	1000	0.001
Swisstransplant	40.0	30.0	Calibration intercept	-1.876	[-2.075, -1.651]	1000	0.003
Swisstransplant	40.0	30.0	Calibration slope	0.002	[-0.052, 0.120]	1000	0.001
Swisstransplant	40.0	30.0	Net benefit to transplant no one	0.287	[0.198, 0.370]	1000	0.001
Swisstransplant	40.0	30.0	Net benefit to transplant all	-0.053	[-0.093, -0.010]	1000	0.001
Swisstransplant	40.0	30.0	AUC	0.518	[0.483, 0.564]	1000	0.001
Swisstransplant	40.0	40.0	Calibration intercept	-1.840	[-2.030, -1.615]	1000	0.003
Swisstransplant	40.0	40.0	Calibration slope	0.004	[-0.049, 0.123]	1000	0.002
Swisstransplant	40.0	40.0	Net benefit to transplant no one	0.272	[0.178, 0.359]	1000	0.001
Swisstransplant	40.0	40.0	Net benefit to transplant all	-0.049	[-0.090, 0.000]	1000	0.001
Swisstransplant	40.0	40.0	AUC	0.520	[0.485, 0.566]	1000	0.001
Swisstransplant	40.0	50.0	Calibration intercept	-1.807	[-1.996, -1.596]	1000	0.003
Swisstransplant	40.0	50.0	Calibration slope	0.007	[-0.051, 0.129]	1000	0.002
Swisstransplant	40.0	50.0	Net benefit to transplant no one	0.243	[0.154, 0.324]	1000	0.001
Swisstransplant	40.0	50.0	Net benefit to transplant all	-0.058	[-0.104, -0.011]	1000	0.001
Swisstransplant	40.0	50.0	AUC	0.519	[0.478, 0.562]	1000	0.001
Swisstransplant	40.0	57.8	Calibration intercept	-1.778	[-1.959, -1.567]	1000	0.003
Swisstransplant	40.0	57.8	Calibration slope	0.011	[-0.058, 0.176]	1000	0.002
Swisstransplant	40.0	57.8	Net benefit to transplant no one	0.205	[0.126, 0.284]	1000	0.001
Swisstransplant	40.0	57.8	Net benefit to transplant all	-0.082	[-0.137, -0.024]	1000	0.001
Swisstransplant	40.0	57.8	AUC	0.517	[0.471, 0.566]	1000	0.001
Swisstransplant	40.0	60.0	Calibration intercept	-1.768	[-1.948, -1.554]	1000	0.003
Swisstransplant	40.0	60.0	Calibration slope	0.013	[-0.060, 0.201]	1000	0.002
Swisstransplant	40.0	60.0	Net benefit to transplant no one	0.193	[0.116, 0.268]	1000	0.001
Swisstransplant	40.0	60.0	Net benefit to transplant all	-0.090	[-0.149, -0.033]	1000	0.001
Swisstransplant	40.0	60.0	AUC	0.518	[0.473, 0.566]	1000	0.001
Swisstransplant	40.0	70.0	Calibration intercept	-1.711	[-1.902, -1.467]	1000	0.004
Swisstransplant	40.0	70.0	Calibration slope	0.046	[-0.094, 0.380]	1000	0.004
Swisstransplant	40.0	70.0	Net benefit to transplant no one	0.144	[0.070, 0.218]	1000	0.001
Swisstransplant	40.0	70.0	Net benefit to transplant all	-0.118	[-0.187, -0.052]	1000	0.001
Swisstransplant	40.0	70.0	AUC	0.519	[0.473, 0.564]	1000	0.001
Swisstransplant	40.0	80.0	Calibration intercept	-1.647	[-1.876, -1.432]	1000	0.004
Swisstransplant	40.0	80.0	Calibration slope	0.128	[-0.134, 0.450]	1000	0.005
Swisstransplant	40.0	80.0	Net benefit to transplant no one	0.118	[0.045, 0.186]	1000	0.001
Swisstransplant	40.0	80.0	Net benefit to transplant all	-0.123	[-0.194, -0.052]	1000	0.001
Swisstransplant	40.0	80.0	AUC	0.518	[0.485, 0.560]	1000	0.001
Swisstransplant	50.0	30.0	Calibration intercept	-1.639	[-1.808, -1.428]	1000	0.003
Swisstransplant	50.0	30.0	Calibration slope	0.010	[-0.048, 0.136]	1000	0.002
Swisstransplant	50.0	30.0	Net benefit to transplant no one	0.173	[0.083, 0.267]	1000	0.001
Swisstransplant	50.0	30.0	Net benefit to transplant all	-0.025	[-0.066, 0.023]	1000	0.001
Swisstransplant	50.0	30.0	AUC	0.523	[0.489, 0.564]	1000	0.001
Swisstransplant	50.0	40.0	Calibration intercept	-1.603	[-1.784, -1.394]	1000	0.003
Swisstransplant	50.0	40.0	Calibration slope	0.012	[-0.045, 0.130]	1000	0.002
Swisstransplant	50.0	40.0	Net benefit to transplant no one	0.157	[0.060, 0.248]	1000	0.002
Swisstransplant	50.0	40.0	Net benefit to transplant all	-0.019	[-0.065, 0.032]	1000	0.001
Swisstransplant	50.0	40.0	AUC	0.525	[0.491, 0.569]	1000	0.001
Swisstransplant	50.0	50.0	Calibration intercept	-1.566	[-1.745, -1.363]	1000	0.003
Swisstransplant	50.0	50.0	Calibration slope	0.014	[-0.048, 0.148]	1000	0.002
Swisstransplant	50.0	50.0	Net benefit to transplant no one	0.133	[0.033, 0.222]	1000	0.002
Swisstransplant	50.0	50.0	Net benefit to transplant all	-0.021	[-0.073, 0.035]	1000	0.001
Swisstransplant	50.0	50.0	AUC	0.524	[0.481, 0.570]	1000	0.001
Swisstransplant	50.0	57.8	Calibration intercept	-1.535	[-1.707, -1.326]	1000	0.003
Swisstransplant	50.0	57.8	Calibration slope	0.020	[-0.052, 0.237]	1000	0.002
Swisstransplant	50.0	57.8	Net benefit to transplant no one	0.106	[0.017, 0.189]	1000	0.001
Swisstransplant	50.0	57.8	Net benefit to transplant all	-0.028	[-0.091, 0.034]	1000	0.001
Swisstransplant	50.0	57.8	AUC	0.524	[0.481, 0.568]	1000	0.001
Swisstransplant	50.0	60.0	Calibration intercept	-1.529	[-1.700, -1.313]	1000	0.003

Swisstransplant	50.0	60.0	Calibration slope	0.024	[-0.055, 0.261]	1000	0.002
Swisstransplant	50.0	60.0	Net benefit to transplant no one	0.097	[0.012, 0.180]	1000	0.001
Swisstransplant	50.0	60.0	Net benefit to transplant all	-0.032	[-0.099, 0.033]	1000	0.001
Swisstransplant	50.0	60.0	AUC	0.525	[0.483, 0.568]	1000	0.001
Swisstransplant	50.0	70.0	Calibration intercept	-1.472	[-1.652, -1.254]	1000	0.003
Swisstransplant	50.0	70.0	Calibration slope	0.076	[-0.080, 0.387]	1000	0.004
Swisstransplant	50.0	70.0	Net benefit to transplant no one	0.066	[-0.010, 0.146]	1000	0.001
Swisstransplant	50.0	70.0	Net benefit to transplant all	-0.040	[-0.116, 0.033]	1000	0.001
Swisstransplant	50.0	70.0	AUC	0.525	[0.486, 0.565]	1000	0.001
Swisstransplant	50.0	80.0	Calibration intercept	-1.405	[-1.611, -1.209]	1000	0.003
Swisstransplant	50.0	80.0	Calibration slope	0.176	[-0.107, 0.458]	1000	0.005
Swisstransplant	50.0	80.0	Net benefit to transplant no one	0.046	[-0.028, 0.121]	1000	0.001
Swisstransplant	50.0	80.0	Net benefit to transplant all	-0.036	[-0.114, 0.050]	1000	0.001
Swisstransplant	50.0	80.0	AUC	0.524	[0.487, 0.566]	1000	0.001
Swisstransplant	57.1	30.0	Calibration intercept	-1.462	[-1.639, -1.269]	1000	0.003
Swisstransplant	57.1	30.0	Calibration slope	0.019	[-0.043, 0.201]	1000	0.002
Swisstransplant	57.1	30.0	Net benefit to transplant no one	0.080	[-0.014, 0.182]	1000	0.002
Swisstransplant	57.1	30.0	Net benefit to transplant all	-0.001	[-0.047, 0.046]	1000	0.001
Swisstransplant	57.1	30.0	AUC	0.524	[0.487, 0.566]	1000	0.001
Swisstransplant	57.1	40.0	Calibration intercept	-1.428	[-1.603, -1.208]	1000	0.003
Swisstransplant	57.1	40.0	Calibration slope	0.020	[-0.040, 0.176]	1000	0.002
Swisstransplant	57.1	40.0	Net benefit to transplant no one	0.066	[-0.040, 0.155]	1000	0.002
Swisstransplant	57.1	40.0	Net benefit to transplant all	0.007	[-0.042, 0.059]	1000	0.001
Swisstransplant	57.1	40.0	AUC	0.525	[0.485, 0.566]	1000	0.001
Swisstransplant	57.1	50.0	Calibration intercept	-1.398	[-1.566, -1.198]	1000	0.003
Swisstransplant	57.1	50.0	Calibration slope	0.022	[-0.045, 0.189]	1000	0.002
Swisstransplant	57.1	50.0	Net benefit to transplant no one	0.046	[-0.060, 0.137]	1000	0.002
Swisstransplant	57.1	50.0	Net benefit to transplant all	0.012	[-0.039, 0.068]	1000	0.001
Swisstransplant	57.1	50.0	AUC	0.526	[0.485, 0.566]	1000	0.001
Swisstransplant	57.1	57.8	Calibration intercept	-1.365	[-1.538, -1.169]	1000	0.003
Swisstransplant	57.1	57.8	Calibration slope	0.030	[-0.048, 0.241]	1000	0.002
Swisstransplant	57.1	57.8	Net benefit to transplant no one	0.028	[-0.065, 0.115]	1000	0.001
Swisstransplant	57.1	57.8	Net benefit to transplant all	0.015	[-0.049, 0.080]	1000	0.001
Swisstransplant	57.1	57.8	AUC	0.526	[0.488, 0.565]	1000	0.001
Swisstransplant	57.1	60.0	Calibration intercept	-1.356	[-1.528, -1.165]	1000	0.003
Swisstransplant	57.1	60.0	Calibration slope	0.037	[-0.050, 0.265]	1000	0.003
Swisstransplant	57.1	60.0	Net benefit to transplant no one	0.024	[-0.068, 0.109]	1000	0.001
Swisstransplant	57.1	60.0	Net benefit to transplant all	0.016	[-0.051, 0.083]	1000	0.001
Swisstransplant	57.1	60.0	AUC	0.526	[0.489, 0.566]	1000	0.001
Swisstransplant	57.1	70.0	Calibration intercept	-1.304	[-1.473, -1.114]	1000	0.003
Swisstransplant	57.1	70.0	Calibration slope	0.094	[-0.071, 0.411]	1000	0.004
Swisstransplant	57.1	70.0	Net benefit to transplant no one	0.004	[-0.076, 0.085]	1000	0.001
Swisstransplant	57.1	70.0	Net benefit to transplant all	0.025	[-0.054, 0.107]	1000	0.001
Swisstransplant	57.1	70.0	AUC	0.526	[0.484, 0.566]	1000	0.001
Swisstransplant	57.1	80.0	Calibration intercept	-1.240	[-1.422, -1.076]	1000	0.003
Swisstransplant	57.1	80.0	Calibration slope	0.191	[-0.068, 0.451]	1000	0.004
Swisstransplant	57.1	80.0	Net benefit to transplant no one	-0.009	[-0.088, 0.068]	1000	0.001
Swisstransplant	57.1	80.0	Net benefit to transplant all	0.038	[-0.047, 0.118]	1000	0.001
Swisstransplant	57.1	80.0	AUC	0.525	[0.487, 0.564]	1000	0.001
Swisstransplant	60.0	30.0	Calibration intercept	-1.392	[-1.555, -1.189]	1000	0.003
Swisstransplant	60.0	30.0	Calibration slope	0.023	[-0.044, 0.205]	1000	0.002
Swisstransplant	60.0	30.0	Net benefit to transplant no one	0.042	[-0.058, 0.141]	1000	0.002
Swisstransplant	60.0	30.0	Net benefit to transplant all	0.010	[-0.039, 0.061]	1000	0.001
Swisstransplant	60.0	30.0	AUC	0.524	[0.484, 0.563]	1000	0.001
Swisstransplant	60.0	40.0	Calibration intercept	-1.358	[-1.527, -1.155]	1000	0.003
Swisstransplant	60.0	40.0	Calibration slope	0.025	[-0.038, 0.195]	1000	0.002
Swisstransplant	60.0	40.0	Net benefit to transplant no one	0.027	[-0.077, 0.119]	1000	0.002
Swisstransplant	60.0	40.0	Net benefit to transplant all	0.020	[-0.032, 0.074]	1000	0.001
Swisstransplant	60.0	40.0	AUC	0.525	[0.485, 0.564]	1000	0.001
Swisstransplant	60.0	50.0	Calibration intercept	-1.327	[-1.497, -1.132]	1000	0.003
Swisstransplant	60.0	50.0	Calibration slope	0.028	[-0.044, 0.196]	1000	0.002
Swisstransplant	60.0	50.0	Net benefit to transplant no one	0.008	[-0.095, 0.103]	1000	0.002
Swisstransplant	60.0	50.0	Net benefit to transplant all	0.026	[-0.028, 0.085]	1000	0.001
Swisstransplant	60.0	50.0	AUC	0.525	[0.486, 0.565]	1000	0.001
Swisstransplant	60.0	57.8	Calibration intercept	-1.298	[-1.462, -1.100]	1000	0.003
Swisstransplant	60.0	57.8	Calibration slope	0.037	[-0.044, 0.258]	1000	0.002
Swisstransplant	60.0	57.8	Net benefit to transplant no one	-0.005	[-0.098, 0.082]	1000	0.001
Swisstransplant	60.0	57.8	Net benefit to transplant all	0.036	[-0.031, 0.103]	1000	0.001
Swisstransplant	60.0	57.8	AUC	0.526	[0.492, 0.565]	1000	0.001

Swisstransplant	60.0	60.0	Calibration intercept	-1.288	[-1.450, -1.097]	1000	0.003
Swisstransplant	60.0	60.0	Calibration slope	0.042	[-0.048, 0.269]	1000	0.003
Swisstransplant	60.0	60.0	Net benefit to transplant no one	-0.009	[-0.098, 0.077]	1000	0.001
Swisstransplant	60.0	60.0	Net benefit to transplant all	0.038	[-0.032, 0.111]	1000	0.001
Swisstransplant	60.0	60.0	AUC	0.526	[0.490, 0.565]	1000	0.001
Swisstransplant	60.0	70.0	Calibration intercept	-1.236	[-1.402, -1.050]	1000	0.003
Swisstransplant	60.0	70.0	Calibration slope	0.109	[-0.073, 0.410]	1000	0.004
Swisstransplant	60.0	70.0	Net benefit to transplant no one	-0.021	[-0.103, 0.058]	1000	0.001
Swisstransplant	60.0	70.0	Net benefit to transplant all	0.054	[-0.027, 0.140]	1000	0.001
Swisstransplant	60.0	70.0	AUC	0.525	[0.484, 0.564]	1000	0.001
Swisstransplant	60.0	80.0	Calibration intercept	-1.181	[-1.353, -1.019]	1000	0.003
Swisstransplant	60.0	80.0	Calibration slope	0.194	[-0.060, 0.458]	1000	0.004
Swisstransplant	60.0	80.0	Net benefit to transplant no one	-0.032	[-0.110, 0.046]	1000	0.001
Swisstransplant	60.0	80.0	Net benefit to transplant all	0.070	[-0.014, 0.157]	1000	0.001
Swisstransplant	60.0	80.0	AUC	0.524	[0.489, 0.563]	1000	0.001
Swisstransplant	70.0	30.0	Calibration intercept	-1.151	[-1.318, -0.951]	1000	0.003
Swisstransplant	70.0	30.0	Calibration slope	0.039	[-0.044, 0.243]	1000	0.002
Swisstransplant	70.0	30.0	Net benefit to transplant no one	-0.104	[-0.213, 0.006]	1000	0.002
Swisstransplant	70.0	30.0	Net benefit to transplant all	0.055	[-0.003, 0.113]	1000	0.001
Swisstransplant	70.0	30.0	AUC	0.518	[0.481, 0.558]	1000	0.001
Swisstransplant	70.0	40.0	Calibration intercept	-1.114	[-1.283, -0.911]	1000	0.003
Swisstransplant	70.0	40.0	Calibration slope	0.041	[-0.050, 0.259]	1000	0.002
Swisstransplant	70.0	40.0	Net benefit to transplant no one	-0.124	[-0.233, -0.017]	1000	0.002
Swisstransplant	70.0	40.0	Net benefit to transplant all	0.065	[0.008, 0.129]	1000	0.001
Swisstransplant	70.0	40.0	AUC	0.520	[0.483, 0.557]	1000	0.001
Swisstransplant	70.0	50.0	Calibration intercept	-1.085	[-1.254, -0.899]	1000	0.003
Swisstransplant	70.0	50.0	Calibration slope	0.046	[-0.045, 0.251]	1000	0.002
Swisstransplant	70.0	50.0	Net benefit to transplant no one	-0.134	[-0.241, -0.037]	1000	0.002
Swisstransplant	70.0	50.0	Net benefit to transplant all	0.083	[0.022, 0.154]	1000	0.001
Swisstransplant	70.0	50.0	AUC	0.520	[0.484, 0.559]	1000	0.001
Swisstransplant	70.0	57.8	Calibration intercept	-1.060	[-1.221, -0.876]	1000	0.003
Swisstransplant	70.0	57.8	Calibration slope	0.058	[-0.047, 0.296]	1000	0.003
Swisstransplant	70.0	57.8	Net benefit to transplant no one	-0.128	[-0.227, -0.039]	1000	0.002
Swisstransplant	70.0	57.8	Net benefit to transplant all	0.111	[0.038, 0.192]	1000	0.001
Swisstransplant	70.0	57.8	AUC	0.521	[0.484, 0.558]	1000	0.001
Swisstransplant	70.0	60.0	Calibration intercept	-1.053	[-1.213, -0.870]	1000	0.003
Swisstransplant	70.0	60.0	Calibration slope	0.065	[-0.047, 0.309]	1000	0.003
Swisstransplant	70.0	60.0	Net benefit to transplant no one	-0.124	[-0.221, -0.040]	1000	0.002
Swisstransplant	70.0	60.0	Net benefit to transplant all	0.120	[0.044, 0.206]	1000	0.001
Swisstransplant	70.0	60.0	AUC	0.521	[0.484, 0.560]	1000	0.001
Swisstransplant	70.0	70.0	Calibration intercept	-1.015	[-1.167, -0.847]	1000	0.003
Swisstransplant	70.0	70.0	Calibration slope	0.123	[-0.065, 0.371]	1000	0.004
Swisstransplant	70.0	70.0	Net benefit to transplant no one	-0.115	[-0.200, -0.030]	1000	0.001
Swisstransplant	70.0	70.0	Net benefit to transplant all	0.166	[0.076, 0.263]	1000	0.002
Swisstransplant	70.0	70.0	AUC	0.520	[0.490, 0.558]	1000	0.001
Swisstransplant	70.0	80.0	Calibration intercept	-0.974	[-1.131, -0.824]	1000	0.003
Swisstransplant	70.0	80.0	Calibration slope	0.168	[-0.070, 0.422]	1000	0.004
Swisstransplant	70.0	80.0	Net benefit to transplant no one	-0.118	[-0.195, -0.039]	1000	0.001
Swisstransplant	70.0	80.0	Net benefit to transplant all	0.194	[0.104, 0.290]	1000	0.002
Swisstransplant	70.0	80.0	AUC	0.519	[0.481, 0.557]	1000	0.001
Swisstransplant	80.0	30.0	Calibration intercept	-0.916	[-1.092, -0.723]	1000	0.003
Swisstransplant	80.0	30.0	Calibration slope	0.050	[-0.076, 0.268]	1000	0.003
Swisstransplant	80.0	30.0	Net benefit to transplant no one	-0.271	[-0.388, -0.156]	1000	0.002
Swisstransplant	80.0	30.0	Net benefit to transplant all	0.105	[0.045, 0.169]	1000	0.001
Swisstransplant	80.0	30.0	AUC	0.511	[0.477, 0.548]	1000	0.001
Swisstransplant	80.0	40.0	Calibration intercept	-0.883	[-1.056, -0.673]	1000	0.003
Swisstransplant	80.0	40.0	Calibration slope	0.055	[-0.071, 0.274]	1000	0.003
Swisstransplant	80.0	40.0	Net benefit to transplant no one	-0.290	[-0.402, -0.183]	1000	0.002
Swisstransplant	80.0	40.0	Net benefit to transplant all	0.118	[0.057, 0.188]	1000	0.001
Swisstransplant	80.0	40.0	AUC	0.512	[0.479, 0.549]	1000	0.001
Swisstransplant	80.0	50.0	Calibration intercept	-0.854	[-1.020, -0.669]	1000	0.003
Swisstransplant	80.0	50.0	Calibration slope	0.053	[-0.060, 0.269]	1000	0.003
Swisstransplant	80.0	50.0	Net benefit to transplant no one	-0.291	[-0.403, -0.197]	1000	0.002
Swisstransplant	80.0	50.0	Net benefit to transplant all	0.150	[0.082, 0.226]	1000	0.001
Swisstransplant	80.0	50.0	AUC	0.514	[0.487, 0.549]	1000	0.001
Swisstransplant	80.0	57.8	Calibration intercept	-0.831	[-0.999, -0.662]	1000	0.003
Swisstransplant	80.0	57.8	Calibration slope	0.066	[-0.071, 0.290]	1000	0.003
Swisstransplant	80.0	57.8	Net benefit to transplant no one	-0.266	[-0.365, -0.176]	1000	0.002
Swisstransplant	80.0	57.8	Net benefit to transplant all	0.200	[0.120, 0.285]	1000	0.001

Swisstransplant	80.0	57.8	AUC	0.513	[0.478, 0.551]	1000	0.001
Swisstransplant	80.0	60.0	Calibration intercept	-0.826	[-0.987, -0.656]	1000	0.003
Swisstransplant	80.0	60.0	Calibration slope	0.069	[-0.075, 0.285]	1000	0.003
Swisstransplant	80.0	60.0	Net benefit to transplant no one	-0.256	[-0.349, -0.163]	1000	0.002
Swisstransplant	80.0	60.0	Net benefit to transplant all	0.220	[0.132, 0.306]	1000	0.001
Swisstransplant	80.0	60.0	AUC	0.513	[0.477, 0.551]	1000	0.001
Swisstransplant	80.0	70.0	Calibration intercept	-0.800	[-0.944, -0.657]	1000	0.002
Swisstransplant	80.0	70.0	Calibration slope	0.101	[-0.096, 0.330]	1000	0.004
Swisstransplant	80.0	70.0	Net benefit to transplant no one	-0.217	[-0.305, -0.127]	1000	0.001
Swisstransplant	80.0	70.0	Net benefit to transplant all	0.291	[0.199, 0.394]	1000	0.002
Swisstransplant	80.0	70.0	AUC	0.512	[0.480, 0.551]	1000	0.001
Swisstransplant	80.0	80.0	Calibration intercept	-0.769	[-0.918, -0.636]	1000	0.002
Swisstransplant	80.0	80.0	Calibration slope	0.115	[-0.110, 0.356]	1000	0.004
Swisstransplant	80.0	80.0	Net benefit to transplant no one	-0.208	[-0.291, -0.127]	1000	0.001
Swisstransplant	80.0	80.0	Net benefit to transplant all	0.335	[0.237, 0.438]	1000	0.002
Swisstransplant	80.0	80.0	AUC	0.511	[0.476, 0.545]	1000	0.001

Table Results-2: Simulation results of the variation of mean functional donor warm ischaemia time (μ_{FWIT}) and proportion of cold ischaemia time greater than 6 hours ($p_{\text{CIT}>6\text{h}}$) in the target population. The median over all simulations for each condition together with the 2.5% and 97.5% quantiles as well as the Monte Carlo standard error (MCse) are reported.

Outcome	μ_{FWIT}	$p_{\text{CIT}>6\text{h}}$	Performance measure	Median	95% quantiles	n_{sim}	MCse
UK DCD	10.0	0.000	Calibration intercept	-0.171	[-1.354, 0.584]	1000	0.016
UK DCD	10.0	0.000	Calibration slope	1.263	[0.334, 1.925]	1000	0.013
UK DCD	10.0	0.000	Net benefit to transplant no one	0.482	[0.396, 0.563]	1000	0.001
UK DCD	10.0	0.000	Net benefit to transplant all	0.059	[0.028, 0.097]	1000	0.001
UK DCD	10.0	0.000	AUC	0.773	[0.733, 0.814]	1000	0.001
UK DCD	10.0	0.125	Calibration intercept	-0.099	[-1.197, 0.554]	1000	0.015
UK DCD	10.0	0.125	Calibration slope	1.359	[0.459, 1.917]	1000	0.012
UK DCD	10.0	0.125	Net benefit to transplant no one	0.467	[0.377, 0.550]	1000	0.001
UK DCD	10.0	0.125	Net benefit to transplant all	0.059	[0.029, 0.095]	1000	0.001
UK DCD	10.0	0.125	AUC	0.776	[0.735, 0.812]	1000	0.001
UK DCD	10.0	0.250	Calibration intercept	-0.110	[-1.068, 0.484]	1000	0.013
UK DCD	10.0	0.250	Calibration slope	1.427	[0.598, 1.934]	1000	0.011
UK DCD	10.0	0.250	Net benefit to transplant no one	0.453	[0.367, 0.538]	1000	0.001
UK DCD	10.0	0.250	Net benefit to transplant all	0.060	[0.028, 0.096]	1000	0.001
UK DCD	10.0	0.250	AUC	0.777	[0.733, 0.813]	1000	0.001
UK DCD	10.0	0.375	Calibration intercept	-0.103	[-1.003, 0.408]	1000	0.012
UK DCD	10.0	0.375	Calibration slope	1.484	[0.684, 1.945]	1000	0.011
UK DCD	10.0	0.375	Net benefit to transplant no one	0.442	[0.357, 0.525]	1000	0.001
UK DCD	10.0	0.375	Net benefit to transplant all	0.060	[0.028, 0.096]	1000	0.001
UK DCD	10.0	0.375	AUC	0.777	[0.735, 0.813]	1000	0.001
UK DCD	10.0	0.500	Calibration intercept	-0.084	[-0.934, 0.390]	1000	0.011
UK DCD	10.0	0.500	Calibration slope	1.564	[0.783, 2.021]	1000	0.010
UK DCD	10.0	0.500	Net benefit to transplant no one	0.429	[0.346, 0.513]	1000	0.001
UK DCD	10.0	0.500	Net benefit to transplant all	0.061	[0.027, 0.098]	1000	0.001
UK DCD	10.0	0.500	AUC	0.777	[0.736, 0.813]	1000	0.001
UK DCD	10.0	0.625	Calibration intercept	-0.050	[-0.807, 0.388]	1000	0.009
UK DCD	10.0	0.625	Calibration slope	1.651	[0.899, 2.072]	1000	0.009
UK DCD	10.0	0.625	Net benefit to transplant no one	0.418	[0.330, 0.499]	1000	0.001
UK DCD	10.0	0.625	Net benefit to transplant all	0.060	[0.028, 0.098]	1000	0.001
UK DCD	10.0	0.625	AUC	0.775	[0.738, 0.811]	1000	0.001
UK DCD	10.0	0.702	Calibration intercept	-0.035	[-0.684, 0.378]	1000	0.009
UK DCD	10.0	0.702	Calibration slope	1.704	[1.063, 2.116]	1000	0.009
UK DCD	10.0	0.702	Net benefit to transplant no one	0.410	[0.320, 0.492]	1000	0.001
UK DCD	10.0	0.702	Net benefit to transplant all	0.060	[0.027, 0.099]	1000	0.001
UK DCD	10.0	0.702	AUC	0.774	[0.738, 0.810]	1000	0.001
UK DCD	10.0	0.750	Calibration intercept	-0.025	[-0.619, 0.372]	1000	0.008
UK DCD	10.0	0.750	Calibration slope	1.735	[1.110, 2.149]	1000	0.009
UK DCD	10.0	0.750	Net benefit to transplant no one	0.405	[0.315, 0.487]	1000	0.001
UK DCD	10.0	0.750	Net benefit to transplant all	0.060	[0.026, 0.100]	1000	0.001
UK DCD	10.0	0.750	AUC	0.774	[0.737, 0.811]	1000	0.001
UK DCD	10.0	0.875	Calibration intercept	0.018	[-0.514, 0.396]	1000	0.007
UK DCD	10.0	0.875	Calibration slope	1.835	[1.229, 2.249]	1000	0.008
UK DCD	10.0	0.875	Net benefit to transplant no one	0.392	[0.303, 0.476]	1000	0.001
UK DCD	10.0	0.875	Net benefit to transplant all	0.060	[0.025, 0.101]	1000	0.001
UK DCD	10.0	0.875	AUC	0.773	[0.736, 0.808]	1000	0.001
UK DCD	10.0	1.000	Calibration intercept	0.050	[-0.293, 0.415]	1000	0.006
UK DCD	10.0	1.000	Calibration slope	1.928	[1.613, 2.343]	1000	0.006
UK DCD	10.0	1.000	Net benefit to transplant no one	0.383	[0.293, 0.472]	1000	0.001
UK DCD	10.0	1.000	Net benefit to transplant all	0.061	[0.026, 0.100]	1000	0.001
UK DCD	10.0	1.000	AUC	0.770	[0.735, 0.808]	1000	0.001
UK DCD	20.0	0.000	Calibration intercept	-0.150	[-0.770, 0.286]	1000	0.009
UK DCD	20.0	0.000	Calibration slope	1.406	[0.762, 1.836]	1000	0.009
UK DCD	20.0	0.000	Net benefit to transplant no one	0.402	[0.314, 0.478]	1000	0.001
UK DCD	20.0	0.000	Net benefit to transplant all	0.159	[0.105, 0.218]	1000	0.001
UK DCD	20.0	0.000	AUC	0.759	[0.721, 0.791]	1000	0.001
UK DCD	20.0	0.125	Calibration intercept	-0.178	[-0.827, 0.217]	1000	0.008
UK DCD	20.0	0.125	Calibration slope	1.419	[0.742, 1.820]	1000	0.009
UK DCD	20.0	0.125	Net benefit to transplant no one	0.382	[0.298, 0.461]	1000	0.001
UK DCD	20.0	0.125	Net benefit to transplant all	0.158	[0.104, 0.218]	1000	0.001
UK DCD	20.0	0.125	AUC	0.762	[0.726, 0.795]	1000	0.001
UK DCD	20.0	0.250	Calibration intercept	-0.197	[-0.809, 0.155]	1000	0.008
UK DCD	20.0	0.250	Calibration slope	1.449	[0.761, 1.822]	1000	0.008

UK DCD	20.0	0.250	Net benefit to transplant no one	0.368	[0.284, 0.444]	1000	0.001
UK DCD	20.0	0.250	Net benefit to transplant all	0.157	[0.103, 0.218]	1000	0.001
UK DCD	20.0	0.250	AUC	0.763	[0.728, 0.795]	1000	0.001
UK DCD	20.0	0.375	Calibration intercept	-0.219	[-0.789, 0.104]	1000	0.007
UK DCD	20.0	0.375	Calibration slope	1.489	[0.836, 1.851]	1000	0.008
UK DCD	20.0	0.375	Net benefit to transplant no one	0.352	[0.266, 0.427]	1000	0.001
UK DCD	20.0	0.375	Net benefit to transplant all	0.156	[0.101, 0.218]	1000	0.001
UK DCD	20.0	0.375	AUC	0.764	[0.730, 0.795]	1000	0.001
UK DCD	20.0	0.500	Calibration intercept	-0.242	[-0.706, 0.081]	1000	0.006
UK DCD	20.0	0.500	Calibration slope	1.527	[0.961, 1.865]	1000	0.008
UK DCD	20.0	0.500	Net benefit to transplant no one	0.336	[0.251, 0.413]	1000	0.001
UK DCD	20.0	0.500	Net benefit to transplant all	0.154	[0.098, 0.220]	1000	0.001
UK DCD	20.0	0.500	AUC	0.764	[0.731, 0.794]	1000	0.001
UK DCD	20.0	0.625	Calibration intercept	-0.237	[-0.642, 0.045]	1000	0.005
UK DCD	20.0	0.625	Calibration slope	1.575	[1.066, 1.903]	1000	0.007
UK DCD	20.0	0.625	Net benefit to transplant no one	0.318	[0.233, 0.400]	1000	0.001
UK DCD	20.0	0.625	Net benefit to transplant all	0.154	[0.094, 0.215]	1000	0.001
UK DCD	20.0	0.625	AUC	0.763	[0.729, 0.795]	1000	0.001
UK DCD	20.0	0.702	Calibration intercept	-0.242	[-0.608, 0.030]	1000	0.005
UK DCD	20.0	0.702	Calibration slope	1.607	[1.102, 1.949]	1000	0.007
UK DCD	20.0	0.702	Net benefit to transplant no one	0.310	[0.220, 0.390]	1000	0.001
UK DCD	20.0	0.702	Net benefit to transplant all	0.153	[0.093, 0.216]	1000	0.001
UK DCD	20.0	0.702	AUC	0.762	[0.728, 0.795]	1000	0.001
UK DCD	20.0	0.750	Calibration intercept	-0.243	[-0.608, 0.034]	1000	0.005
UK DCD	20.0	0.750	Calibration slope	1.635	[1.136, 1.970]	1000	0.007
UK DCD	20.0	0.750	Net benefit to transplant no one	0.304	[0.215, 0.385]	1000	0.001
UK DCD	20.0	0.750	Net benefit to transplant all	0.153	[0.092, 0.216]	1000	0.001
UK DCD	20.0	0.750	AUC	0.762	[0.727, 0.795]	1000	0.001
UK DCD	20.0	0.875	Calibration intercept	-0.242	[-0.543, 0.014]	1000	0.005
UK DCD	20.0	0.875	Calibration slope	1.697	[1.296, 2.041]	1000	0.006
UK DCD	20.0	0.875	Net benefit to transplant no one	0.289	[0.202, 0.369]	1000	0.001
UK DCD	20.0	0.875	Net benefit to transplant all	0.151	[0.092, 0.216]	1000	0.001
UK DCD	20.0	0.875	AUC	0.759	[0.725, 0.791]	1000	0.001
UK DCD	20.0	1.000	Calibration intercept	-0.265	[-0.507, -0.013]	1000	0.004
UK DCD	20.0	1.000	Calibration slope	1.757	[1.442, 2.092]	1000	0.005
UK DCD	20.0	1.000	Net benefit to transplant no one	0.271	[0.192, 0.349]	1000	0.001
UK DCD	20.0	1.000	Net benefit to transplant all	0.148	[0.087, 0.214]	1000	0.001
UK DCD	20.0	1.000	AUC	0.755	[0.718, 0.786]	1000	0.001
UK DCD	26.9	0.000	Calibration intercept	-0.261	[-0.640, 0.027]	1000	0.005
UK DCD	26.9	0.000	Calibration slope	1.495	[0.989, 1.882]	1000	0.007
UK DCD	26.9	0.000	Net benefit to transplant no one	0.356	[0.273, 0.428]	1000	0.001
UK DCD	26.9	0.000	Net benefit to transplant all	0.247	[0.184, 0.317]	1000	0.001
UK DCD	26.9	0.000	AUC	0.734	[0.700, 0.768]	1000	0.001
UK DCD	26.9	0.125	Calibration intercept	-0.295	[-0.715, -0.021]	1000	0.006
UK DCD	26.9	0.125	Calibration slope	1.523	[0.952, 1.911]	1000	0.008
UK DCD	26.9	0.125	Net benefit to transplant no one	0.337	[0.246, 0.417]	1000	0.001
UK DCD	26.9	0.125	Net benefit to transplant all	0.246	[0.171, 0.323]	1000	0.001
UK DCD	26.9	0.125	AUC	0.739	[0.701, 0.776]	1000	0.001
UK DCD	26.9	0.250	Calibration intercept	-0.342	[-0.704, -0.088]	1000	0.005
UK DCD	26.9	0.250	Calibration slope	1.516	[0.988, 1.900]	1000	0.007
UK DCD	26.9	0.250	Net benefit to transplant no one	0.317	[0.227, 0.396]	1000	0.001
UK DCD	26.9	0.250	Net benefit to transplant all	0.243	[0.168, 0.322]	1000	0.001
UK DCD	26.9	0.250	AUC	0.741	[0.704, 0.777]	1000	0.001
UK DCD	26.9	0.375	Calibration intercept	-0.378	[-0.701, -0.143]	1000	0.005
UK DCD	26.9	0.375	Calibration slope	1.528	[1.036, 1.882]	1000	0.007
UK DCD	26.9	0.375	Net benefit to transplant no one	0.295	[0.209, 0.375]	1000	0.001
UK DCD	26.9	0.375	Net benefit to transplant all	0.239	[0.159, 0.320]	1000	0.001
UK DCD	26.9	0.375	AUC	0.742	[0.705, 0.775]	1000	0.001
UK DCD	26.9	0.500	Calibration intercept	-0.407	[-0.699, -0.169]	1000	0.004
UK DCD	26.9	0.500	Calibration slope	1.549	[1.091, 1.912]	1000	0.006
UK DCD	26.9	0.500	Net benefit to transplant no one	0.273	[0.192, 0.349]	1000	0.001
UK DCD	26.9	0.500	Net benefit to transplant all	0.234	[0.153, 0.320]	1000	0.001
UK DCD	26.9	0.500	AUC	0.742	[0.706, 0.777]	1000	0.001
UK DCD	26.9	0.625	Calibration intercept	-0.440	[-0.693, -0.207]	1000	0.004
UK DCD	26.9	0.625	Calibration slope	1.572	[1.152, 1.932]	1000	0.006
UK DCD	26.9	0.625	Net benefit to transplant no one	0.254	[0.171, 0.333]	1000	0.001
UK DCD	26.9	0.625	Net benefit to transplant all	0.229	[0.152, 0.309]	1000	0.001
UK DCD	26.9	0.625	AUC	0.742	[0.707, 0.776]	1000	0.001
UK DCD	26.9	0.702	Calibration intercept	-0.449	[-0.695, -0.218]	1000	0.004

UK DCD	26.9	0.702	Calibration slope	1.593	[1.191, 1.945]	1000	0.006
UK DCD	26.9	0.702	Net benefit to transplant no one	0.242	[0.162, 0.319]	1000	0.001
UK DCD	26.9	0.702	Net benefit to transplant all	0.227	[0.152, 0.311]	1000	0.001
UK DCD	26.9	0.702	AUC	0.742	[0.707, 0.772]	1000	0.001
UK DCD	26.9	0.750	Calibration intercept	-0.457	[-0.685, -0.235]	1000	0.004
UK DCD	26.9	0.750	Calibration slope	1.609	[1.233, 1.958]	1000	0.006
UK DCD	26.9	0.750	Net benefit to transplant no one	0.234	[0.155, 0.309]	1000	0.001
UK DCD	26.9	0.750	Net benefit to transplant all	0.225	[0.147, 0.309]	1000	0.001
UK DCD	26.9	0.750	AUC	0.740	[0.705, 0.771]	1000	0.001
UK DCD	26.9	0.875	Calibration intercept	-0.475	[-0.677, -0.254]	1000	0.003
UK DCD	26.9	0.875	Calibration slope	1.666	[1.315, 2.018]	1000	0.006
UK DCD	26.9	0.875	Net benefit to transplant no one	0.213	[0.137, 0.287]	1000	0.001
UK DCD	26.9	0.875	Net benefit to transplant all	0.222	[0.139, 0.305]	1000	0.001
UK DCD	26.9	0.875	AUC	0.738	[0.701, 0.769]	1000	0.001
UK DCD	26.9	1.000	Calibration intercept	-0.494	[-0.681, -0.295]	1000	0.003
UK DCD	26.9	1.000	Calibration slope	1.717	[1.436, 2.050]	1000	0.005
UK DCD	26.9	1.000	Net benefit to transplant no one	0.188	[0.112, 0.264]	1000	0.001
UK DCD	26.9	1.000	Net benefit to transplant all	0.216	[0.140, 0.296]	1000	0.001
UK DCD	26.9	1.000	AUC	0.731	[0.696, 0.763]	1000	0.001
UK DCD	30.0	0.000	Calibration intercept	-0.275	[-0.634, -0.034]	1000	0.005
UK DCD	30.0	0.000	Calibration slope	1.624	[1.050, 1.981]	1000	0.007
UK DCD	30.0	0.000	Net benefit to transplant no one	0.345	[0.269, 0.414]	1000	0.001
UK DCD	30.0	0.000	Net benefit to transplant all	0.285	[0.212, 0.362]	1000	0.001
UK DCD	30.0	0.000	AUC	0.730	[0.693, 0.763]	1000	0.001
UK DCD	30.0	0.125	Calibration intercept	-0.361	[-0.662, -0.106]	1000	0.005
UK DCD	30.0	0.125	Calibration slope	1.568	[1.072, 1.954]	1000	0.007
UK DCD	30.0	0.125	Net benefit to transplant no one	0.320	[0.244, 0.394]	1000	0.001
UK DCD	30.0	0.125	Net benefit to transplant all	0.277	[0.201, 0.355]	1000	0.001
UK DCD	30.0	0.125	AUC	0.731	[0.695, 0.768]	1000	0.001
UK DCD	30.0	0.250	Calibration intercept	-0.412	[-0.692, -0.177]	1000	0.004
UK DCD	30.0	0.250	Calibration slope	1.562	[1.077, 1.939]	1000	0.007
UK DCD	30.0	0.250	Net benefit to transplant no one	0.298	[0.220, 0.371]	1000	0.001
UK DCD	30.0	0.250	Net benefit to transplant all	0.271	[0.195, 0.348]	1000	0.001
UK DCD	30.0	0.250	AUC	0.733	[0.697, 0.768]	1000	0.001
UK DCD	30.0	0.375	Calibration intercept	-0.453	[-0.707, -0.225]	1000	0.004
UK DCD	30.0	0.375	Calibration slope	1.568	[1.114, 1.954]	1000	0.007
UK DCD	30.0	0.375	Net benefit to transplant no one	0.275	[0.199, 0.350]	1000	0.001
UK DCD	30.0	0.375	Net benefit to transplant all	0.267	[0.189, 0.348]	1000	0.001
UK DCD	30.0	0.375	AUC	0.734	[0.699, 0.771]	1000	0.001
UK DCD	30.0	0.500	Calibration intercept	-0.485	[-0.714, -0.275]	1000	0.004
UK DCD	30.0	0.500	Calibration slope	1.582	[1.149, 1.945]	1000	0.006
UK DCD	30.0	0.500	Net benefit to transplant no one	0.253	[0.177, 0.325]	1000	0.001
UK DCD	30.0	0.500	Net benefit to transplant all	0.261	[0.180, 0.344]	1000	0.001
UK DCD	30.0	0.500	AUC	0.734	[0.699, 0.769]	1000	0.001
UK DCD	30.0	0.625	Calibration intercept	-0.504	[-0.729, -0.309]	1000	0.003
UK DCD	30.0	0.625	Calibration slope	1.616	[1.236, 1.974]	1000	0.006
UK DCD	30.0	0.625	Net benefit to transplant no one	0.229	[0.155, 0.303]	1000	0.001
UK DCD	30.0	0.625	Net benefit to transplant all	0.258	[0.170, 0.343]	1000	0.001
UK DCD	30.0	0.625	AUC	0.734	[0.699, 0.768]	1000	0.001
UK DCD	30.0	0.702	Calibration intercept	-0.521	[-0.742, -0.330]	1000	0.003
UK DCD	30.0	0.702	Calibration slope	1.636	[1.256, 2.008]	1000	0.006
UK DCD	30.0	0.702	Net benefit to transplant no one	0.216	[0.142, 0.288]	1000	0.001
UK DCD	30.0	0.702	Net benefit to transplant all	0.253	[0.167, 0.346]	1000	0.001
UK DCD	30.0	0.702	AUC	0.733	[0.697, 0.767]	1000	0.001
UK DCD	30.0	0.750	Calibration intercept	-0.528	[-0.743, -0.343]	1000	0.003
UK DCD	30.0	0.750	Calibration slope	1.655	[1.273, 2.018]	1000	0.006
UK DCD	30.0	0.750	Net benefit to transplant no one	0.208	[0.133, 0.278]	1000	0.001
UK DCD	30.0	0.750	Net benefit to transplant all	0.251	[0.162, 0.343]	1000	0.001
UK DCD	30.0	0.750	AUC	0.732	[0.696, 0.767]	1000	0.001
UK DCD	30.0	0.875	Calibration intercept	-0.554	[-0.745, -0.374]	1000	0.003
UK DCD	30.0	0.875	Calibration slope	1.711	[1.372, 2.075]	1000	0.006
UK DCD	30.0	0.875	Net benefit to transplant no one	0.186	[0.112, 0.254]	1000	0.001
UK DCD	30.0	0.875	Net benefit to transplant all	0.246	[0.153, 0.336]	1000	0.001
UK DCD	30.0	0.875	AUC	0.730	[0.695, 0.763]	1000	0.001
UK DCD	30.0	1.000	Calibration intercept	-0.570	[-0.751, -0.410]	1000	0.003
UK DCD	30.0	1.000	Calibration slope	1.784	[1.447, 2.125]	1000	0.006
UK DCD	30.0	1.000	Net benefit to transplant no one	0.164	[0.086, 0.229]	1000	0.001
UK DCD	30.0	1.000	Net benefit to transplant all	0.239	[0.148, 0.328]	1000	0.001
UK DCD	30.0	1.000	AUC	0.726	[0.691, 0.759]	1000	0.001

UK DCD	40.0	0.000	Calibration intercept	-0.304	[-0.550, -0.045]	1000	0.004
UK DCD	40.0	0.000	Calibration slope	2.149	[1.679, 2.642]	1000	0.008
UK DCD	40.0	0.000	Net benefit to transplant no one	0.347	[0.287, 0.409]	1000	0.001
UK DCD	40.0	0.000	Net benefit to transplant all	0.354	[0.268, 0.447]	1000	0.001
UK DCD	40.0	0.000	AUC	0.739	[0.706, 0.773]	1000	0.001
UK DCD	40.0	0.125	Calibration intercept	-0.405	[-0.652, -0.172]	1000	0.004
UK DCD	40.0	0.125	Calibration slope	2.082	[1.630, 2.524]	1000	0.007
UK DCD	40.0	0.125	Net benefit to transplant no one	0.323	[0.262, 0.382]	1000	0.001
UK DCD	40.0	0.125	Net benefit to transplant all	0.344	[0.254, 0.440]	1000	0.002
UK DCD	40.0	0.125	AUC	0.742	[0.708, 0.776]	1000	0.001
UK DCD	40.0	0.250	Calibration intercept	-0.484	[-0.715, -0.270]	1000	0.004
UK DCD	40.0	0.250	Calibration slope	2.031	[1.592, 2.466]	1000	0.007
UK DCD	40.0	0.250	Net benefit to transplant no one	0.296	[0.233, 0.352]	1000	0.001
UK DCD	40.0	0.250	Net benefit to transplant all	0.333	[0.240, 0.431]	1000	0.002
UK DCD	40.0	0.250	AUC	0.743	[0.705, 0.779]	1000	0.001
UK DCD	40.0	0.375	Calibration intercept	-0.544	[-0.757, -0.355]	1000	0.003
UK DCD	40.0	0.375	Calibration slope	2.017	[1.585, 2.453]	1000	0.007
UK DCD	40.0	0.375	Net benefit to transplant no one	0.267	[0.205, 0.319]	1000	0.001
UK DCD	40.0	0.375	Net benefit to transplant all	0.325	[0.229, 0.421]	1000	0.002
UK DCD	40.0	0.375	AUC	0.744	[0.708, 0.777]	1000	0.001
UK DCD	40.0	0.500	Calibration intercept	-0.602	[-0.812, -0.426]	1000	0.003
UK DCD	40.0	0.500	Calibration slope	2.013	[1.590, 2.466]	1000	0.007
UK DCD	40.0	0.500	Net benefit to transplant no one	0.240	[0.181, 0.295]	1000	0.001
UK DCD	40.0	0.500	Net benefit to transplant all	0.315	[0.214, 0.417]	1000	0.002
UK DCD	40.0	0.500	AUC	0.743	[0.708, 0.777]	1000	0.001
UK DCD	40.0	0.625	Calibration intercept	-0.646	[-0.852, -0.481]	1000	0.003
UK DCD	40.0	0.625	Calibration slope	2.049	[1.629, 2.484]	1000	0.007
UK DCD	40.0	0.625	Net benefit to transplant no one	0.212	[0.152, 0.264]	1000	0.001
UK DCD	40.0	0.625	Net benefit to transplant all	0.306	[0.208, 0.410]	1000	0.002
UK DCD	40.0	0.625	AUC	0.743	[0.710, 0.775]	1000	0.001
UK DCD	40.0	0.702	Calibration intercept	-0.672	[-0.875, -0.509]	1000	0.003
UK DCD	40.0	0.702	Calibration slope	2.073	[1.650, 2.523]	1000	0.007
UK DCD	40.0	0.702	Net benefit to transplant no one	0.195	[0.135, 0.244]	1000	0.001
UK DCD	40.0	0.702	Net benefit to transplant all	0.301	[0.207, 0.403]	1000	0.002
UK DCD	40.0	0.702	AUC	0.742	[0.710, 0.774]	1000	0.001
UK DCD	40.0	0.750	Calibration intercept	-0.689	[-0.892, -0.534]	1000	0.003
UK DCD	40.0	0.750	Calibration slope	2.104	[1.662, 2.544]	1000	0.007
UK DCD	40.0	0.750	Net benefit to transplant no one	0.184	[0.126, 0.234]	1000	0.001
UK DCD	40.0	0.750	Net benefit to transplant all	0.298	[0.193, 0.396]	1000	0.002
UK DCD	40.0	0.750	AUC	0.742	[0.709, 0.772]	1000	0.001
UK DCD	40.0	0.875	Calibration intercept	-0.726	[-0.922, -0.574]	1000	0.003
UK DCD	40.0	0.875	Calibration slope	2.171	[1.726, 2.634]	1000	0.007
UK DCD	40.0	0.875	Net benefit to transplant no one	0.156	[0.098, 0.203]	1000	0.001
UK DCD	40.0	0.875	Net benefit to transplant all	0.287	[0.184, 0.388]	1000	0.002
UK DCD	40.0	0.875	AUC	0.741	[0.705, 0.772]	1000	0.001
UK DCD	40.0	1.000	Calibration intercept	-0.771	[-0.924, -0.603]	1000	0.003
UK DCD	40.0	1.000	Calibration slope	2.260	[1.835, 2.736]	1000	0.007
UK DCD	40.0	1.000	Net benefit to transplant no one	0.125	[0.074, 0.177]	1000	0.001
UK DCD	40.0	1.000	Net benefit to transplant all	0.273	[0.171, 0.384]	1000	0.002
UK DCD	40.0	1.000	AUC	0.737	[0.704, 0.769]	1000	0.001
UK DCD	50.0	0.000	Calibration intercept	-0.272	[-0.509, -0.025]	1000	0.004
UK DCD	50.0	0.000	Calibration slope	2.506	[2.058, 3.027]	1000	0.008
UK DCD	50.0	0.000	Net benefit to transplant no one	0.358	[0.301, 0.410]	1000	0.001
UK DCD	50.0	0.000	Net benefit to transplant all	0.370	[0.280, 0.468]	1000	0.002
UK DCD	50.0	0.000	AUC	0.754	[0.719, 0.787]	1000	0.001
UK DCD	50.0	0.125	Calibration intercept	-0.393	[-0.635, -0.160]	1000	0.004
UK DCD	50.0	0.125	Calibration slope	2.413	[1.945, 2.905]	1000	0.008
UK DCD	50.0	0.125	Net benefit to transplant no one	0.332	[0.277, 0.381]	1000	0.001
UK DCD	50.0	0.125	Net benefit to transplant all	0.361	[0.263, 0.465]	1000	0.002
UK DCD	50.0	0.125	AUC	0.757	[0.724, 0.789]	1000	0.001
UK DCD	50.0	0.250	Calibration intercept	-0.491	[-0.715, -0.282]	1000	0.003
UK DCD	50.0	0.250	Calibration slope	2.340	[1.898, 2.824]	1000	0.007
UK DCD	50.0	0.250	Net benefit to transplant no one	0.302	[0.250, 0.351]	1000	0.001
UK DCD	50.0	0.250	Net benefit to transplant all	0.348	[0.249, 0.455]	1000	0.002
UK DCD	50.0	0.250	AUC	0.757	[0.724, 0.789]	1000	0.001
UK DCD	50.0	0.375	Calibration intercept	-0.568	[-0.777, -0.384]	1000	0.003
UK DCD	50.0	0.375	Calibration slope	2.308	[1.860, 2.778]	1000	0.007
UK DCD	50.0	0.375	Net benefit to transplant no one	0.272	[0.222, 0.320]	1000	0.001
UK DCD	50.0	0.375	Net benefit to transplant all	0.338	[0.232, 0.444]	1000	0.002

UK DCD	50.0	0.375	AUC	0.757	[0.724, 0.789]	1000	0.001
UK DCD	50.0	0.500	Calibration intercept	-0.636	[-0.844, -0.458]	1000	0.003
UK DCD	50.0	0.500	Calibration slope	2.309	[1.860, 2.789]	1000	0.007
UK DCD	50.0	0.500	Net benefit to transplant no one	0.242	[0.193, 0.290]	1000	0.001
UK DCD	50.0	0.500	Net benefit to transplant all	0.325	[0.216, 0.436]	1000	0.002
UK DCD	50.0	0.500	AUC	0.756	[0.723, 0.787]	1000	0.001
UK DCD	50.0	0.625	Calibration intercept	-0.691	[-0.877, -0.520]	1000	0.003
UK DCD	50.0	0.625	Calibration slope	2.346	[1.891, 2.801]	1000	0.008
UK DCD	50.0	0.625	Net benefit to transplant no one	0.213	[0.161, 0.258]	1000	0.001
UK DCD	50.0	0.625	Net benefit to transplant all	0.314	[0.215, 0.421]	1000	0.002
UK DCD	50.0	0.625	AUC	0.756	[0.723, 0.788]	1000	0.001
UK DCD	50.0	0.702	Calibration intercept	-0.725	[-0.898, -0.556]	1000	0.003
UK DCD	50.0	0.702	Calibration slope	2.383	[1.922, 2.864]	1000	0.008
UK DCD	50.0	0.702	Net benefit to transplant no one	0.194	[0.146, 0.240]	1000	0.001
UK DCD	50.0	0.702	Net benefit to transplant all	0.309	[0.207, 0.417]	1000	0.002
UK DCD	50.0	0.702	AUC	0.756	[0.723, 0.786]	1000	0.001
UK DCD	50.0	0.750	Calibration intercept	-0.743	[-0.922, -0.579]	1000	0.003
UK DCD	50.0	0.750	Calibration slope	2.411	[1.921, 2.885]	1000	0.008
UK DCD	50.0	0.750	Net benefit to transplant no one	0.182	[0.133, 0.228]	1000	0.001
UK DCD	50.0	0.750	Net benefit to transplant all	0.305	[0.201, 0.413]	1000	0.002
UK DCD	50.0	0.750	AUC	0.755	[0.723, 0.786]	1000	0.001
UK DCD	50.0	0.875	Calibration intercept	-0.792	[-0.967, -0.642]	1000	0.003
UK DCD	50.0	0.875	Calibration slope	2.503	[1.998, 3.006]	1000	0.008
UK DCD	50.0	0.875	Net benefit to transplant no one	0.153	[0.105, 0.196]	1000	0.001
UK DCD	50.0	0.875	Net benefit to transplant all	0.293	[0.180, 0.401]	1000	0.002
UK DCD	50.0	0.875	AUC	0.755	[0.722, 0.784]	1000	0.001
UK DCD	50.0	1.000	Calibration intercept	-0.840	[-0.999, -0.679]	1000	0.003
UK DCD	50.0	1.000	Calibration slope	2.614	[2.125, 3.148]	1000	0.008
UK DCD	50.0	1.000	Net benefit to transplant no one	0.121	[0.076, 0.160]	1000	0.001
UK DCD	50.0	1.000	Net benefit to transplant all	0.278	[0.175, 0.388]	1000	0.002
UK DCD	50.0	1.000	AUC	0.752	[0.719, 0.783]	1000	0.001
UK DCD	60.0	0.000	Calibration intercept	-0.265	[-0.499, -0.023]	1000	0.004
UK DCD	60.0	0.000	Calibration slope	2.568	[2.117, 3.105]	1000	0.008
UK DCD	60.0	0.000	Net benefit to transplant no one	0.359	[0.305, 0.413]	1000	0.001
UK DCD	60.0	0.000	Net benefit to transplant all	0.372	[0.282, 0.468]	1000	0.002
UK DCD	60.0	0.000	AUC	0.756	[0.723, 0.790]	1000	0.001
UK DCD	60.0	0.125	Calibration intercept	-0.392	[-0.631, -0.161]	1000	0.004
UK DCD	60.0	0.125	Calibration slope	2.464	[2.012, 2.959]	1000	0.008
UK DCD	60.0	0.125	Net benefit to transplant no one	0.332	[0.280, 0.381]	1000	0.001
UK DCD	60.0	0.125	Net benefit to transplant all	0.362	[0.267, 0.467]	1000	0.002
UK DCD	60.0	0.125	AUC	0.759	[0.727, 0.790]	1000	0.001
UK DCD	60.0	0.250	Calibration intercept	-0.493	[-0.715, -0.284]	1000	0.003
UK DCD	60.0	0.250	Calibration slope	2.383	[1.947, 2.886]	1000	0.007
UK DCD	60.0	0.250	Net benefit to transplant no one	0.302	[0.251, 0.349]	1000	0.001
UK DCD	60.0	0.250	Net benefit to transplant all	0.350	[0.254, 0.457]	1000	0.002
UK DCD	60.0	0.250	AUC	0.759	[0.726, 0.791]	1000	0.001
UK DCD	60.0	0.375	Calibration intercept	-0.571	[-0.778, -0.384]	1000	0.003
UK DCD	60.0	0.375	Calibration slope	2.353	[1.915, 2.834]	1000	0.007
UK DCD	60.0	0.375	Net benefit to transplant no one	0.272	[0.223, 0.321]	1000	0.001
UK DCD	60.0	0.375	Net benefit to transplant all	0.338	[0.232, 0.444]	1000	0.002
UK DCD	60.0	0.375	AUC	0.759	[0.726, 0.790]	1000	0.001
UK DCD	60.0	0.500	Calibration intercept	-0.642	[-0.847, -0.462]	1000	0.003
UK DCD	60.0	0.500	Calibration slope	2.349	[1.903, 2.828]	1000	0.007
UK DCD	60.0	0.500	Net benefit to transplant no one	0.242	[0.194, 0.289]	1000	0.001
UK DCD	60.0	0.500	Net benefit to transplant all	0.327	[0.213, 0.436]	1000	0.002
UK DCD	60.0	0.500	AUC	0.758	[0.725, 0.788]	1000	0.001
UK DCD	60.0	0.625	Calibration intercept	-0.697	[-0.881, -0.525]	1000	0.003
UK DCD	60.0	0.625	Calibration slope	2.384	[1.937, 2.868]	1000	0.008
UK DCD	60.0	0.625	Net benefit to transplant no one	0.214	[0.163, 0.258]	1000	0.001
UK DCD	60.0	0.625	Net benefit to transplant all	0.316	[0.218, 0.423]	1000	0.002
UK DCD	60.0	0.625	AUC	0.759	[0.726, 0.790]	1000	0.001
UK DCD	60.0	0.702	Calibration intercept	-0.730	[-0.901, -0.563]	1000	0.003
UK DCD	60.0	0.702	Calibration slope	2.420	[1.970, 2.917]	1000	0.008
UK DCD	60.0	0.702	Net benefit to transplant no one	0.195	[0.146, 0.239]	1000	0.001
UK DCD	60.0	0.702	Net benefit to transplant all	0.309	[0.210, 0.420]	1000	0.002
UK DCD	60.0	0.702	AUC	0.758	[0.726, 0.788]	1000	0.001
UK DCD	60.0	0.750	Calibration intercept	-0.750	[-0.926, -0.586]	1000	0.003
UK DCD	60.0	0.750	Calibration slope	2.457	[1.964, 2.942]	1000	0.008
UK DCD	60.0	0.750	Net benefit to transplant no one	0.183	[0.135, 0.228]	1000	0.001

UK DCD	60.0	0.750	Net benefit to transplant all	0.306	[0.204, 0.412]	1000	0.002
UK DCD	60.0	0.750	AUC	0.758	[0.726, 0.788]	1000	0.001
UK DCD	60.0	0.875	Calibration intercept	-0.802	[-0.974, -0.652]	1000	0.003
UK DCD	60.0	0.875	Calibration slope	2.554	[2.040, 3.086]	1000	0.008
UK DCD	60.0	0.875	Net benefit to transplant no one	0.153	[0.104, 0.195]	1000	0.001
UK DCD	60.0	0.875	Net benefit to transplant all	0.293	[0.183, 0.403]	1000	0.002
UK DCD	60.0	0.875	AUC	0.757	[0.725, 0.786]	1000	0.001
UK DCD	60.0	1.000	Calibration intercept	-0.851	[-1.008, -0.693]	1000	0.003
UK DCD	60.0	1.000	Calibration slope	2.668	[2.166, 3.227]	1000	0.009
UK DCD	60.0	1.000	Net benefit to transplant no one	0.120	[0.077, 0.159]	1000	0.001
UK DCD	60.0	1.000	Net benefit to transplant all	0.279	[0.172, 0.391]	1000	0.002
UK DCD	60.0	1.000	AUC	0.754	[0.722, 0.785]	1000	0.001
Swisstransplant	10.0	0.000	Calibration intercept	-1.078	[-1.240, -0.924]	1000	0.003
Swisstransplant	10.0	0.000	Calibration slope	0.023	[-0.000, 0.054]	1000	0.000
Swisstransplant	10.0	0.000	Net benefit to transplant no one	-0.158	[-0.285, -0.037]	1000	0.002
Swisstransplant	10.0	0.000	Net benefit to transplant all	0.035	[0.008, 0.063]	1000	0.000
Swisstransplant	10.0	0.000	AUC	0.541	[0.506, 0.578]	1000	0.001
Swisstransplant	10.0	0.125	Calibration intercept	-1.125	[-1.294, -0.959]	1000	0.003
Swisstransplant	10.0	0.125	Calibration slope	0.023	[-0.003, 0.058]	1000	0.000
Swisstransplant	10.0	0.125	Net benefit to transplant no one	-0.131	[-0.258, -0.009]	1000	0.002
Swisstransplant	10.0	0.125	Net benefit to transplant all	0.032	[0.005, 0.065]	1000	0.000
Swisstransplant	10.0	0.125	AUC	0.537	[0.496, 0.576]	1000	0.001
Swisstransplant	10.0	0.250	Calibration intercept	-1.172	[-1.347, -1.008]	1000	0.003
Swisstransplant	10.0	0.250	Calibration slope	0.020	[-0.008, 0.055]	1000	0.001
Swisstransplant	10.0	0.250	Net benefit to transplant no one	-0.102	[-0.229, 0.017]	1000	0.002
Swisstransplant	10.0	0.250	Net benefit to transplant all	0.030	[0.003, 0.063]	1000	0.000
Swisstransplant	10.0	0.250	AUC	0.534	[0.492, 0.573]	1000	0.001
Swisstransplant	10.0	0.375	Calibration intercept	-1.219	[-1.398, -1.048]	1000	0.003
Swisstransplant	10.0	0.375	Calibration slope	0.019	[-0.014, 0.059]	1000	0.001
Swisstransplant	10.0	0.375	Net benefit to transplant no one	-0.070	[-0.199, 0.047]	1000	0.002
Swisstransplant	10.0	0.375	Net benefit to transplant all	0.027	[-0.000, 0.059]	1000	0.001
Swisstransplant	10.0	0.375	AUC	0.532	[0.492, 0.572]	1000	0.001
Swisstransplant	10.0	0.500	Calibration intercept	-1.266	[-1.436, -1.089]	1000	0.003
Swisstransplant	10.0	0.500	Calibration slope	0.018	[-0.017, 0.064]	1000	0.001
Swisstransplant	10.0	0.500	Net benefit to transplant no one	-0.042	[-0.165, 0.070]	1000	0.002
Swisstransplant	10.0	0.500	Net benefit to transplant all	0.025	[-0.003, 0.056]	1000	0.001
Swisstransplant	10.0	0.500	AUC	0.531	[0.490, 0.572]	1000	0.001
Swisstransplant	10.0	0.625	Calibration intercept	-1.305	[-1.473, -1.141]	1000	0.003
Swisstransplant	10.0	0.625	Calibration slope	0.016	[-0.025, 0.073]	1000	0.001
Swisstransplant	10.0	0.625	Net benefit to transplant no one	-0.014	[-0.128, 0.098]	1000	0.002
Swisstransplant	10.0	0.625	Net benefit to transplant all	0.023	[-0.007, 0.056]	1000	0.001
Swisstransplant	10.0	0.625	AUC	0.532	[0.492, 0.571]	1000	0.001
Swisstransplant	10.0	0.702	Calibration intercept	-1.330	[-1.498, -1.151]	1000	0.003
Swisstransplant	10.0	0.702	Calibration slope	0.018	[-0.027, 0.091]	1000	0.001
Swisstransplant	10.0	0.702	Net benefit to transplant no one	0.005	[-0.108, 0.115]	1000	0.002
Swisstransplant	10.0	0.702	Net benefit to transplant all	0.021	[-0.009, 0.054]	1000	0.001
Swisstransplant	10.0	0.702	AUC	0.532	[0.496, 0.573]	1000	0.001
Swisstransplant	10.0	0.750	Calibration intercept	-1.342	[-1.518, -1.161]	1000	0.003
Swisstransplant	10.0	0.750	Calibration slope	0.020	[-0.028, 0.105]	1000	0.001
Swisstransplant	10.0	0.750	Net benefit to transplant no one	0.017	[-0.096, 0.126]	1000	0.002
Swisstransplant	10.0	0.750	Net benefit to transplant all	0.020	[-0.010, 0.053]	1000	0.001
Swisstransplant	10.0	0.750	AUC	0.533	[0.495, 0.576]	1000	0.001
Swisstransplant	10.0	0.875	Calibration intercept	-1.369	[-1.555, -1.087]	1000	0.004
Swisstransplant	10.0	0.875	Calibration slope	0.032	[-0.037, 0.244]	1000	0.002
Swisstransplant	10.0	0.875	Net benefit to transplant no one	0.045	[-0.069, 0.150]	1000	0.002
Swisstransplant	10.0	0.875	Net benefit to transplant all	0.018	[-0.012, 0.051]	1000	0.001
Swisstransplant	10.0	0.875	AUC	0.537	[0.500, 0.580]	1000	0.001
Swisstransplant	10.0	1.000	Calibration intercept	-1.112	[-1.423, -0.813]	1000	0.005
Swisstransplant	10.0	1.000	Calibration slope	0.295	[0.062, 0.516]	1000	0.004
Swisstransplant	10.0	1.000	Net benefit to transplant no one	0.077	[-0.035, 0.182]	1000	0.002
Swisstransplant	10.0	1.000	Net benefit to transplant all	0.017	[-0.014, 0.051]	1000	0.001
Swisstransplant	10.0	1.000	AUC	0.543	[0.501, 0.583]	1000	0.001
Swisstransplant	20.0	0.000	Calibration intercept	-1.118	[-1.265, -0.969]	1000	0.002
Swisstransplant	20.0	0.000	Calibration slope	0.025	[-0.005, 0.065]	1000	0.001
Swisstransplant	20.0	0.000	Net benefit to transplant no one	-0.113	[-0.223, -0.008]	1000	0.002
Swisstransplant	20.0	0.000	Net benefit to transplant all	0.064	[0.017, 0.113]	1000	0.001
Swisstransplant	20.0	0.000	AUC	0.534	[0.496, 0.573]	1000	0.001
Swisstransplant	20.0	0.125	Calibration intercept	-1.158	[-1.302, -1.016]	1000	0.002
Swisstransplant	20.0	0.125	Calibration slope	0.022	[-0.012, 0.062]	1000	0.001

Swisstransplant	20.0	0.125	Net benefit to transplant no one	-0.095	[-0.199, 0.010]	1000	0.002
Swisstransplant	20.0	0.125	Net benefit to transplant all	0.054	[0.013, 0.103]	1000	0.001
Swisstransplant	20.0	0.125	AUC	0.529	[0.494, 0.569]	1000	0.001
Swisstransplant	20.0	0.250	Calibration intercept	-1.203	[-1.353, -1.054]	1000	0.002
Swisstransplant	20.0	0.250	Calibration slope	0.020	[-0.015, 0.066]	1000	0.001
Swisstransplant	20.0	0.250	Net benefit to transplant no one	-0.072	[-0.178, 0.036]	1000	0.002
Swisstransplant	20.0	0.250	Net benefit to transplant all	0.047	[0.003, 0.097]	1000	0.001
Swisstransplant	20.0	0.250	AUC	0.526	[0.491, 0.566]	1000	0.001
Swisstransplant	20.0	0.375	Calibration intercept	-1.245	[-1.400, -1.102]	1000	0.002
Swisstransplant	20.0	0.375	Calibration slope	0.019	[-0.019, 0.072]	1000	0.001
Swisstransplant	20.0	0.375	Net benefit to transplant no one	-0.048	[-0.151, 0.058]	1000	0.002
Swisstransplant	20.0	0.375	Net benefit to transplant all	0.040	[-0.005, 0.090]	1000	0.001
Swisstransplant	20.0	0.375	AUC	0.525	[0.490, 0.564]	1000	0.001
Swisstransplant	20.0	0.500	Calibration intercept	-1.287	[-1.443, -1.135]	1000	0.002
Swisstransplant	20.0	0.500	Calibration slope	0.018	[-0.024, 0.081]	1000	0.001
Swisstransplant	20.0	0.500	Net benefit to transplant no one	-0.023	[-0.124, 0.080]	1000	0.002
Swisstransplant	20.0	0.500	Net benefit to transplant all	0.032	[-0.014, 0.082]	1000	0.001
Swisstransplant	20.0	0.500	AUC	0.525	[0.491, 0.565]	1000	0.001
Swisstransplant	20.0	0.625	Calibration intercept	-1.327	[-1.484, -1.167]	1000	0.003
Swisstransplant	20.0	0.625	Calibration slope	0.019	[-0.031, 0.111]	1000	0.001
Swisstransplant	20.0	0.625	Net benefit to transplant no one	-0.001	[-0.101, 0.098]	1000	0.002
Swisstransplant	20.0	0.625	Net benefit to transplant all	0.024	[-0.023, 0.073]	1000	0.001
Swisstransplant	20.0	0.625	AUC	0.526	[0.487, 0.565]	1000	0.001
Swisstransplant	20.0	0.702	Calibration intercept	-1.346	[-1.511, -1.175]	1000	0.003
Swisstransplant	20.0	0.702	Calibration slope	0.021	[-0.036, 0.133]	1000	0.001
Swisstransplant	20.0	0.702	Net benefit to transplant no one	0.013	[-0.087, 0.109]	1000	0.002
Swisstransplant	20.0	0.702	Net benefit to transplant all	0.019	[-0.028, 0.068]	1000	0.001
Swisstransplant	20.0	0.702	AUC	0.527	[0.486, 0.567]	1000	0.001
Swisstransplant	20.0	0.750	Calibration intercept	-1.360	[-1.535, -1.169]	1000	0.003
Swisstransplant	20.0	0.750	Calibration slope	0.023	[-0.037, 0.166]	1000	0.002
Swisstransplant	20.0	0.750	Net benefit to transplant no one	0.022	[-0.074, 0.121]	1000	0.002
Swisstransplant	20.0	0.750	Net benefit to transplant all	0.016	[-0.031, 0.066]	1000	0.001
Swisstransplant	20.0	0.750	AUC	0.528	[0.484, 0.567]	1000	0.001
Swisstransplant	20.0	0.875	Calibration intercept	-1.374	[-1.568, -1.137]	1000	0.004
Swisstransplant	20.0	0.875	Calibration slope	0.044	[-0.049, 0.310]	1000	0.003
Swisstransplant	20.0	0.875	Net benefit to transplant no one	0.046	[-0.049, 0.140]	1000	0.002
Swisstransplant	20.0	0.875	Net benefit to transplant all	0.009	[-0.036, 0.059]	1000	0.001
Swisstransplant	20.0	0.875	AUC	0.530	[0.487, 0.571]	1000	0.001
Swisstransplant	20.0	1.000	Calibration intercept	-1.258	[-1.502, -1.019]	1000	0.004
Swisstransplant	20.0	1.000	Calibration slope	0.242	[0.020, 0.472]	1000	0.004
Swisstransplant	20.0	1.000	Net benefit to transplant no one	0.076	[-0.028, 0.168]	1000	0.002
Swisstransplant	20.0	1.000	Net benefit to transplant all	0.003	[-0.046, 0.056]	1000	0.001
Swisstransplant	20.0	1.000	AUC	0.535	[0.496, 0.576]	1000	0.001
Swisstransplant	26.9	0.000	Calibration intercept	-1.148	[-1.310, -0.986]	1000	0.003
Swisstransplant	26.9	0.000	Calibration slope	0.029	[-0.017, 0.105]	1000	0.001
Swisstransplant	26.9	0.000	Net benefit to transplant no one	-0.068	[-0.182, 0.034]	1000	0.002
Swisstransplant	26.9	0.000	Net benefit to transplant all	0.094	[0.033, 0.153]	1000	0.001
Swisstransplant	26.9	0.000	AUC	0.532	[0.493, 0.572]	1000	0.001
Swisstransplant	26.9	0.125	Calibration intercept	-1.193	[-1.340, -1.037]	1000	0.002
Swisstransplant	26.9	0.125	Calibration slope	0.026	[-0.020, 0.105]	1000	0.001
Swisstransplant	26.9	0.125	Net benefit to transplant no one	-0.050	[-0.159, 0.051]	1000	0.002
Swisstransplant	26.9	0.125	Net benefit to transplant all	0.079	[0.019, 0.144]	1000	0.001
Swisstransplant	26.9	0.125	AUC	0.529	[0.489, 0.567]	1000	0.001
Swisstransplant	26.9	0.250	Calibration intercept	-1.231	[-1.387, -1.071]	1000	0.003
Swisstransplant	26.9	0.250	Calibration slope	0.026	[-0.024, 0.109]	1000	0.001
Swisstransplant	26.9	0.250	Net benefit to transplant no one	-0.032	[-0.136, 0.068]	1000	0.002
Swisstransplant	26.9	0.250	Net benefit to transplant all	0.065	[0.004, 0.133]	1000	0.001
Swisstransplant	26.9	0.250	AUC	0.527	[0.486, 0.565]	1000	0.001
Swisstransplant	26.9	0.375	Calibration intercept	-1.271	[-1.427, -1.105]	1000	0.003
Swisstransplant	26.9	0.375	Calibration slope	0.027	[-0.029, 0.140]	1000	0.001
Swisstransplant	26.9	0.375	Net benefit to transplant no one	-0.015	[-0.117, 0.081]	1000	0.002
Swisstransplant	26.9	0.375	Net benefit to transplant all	0.051	[-0.011, 0.121]	1000	0.001
Swisstransplant	26.9	0.375	AUC	0.525	[0.483, 0.564]	1000	0.001
Swisstransplant	26.9	0.500	Calibration intercept	-1.310	[-1.470, -1.126]	1000	0.003
Swisstransplant	26.9	0.500	Calibration slope	0.026	[-0.037, 0.176]	1000	0.002
Swisstransplant	26.9	0.500	Net benefit to transplant no one	0.001	[-0.100, 0.093]	1000	0.002
Swisstransplant	26.9	0.500	Net benefit to transplant all	0.037	[-0.026, 0.108]	1000	0.001
Swisstransplant	26.9	0.500	AUC	0.525	[0.482, 0.563]	1000	0.001
Swisstransplant	26.9	0.625	Calibration intercept	-1.347	[-1.512, -1.162]	1000	0.003

Swisstransplant	26.9	0.625	Calibration slope	0.025	[-0.041, 0.181]	1000	0.002
Swisstransplant	26.9	0.625	Net benefit to transplant no one	0.018	[-0.078, 0.106]	1000	0.001
Swisstransplant	26.9	0.625	Net benefit to transplant all	0.024	[-0.041, 0.086]	1000	0.001
Swisstransplant	26.9	0.625	AUC	0.525	[0.490, 0.564]	1000	0.001
Swisstransplant	26.9	0.702	Calibration intercept	-1.365	[-1.538, -1.169]	1000	0.003
Swisstransplant	26.9	0.702	Calibration slope	0.030	[-0.047, 0.241]	1000	0.002
Swisstransplant	26.9	0.702	Net benefit to transplant no one	0.028	[-0.065, 0.115]	1000	0.001
Swisstransplant	26.9	0.702	Net benefit to transplant all	0.015	[-0.049, 0.080]	1000	0.001
Swisstransplant	26.9	0.702	AUC	0.526	[0.488, 0.565]	1000	0.001
Swisstransplant	26.9	0.750	Calibration intercept	-1.377	[-1.559, -1.172]	1000	0.003
Swisstransplant	26.9	0.750	Calibration slope	0.036	[-0.051, 0.266]	1000	0.003
Swisstransplant	26.9	0.750	Net benefit to transplant no one	0.034	[-0.058, 0.119]	1000	0.001
Swisstransplant	26.9	0.750	Net benefit to transplant all	0.010	[-0.055, 0.073]	1000	0.001
Swisstransplant	26.9	0.750	AUC	0.527	[0.489, 0.567]	1000	0.001
Swisstransplant	26.9	0.875	Calibration intercept	-1.391	[-1.582, -1.173]	1000	0.003
Swisstransplant	26.9	0.875	Calibration slope	0.084	[-0.058, 0.360]	1000	0.004
Swisstransplant	26.9	0.875	Net benefit to transplant no one	0.052	[-0.043, 0.132]	1000	0.001
Swisstransplant	26.9	0.875	Net benefit to transplant all	-0.005	[-0.071, 0.063]	1000	0.001
Swisstransplant	26.9	0.875	AUC	0.529	[0.494, 0.572]	1000	0.001
Swisstransplant	26.9	1.000	Calibration intercept	-1.344	[-1.551, -1.142]	1000	0.003
Swisstransplant	26.9	1.000	Calibration slope	0.238	[-0.006, 0.504]	1000	0.004
Swisstransplant	26.9	1.000	Net benefit to transplant no one	0.067	[-0.026, 0.152]	1000	0.001
Swisstransplant	26.9	1.000	Net benefit to transplant all	-0.019	[-0.088, 0.053]	1000	0.001
Swisstransplant	26.9	1.000	AUC	0.532	[0.491, 0.581]	1000	0.001
Swisstransplant	30.0	0.000	Calibration intercept	-1.156	[-1.320, -0.996]	1000	0.003
Swisstransplant	30.0	0.000	Calibration slope	0.034	[-0.022, 0.158]	1000	0.001
Swisstransplant	30.0	0.000	Net benefit to transplant no one	-0.047	[-0.149, 0.048]	1000	0.002
Swisstransplant	30.0	0.000	Net benefit to transplant all	0.104	[0.039, 0.179]	1000	0.001
Swisstransplant	30.0	0.000	AUC	0.533	[0.489, 0.572]	1000	0.001
Swisstransplant	30.0	0.125	Calibration intercept	-1.202	[-1.366, -1.012]	1000	0.003
Swisstransplant	30.0	0.125	Calibration slope	0.031	[-0.030, 0.172]	1000	0.002
Swisstransplant	30.0	0.125	Net benefit to transplant no one	-0.032	[-0.136, 0.059]	1000	0.002
Swisstransplant	30.0	0.125	Net benefit to transplant all	0.089	[0.022, 0.166]	1000	0.001
Swisstransplant	30.0	0.125	AUC	0.529	[0.482, 0.570]	1000	0.001
Swisstransplant	30.0	0.250	Calibration intercept	-1.245	[-1.401, -1.050]	1000	0.003
Swisstransplant	30.0	0.250	Calibration slope	0.030	[-0.034, 0.189]	1000	0.002
Swisstransplant	30.0	0.250	Net benefit to transplant no one	-0.018	[-0.122, 0.068]	1000	0.002
Swisstransplant	30.0	0.250	Net benefit to transplant all	0.072	[0.001, 0.149]	1000	0.001
Swisstransplant	30.0	0.250	AUC	0.527	[0.486, 0.569]	1000	0.001
Swisstransplant	30.0	0.375	Calibration intercept	-1.281	[-1.443, -1.092]	1000	0.003
Swisstransplant	30.0	0.375	Calibration slope	0.029	[-0.043, 0.211]	1000	0.002
Swisstransplant	30.0	0.375	Net benefit to transplant no one	-0.005	[-0.107, 0.083]	1000	0.002
Swisstransplant	30.0	0.375	Net benefit to transplant all	0.054	[-0.018, 0.137]	1000	0.001
Swisstransplant	30.0	0.375	AUC	0.526	[0.491, 0.567]	1000	0.001
Swisstransplant	30.0	0.500	Calibration intercept	-1.318	[-1.479, -1.112]	1000	0.003
Swisstransplant	30.0	0.500	Calibration slope	0.032	[-0.051, 0.286]	1000	0.002
Swisstransplant	30.0	0.500	Net benefit to transplant no one	0.009	[-0.087, 0.096]	1000	0.001
Swisstransplant	30.0	0.500	Net benefit to transplant all	0.036	[-0.037, 0.116]	1000	0.001
Swisstransplant	30.0	0.500	AUC	0.525	[0.486, 0.567]	1000	0.001
Swisstransplant	30.0	0.625	Calibration intercept	-1.349	[-1.519, -1.140]	1000	0.003
Swisstransplant	30.0	0.625	Calibration slope	0.039	[-0.052, 0.306]	1000	0.003
Swisstransplant	30.0	0.625	Net benefit to transplant no one	0.022	[-0.068, 0.108]	1000	0.001
Swisstransplant	30.0	0.625	Net benefit to transplant all	0.019	[-0.050, 0.096]	1000	0.001
Swisstransplant	30.0	0.625	AUC	0.525	[0.489, 0.567]	1000	0.001
Swisstransplant	30.0	0.702	Calibration intercept	-1.368	[-1.539, -1.151]	1000	0.003
Swisstransplant	30.0	0.702	Calibration slope	0.048	[-0.054, 0.338]	1000	0.003
Swisstransplant	30.0	0.702	Net benefit to transplant no one	0.031	[-0.056, 0.115]	1000	0.001
Swisstransplant	30.0	0.702	Net benefit to transplant all	0.009	[-0.063, 0.085]	1000	0.001
Swisstransplant	30.0	0.702	AUC	0.526	[0.490, 0.568]	1000	0.001
Swisstransplant	30.0	0.750	Calibration intercept	-1.375	[-1.552, -1.163]	1000	0.003
Swisstransplant	30.0	0.750	Calibration slope	0.059	[-0.058, 0.363]	1000	0.004
Swisstransplant	30.0	0.750	Net benefit to transplant no one	0.037	[-0.050, 0.120]	1000	0.001
Swisstransplant	30.0	0.750	Net benefit to transplant all	0.002	[-0.068, 0.081]	1000	0.001
Swisstransplant	30.0	0.750	AUC	0.527	[0.489, 0.569]	1000	0.001
Swisstransplant	30.0	0.875	Calibration intercept	-1.385	[-1.586, -1.161]	1000	0.003
Swisstransplant	30.0	0.875	Calibration slope	0.129	[-0.056, 0.461]	1000	0.004
Swisstransplant	30.0	0.875	Net benefit to transplant no one	0.049	[-0.033, 0.134]	1000	0.001
Swisstransplant	30.0	0.875	Net benefit to transplant all	-0.016	[-0.087, 0.064]	1000	0.001
Swisstransplant	30.0	0.875	AUC	0.529	[0.488, 0.575]	1000	0.001

Swisstransplant	30.0	1.000	Calibration intercept	-1.371	[-1.573, -1.169]	1000	0.003
Swisstransplant	30.0	1.000	Calibration slope	0.266	[0.013, 0.524]	1000	0.004
Swisstransplant	30.0	1.000	Net benefit to transplant no one	0.061	[-0.014, 0.135]	1000	0.001
Swisstransplant	30.0	1.000	Net benefit to transplant all	-0.032	[-0.111, 0.052]	1000	0.001
Swisstransplant	30.0	1.000	AUC	0.534	[0.485, 0.579]	1000	0.001
Swisstransplant	40.0	0.000	Calibration intercept	-1.063	[-1.314, -0.826]	1000	0.004
Swisstransplant	40.0	0.000	Calibration slope	0.267	[-0.026, 0.628]	1000	0.006
Swisstransplant	40.0	0.000	Net benefit to transplant no one	0.006	[-0.080, 0.089]	1000	0.001
Swisstransplant	40.0	0.000	Net benefit to transplant all	0.137	[0.056, 0.218]	1000	0.001
Swisstransplant	40.0	0.000	AUC	0.544	[0.505, 0.580]	1000	0.001
Swisstransplant	40.0	0.125	Calibration intercept	-1.141	[-1.381, -0.905]	1000	0.004
Swisstransplant	40.0	0.125	Calibration slope	0.230	[-0.047, 0.575]	1000	0.006
Swisstransplant	40.0	0.125	Net benefit to transplant no one	0.011	[-0.073, 0.095]	1000	0.001
Swisstransplant	40.0	0.125	Net benefit to transplant all	0.108	[0.028, 0.196]	1000	0.001
Swisstransplant	40.0	0.125	AUC	0.536	[0.503, 0.577]	1000	0.001
Swisstransplant	40.0	0.250	Calibration intercept	-1.194	[-1.416, -0.971]	1000	0.004
Swisstransplant	40.0	0.250	Calibration slope	0.207	[-0.058, 0.538]	1000	0.005
Swisstransplant	40.0	0.250	Net benefit to transplant no one	0.016	[-0.069, 0.093]	1000	0.001
Swisstransplant	40.0	0.250	Net benefit to transplant all	0.084	[0.004, 0.167]	1000	0.001
Swisstransplant	40.0	0.250	AUC	0.533	[0.497, 0.573]	1000	0.001
Swisstransplant	40.0	0.375	Calibration intercept	-1.242	[-1.459, -1.034]	1000	0.003
Swisstransplant	40.0	0.375	Calibration slope	0.202	[-0.068, 0.521]	1000	0.005
Swisstransplant	40.0	0.375	Net benefit to transplant no one	0.022	[-0.062, 0.093]	1000	0.001
Swisstransplant	40.0	0.375	Net benefit to transplant all	0.058	[-0.023, 0.144]	1000	0.001
Swisstransplant	40.0	0.375	AUC	0.531	[0.494, 0.573]	1000	0.001
Swisstransplant	40.0	0.500	Calibration intercept	-1.285	[-1.481, -1.088]	1000	0.003
Swisstransplant	40.0	0.500	Calibration slope	0.208	[-0.069, 0.531]	1000	0.005
Swisstransplant	40.0	0.500	Net benefit to transplant no one	0.025	[-0.053, 0.098]	1000	0.001
Swisstransplant	40.0	0.500	Net benefit to transplant all	0.032	[-0.050, 0.121]	1000	0.001
Swisstransplant	40.0	0.500	AUC	0.530	[0.492, 0.575]	1000	0.001
Swisstransplant	40.0	0.625	Calibration intercept	-1.328	[-1.504, -1.147]	1000	0.003
Swisstransplant	40.0	0.625	Calibration slope	0.227	[-0.060, 0.541]	1000	0.005
Swisstransplant	40.0	0.625	Net benefit to transplant no one	0.033	[-0.041, 0.099]	1000	0.001
Swisstransplant	40.0	0.625	Net benefit to transplant all	0.008	[-0.078, 0.098]	1000	0.001
Swisstransplant	40.0	0.625	AUC	0.532	[0.492, 0.572]	1000	0.001
Swisstransplant	40.0	0.702	Calibration intercept	-1.351	[-1.525, -1.176]	1000	0.003
Swisstransplant	40.0	0.702	Calibration slope	0.244	[-0.063, 0.573]	1000	0.005
Swisstransplant	40.0	0.702	Net benefit to transplant no one	0.036	[-0.033, 0.102]	1000	0.001
Swisstransplant	40.0	0.702	Net benefit to transplant all	-0.009	[-0.093, 0.081]	1000	0.001
Swisstransplant	40.0	0.702	AUC	0.532	[0.491, 0.573]	1000	0.001
Swisstransplant	40.0	0.750	Calibration intercept	-1.365	[-1.536, -1.190]	1000	0.003
Swisstransplant	40.0	0.750	Calibration slope	0.260	[-0.051, 0.590]	1000	0.005
Swisstransplant	40.0	0.750	Net benefit to transplant no one	0.038	[-0.031, 0.101]	1000	0.001
Swisstransplant	40.0	0.750	Net benefit to transplant all	-0.018	[-0.103, 0.071]	1000	0.001
Swisstransplant	40.0	0.750	AUC	0.533	[0.491, 0.574]	1000	0.001
Swisstransplant	40.0	0.875	Calibration intercept	-1.399	[-1.570, -1.233]	1000	0.003
Swisstransplant	40.0	0.875	Calibration slope	0.317	[-0.026, 0.625]	1000	0.005
Swisstransplant	40.0	0.875	Net benefit to transplant no one	0.042	[-0.023, 0.101]	1000	0.001
Swisstransplant	40.0	0.875	Net benefit to transplant all	-0.044	[-0.126, 0.048]	1000	0.001
Swisstransplant	40.0	0.875	AUC	0.537	[0.495, 0.580]	1000	0.001
Swisstransplant	40.0	1.000	Calibration intercept	-1.417	[-1.599, -1.269]	1000	0.003
Swisstransplant	40.0	1.000	Calibration slope	0.415	[0.094, 0.744]	1000	0.005
Swisstransplant	40.0	1.000	Net benefit to transplant no one	0.047	[-0.018, 0.104]	1000	0.001
Swisstransplant	40.0	1.000	Net benefit to transplant all	-0.064	[-0.152, 0.026]	1000	0.001
Swisstransplant	40.0	1.000	AUC	0.545	[0.502, 0.587]	1000	0.001
Swisstransplant	50.0	0.000	Calibration intercept	-0.996	[-1.244, -0.800]	1000	0.003
Swisstransplant	50.0	0.000	Calibration slope	0.489	[0.122, 0.795]	1000	0.005
Swisstransplant	50.0	0.000	Net benefit to transplant no one	0.029	[-0.061, 0.106]	1000	0.001
Swisstransplant	50.0	0.000	Net benefit to transplant all	0.134	[0.052, 0.221]	1000	0.001
Swisstransplant	50.0	0.000	AUC	0.548	[0.508, 0.585]	1000	0.001
Swisstransplant	50.0	0.125	Calibration intercept	-1.100	[-1.311, -0.906]	1000	0.003
Swisstransplant	50.0	0.125	Calibration slope	0.409	[0.075, 0.734]	1000	0.005
Swisstransplant	50.0	0.125	Net benefit to transplant no one	0.030	[-0.052, 0.106]	1000	0.001
Swisstransplant	50.0	0.125	Net benefit to transplant all	0.103	[0.022, 0.199]	1000	0.001
Swisstransplant	50.0	0.125	AUC	0.542	[0.505, 0.584]	1000	0.001
Swisstransplant	50.0	0.250	Calibration intercept	-1.175	[-1.369, -0.988]	1000	0.003
Swisstransplant	50.0	0.250	Calibration slope	0.362	[0.047, 0.672]	1000	0.005
Swisstransplant	50.0	0.250	Net benefit to transplant no one	0.034	[-0.047, 0.108]	1000	0.001
Swisstransplant	50.0	0.250	Net benefit to transplant all	0.076	[-0.011, 0.168]	1000	0.001

Swisstransplant	50.0	0.250	AUC	0.538	[0.501, 0.579]	1000	0.001
Swisstransplant	50.0	0.375	Calibration intercept	-1.238	[-1.428, -1.059]	1000	0.003
Swisstransplant	50.0	0.375	Calibration slope	0.324	[0.014, 0.662]	1000	0.005
Swisstransplant	50.0	0.375	Net benefit to transplant no one	0.037	[-0.041, 0.106]	1000	0.001
Swisstransplant	50.0	0.375	Net benefit to transplant all	0.048	[-0.041, 0.140]	1000	0.001
Swisstransplant	50.0	0.375	AUC	0.535	[0.496, 0.578]	1000	0.001
Swisstransplant	50.0	0.500	Calibration intercept	-1.290	[-1.479, -1.121]	1000	0.003
Swisstransplant	50.0	0.500	Calibration slope	0.320	[-0.009, 0.653]	1000	0.005
Swisstransplant	50.0	0.500	Net benefit to transplant no one	0.037	[-0.032, 0.103]	1000	0.001
Swisstransplant	50.0	0.500	Net benefit to transplant all	0.021	[-0.070, 0.116]	1000	0.001
Swisstransplant	50.0	0.500	AUC	0.534	[0.493, 0.579]	1000	0.001
Swisstransplant	50.0	0.625	Calibration intercept	-1.340	[-1.508, -1.164]	1000	0.003
Swisstransplant	50.0	0.625	Calibration slope	0.335	[0.025, 0.645]	1000	0.005
Swisstransplant	50.0	0.625	Net benefit to transplant no one	0.041	[-0.024, 0.099]	1000	0.001
Swisstransplant	50.0	0.625	Net benefit to transplant all	-0.007	[-0.093, 0.088]	1000	0.001
Swisstransplant	50.0	0.625	AUC	0.536	[0.495, 0.576]	1000	0.001
Swisstransplant	50.0	0.702	Calibration intercept	-1.368	[-1.532, -1.195]	1000	0.003
Swisstransplant	50.0	0.702	Calibration slope	0.348	[0.028, 0.666]	1000	0.005
Swisstransplant	50.0	0.702	Net benefit to transplant no one	0.042	[-0.023, 0.101]	1000	0.001
Swisstransplant	50.0	0.702	Net benefit to transplant all	-0.025	[-0.113, 0.070]	1000	0.001
Swisstransplant	50.0	0.702	AUC	0.536	[0.495, 0.578]	1000	0.001
Swisstransplant	50.0	0.750	Calibration intercept	-1.386	[-1.550, -1.218]	1000	0.003
Swisstransplant	50.0	0.750	Calibration slope	0.358	[0.041, 0.708]	1000	0.005
Swisstransplant	50.0	0.750	Net benefit to transplant no one	0.042	[-0.021, 0.098]	1000	0.001
Swisstransplant	50.0	0.750	Net benefit to transplant all	-0.035	[-0.127, 0.058]	1000	0.001
Swisstransplant	50.0	0.750	AUC	0.538	[0.496, 0.581]	1000	0.001
Swisstransplant	50.0	0.875	Calibration intercept	-1.428	[-1.592, -1.265]	1000	0.003
Swisstransplant	50.0	0.875	Calibration slope	0.419	[0.080, 0.750]	1000	0.005
Swisstransplant	50.0	0.875	Net benefit to transplant no one	0.044	[-0.016, 0.097]	1000	0.001
Swisstransplant	50.0	0.875	Net benefit to transplant all	-0.065	[-0.153, 0.033]	1000	0.001
Swisstransplant	50.0	0.875	AUC	0.542	[0.499, 0.586]	1000	0.001
Swisstransplant	50.0	1.000	Calibration intercept	-1.456	[-1.626, -1.306]	1000	0.003
Swisstransplant	50.0	1.000	Calibration slope	0.505	[0.156, 0.836]	1000	0.006
Swisstransplant	50.0	1.000	Net benefit to transplant no one	0.043	[-0.008, 0.094]	1000	0.001
Swisstransplant	50.0	1.000	Net benefit to transplant all	-0.085	[-0.180, 0.012]	1000	0.001
Swisstransplant	50.0	1.000	AUC	0.549	[0.506, 0.590]	1000	0.001
Swisstransplant	60.0	0.000	Calibration intercept	-1.022	[-1.259, -0.825]	1000	0.003
Swisstransplant	60.0	0.000	Calibration slope	0.505	[0.183, 0.820]	1000	0.005
Swisstransplant	60.0	0.000	Net benefit to transplant no one	0.042	[-0.045, 0.122]	1000	0.001
Swisstransplant	60.0	0.000	Net benefit to transplant all	0.125	[0.041, 0.213]	1000	0.001
Swisstransplant	60.0	0.000	AUC	0.549	[0.510, 0.587]	1000	0.001
Swisstransplant	60.0	0.125	Calibration intercept	-1.123	[-1.328, -0.936]	1000	0.003
Swisstransplant	60.0	0.125	Calibration slope	0.428	[0.125, 0.756]	1000	0.005
Swisstransplant	60.0	0.125	Net benefit to transplant no one	0.042	[-0.038, 0.118]	1000	0.001
Swisstransplant	60.0	0.125	Net benefit to transplant all	0.093	[0.007, 0.181]	1000	0.001
Swisstransplant	60.0	0.125	AUC	0.543	[0.504, 0.585]	1000	0.001
Swisstransplant	60.0	0.250	Calibration intercept	-1.198	[-1.391, -1.010]	1000	0.003
Swisstransplant	60.0	0.250	Calibration slope	0.377	[0.079, 0.710]	1000	0.005
Swisstransplant	60.0	0.250	Net benefit to transplant no one	0.043	[-0.033, 0.113]	1000	0.001
Swisstransplant	60.0	0.250	Net benefit to transplant all	0.064	[-0.023, 0.152]	1000	0.001
Swisstransplant	60.0	0.250	AUC	0.539	[0.499, 0.581]	1000	0.001
Swisstransplant	60.0	0.375	Calibration intercept	-1.259	[-1.448, -1.087]	1000	0.003
Swisstransplant	60.0	0.375	Calibration slope	0.349	[0.033, 0.685]	1000	0.005
Swisstransplant	60.0	0.375	Net benefit to transplant no one	0.044	[-0.030, 0.113]	1000	0.001
Swisstransplant	60.0	0.375	Net benefit to transplant all	0.035	[-0.052, 0.128]	1000	0.001
Swisstransplant	60.0	0.375	AUC	0.536	[0.495, 0.580]	1000	0.001
Swisstransplant	60.0	0.500	Calibration intercept	-1.313	[-1.494, -1.154]	1000	0.003
Swisstransplant	60.0	0.500	Calibration slope	0.340	[0.018, 0.671]	1000	0.005
Swisstransplant	60.0	0.500	Net benefit to transplant no one	0.044	[-0.023, 0.109]	1000	0.001
Swisstransplant	60.0	0.500	Net benefit to transplant all	0.008	[-0.081, 0.098]	1000	0.001
Swisstransplant	60.0	0.500	AUC	0.534	[0.494, 0.579]	1000	0.001
Swisstransplant	60.0	0.625	Calibration intercept	-1.366	[-1.534, -1.190]	1000	0.003
Swisstransplant	60.0	0.625	Calibration slope	0.350	[0.051, 0.670]	1000	0.005
Swisstransplant	60.0	0.625	Net benefit to transplant no one	0.047	[-0.019, 0.108]	1000	0.001
Swisstransplant	60.0	0.625	Net benefit to transplant all	-0.021	[-0.105, 0.078]	1000	0.001
Swisstransplant	60.0	0.625	AUC	0.536	[0.497, 0.579]	1000	0.001
Swisstransplant	60.0	0.702	Calibration intercept	-1.399	[-1.561, -1.219]	1000	0.003
Swisstransplant	60.0	0.702	Calibration slope	0.361	[0.048, 0.688]	1000	0.005
Swisstransplant	60.0	0.702	Net benefit to transplant no one	0.048	[-0.018, 0.107]	1000	0.001

Swisstransplant	60.0	0.702	Net benefit to transplant all	-0.040	[-0.126, 0.056]	1000	0.001
Swisstransplant	60.0	0.702	AUC	0.536	[0.495, 0.580]	1000	0.001
Swisstransplant	60.0	0.750	Calibration intercept	-1.415	[-1.574, -1.240]	1000	0.003
Swisstransplant	60.0	0.750	Calibration slope	0.370	[0.050, 0.713]	1000	0.005
Swisstransplant	60.0	0.750	Net benefit to transplant no one	0.048	[-0.013, 0.104]	1000	0.001
Swisstransplant	60.0	0.750	Net benefit to transplant all	-0.051	[-0.137, 0.045]	1000	0.001
Swisstransplant	60.0	0.750	AUC	0.538	[0.498, 0.583]	1000	0.001
Swisstransplant	60.0	0.875	Calibration intercept	-1.460	[-1.621, -1.295]	1000	0.003
Swisstransplant	60.0	0.875	Calibration slope	0.431	[0.084, 0.772]	1000	0.005
Swisstransplant	60.0	0.875	Net benefit to transplant no one	0.048	[-0.010, 0.100]	1000	0.001
Swisstransplant	60.0	0.875	Net benefit to transplant all	-0.078	[-0.163, 0.015]	1000	0.001
Swisstransplant	60.0	0.875	AUC	0.543	[0.500, 0.587]	1000	0.001
Swisstransplant	60.0	1.000	Calibration intercept	-1.487	[-1.655, -1.334]	1000	0.003
Swisstransplant	60.0	1.000	Calibration slope	0.514	[0.164, 0.840]	1000	0.006
Swisstransplant	60.0	1.000	Net benefit to transplant no one	0.047	[-0.005, 0.097]	1000	0.001
Swisstransplant	60.0	1.000	Net benefit to transplant all	-0.101	[-0.192, -0.003]	1000	0.001
Swisstransplant	60.0	1.000	AUC	0.549	[0.507, 0.591]	1000	0.001

Table Results-3: Simulation results of the variation of the proportion of retransplantations (p_{retp}) in the target population. The median over all simulations for each condition together with the 2.5% and 97.5% quantiles as well as the Monte Carlo standard error (MCse) are reported.

Outcome	p_{retp}	Performance measure	Median	95% quantiles	n_{sim}	MCse
UK DCD	0.00	Calibration intercept	-0.391	[-0.672, -0.161]	1000	0.004
UK DCD	0.00	Calibration slope	1.674	[1.173, 2.030]	1000	0.006
UK DCD	0.00	Net benefit to transplant no one	0.243	[0.167, 0.318]	1000	0.001
UK DCD	0.00	Net benefit to transplant all	0.198	[0.123, 0.277]	1000	0.001
UK DCD	0.00	AUC	0.733	[0.699, 0.764]	1000	0.001
UK DCD	0.02	Calibration intercept	-0.449	[-0.695, -0.218]	1000	0.004
UK DCD	0.02	Calibration slope	1.592	[1.191, 1.945]	1000	0.006
UK DCD	0.02	Net benefit to transplant no one	0.242	[0.162, 0.319]	1000	0.001
UK DCD	0.02	Net benefit to transplant all	0.227	[0.152, 0.311]	1000	0.001
UK DCD	0.02	AUC	0.742	[0.707, 0.772]	1000	0.001
UK DCD	0.05	Calibration intercept	-0.516	[-0.725, -0.307]	1000	0.003
UK DCD	0.05	Calibration slope	1.510	[1.159, 1.816]	1000	0.005
UK DCD	0.05	Net benefit to transplant no one	0.235	[0.154, 0.309]	1000	0.001
UK DCD	0.05	Net benefit to transplant all	0.268	[0.187, 0.353]	1000	0.001
UK DCD	0.05	AUC	0.749	[0.715, 0.781]	1000	0.001
UK DCD	0.10	Calibration intercept	-0.585	[-0.761, -0.399]	1000	0.003
UK DCD	0.10	Calibration slope	1.417	[1.132, 1.684]	1000	0.004
UK DCD	0.10	Net benefit to transplant no one	0.223	[0.144, 0.295]	1000	0.001
UK DCD	0.10	Net benefit to transplant all	0.337	[0.250, 0.428]	1000	0.001
UK DCD	0.10	AUC	0.760	[0.724, 0.789]	1000	0.001
UK DCD	0.15	Calibration intercept	-0.623	[-0.792, -0.467]	1000	0.003
UK DCD	0.15	Calibration slope	1.364	[1.108, 1.593]	1000	0.004
UK DCD	0.15	Net benefit to transplant no one	0.211	[0.133, 0.282]	1000	0.001
UK DCD	0.15	Net benefit to transplant all	0.403	[0.312, 0.498]	1000	0.001
UK DCD	0.15	AUC	0.769	[0.736, 0.796]	1000	0.000
UK DCD	0.20	Calibration intercept	-0.655	[-0.815, -0.509]	1000	0.002
UK DCD	0.20	Calibration slope	1.332	[1.094, 1.553]	1000	0.004
UK DCD	0.20	Net benefit to transplant no one	0.199	[0.122, 0.267]	1000	0.001
UK DCD	0.20	Net benefit to transplant all	0.472	[0.376, 0.561]	1000	0.002
UK DCD	0.20	AUC	0.775	[0.744, 0.803]	1000	0.000
UK DCD	0.25	Calibration intercept	-0.678	[-0.830, -0.539]	1000	0.002
UK DCD	0.25	Calibration slope	1.311	[1.096, 1.520]	1000	0.003
UK DCD	0.25	Net benefit to transplant no one	0.187	[0.117, 0.252]	1000	0.001
UK DCD	0.25	Net benefit to transplant all	0.538	[0.433, 0.638]	1000	0.002
UK DCD	0.25	AUC	0.779	[0.749, 0.807]	1000	0.000
UK DCD	0.30	Calibration intercept	-0.697	[-0.838, -0.558]	1000	0.002
UK DCD	0.30	Calibration slope	1.300	[1.099, 1.496]	1000	0.003
UK DCD	0.30	Net benefit to transplant no one	0.176	[0.106, 0.237]	1000	0.001
UK DCD	0.30	Net benefit to transplant all	0.605	[0.495, 0.707]	1000	0.002
UK DCD	0.30	AUC	0.782	[0.752, 0.810]	1000	0.000
UK DCD	0.35	Calibration intercept	-0.712	[-0.855, -0.575]	1000	0.002
UK DCD	0.35	Calibration slope	1.295	[1.103, 1.492]	1000	0.003
UK DCD	0.35	Net benefit to transplant no one	0.164	[0.094, 0.222]	1000	0.001
UK DCD	0.35	Net benefit to transplant all	0.673	[0.564, 0.777]	1000	0.002
UK DCD	0.35	AUC	0.785	[0.755, 0.812]	1000	0.000
UK DCD	0.40	Calibration intercept	-0.726	[-0.866, -0.591]	1000	0.002
UK DCD	0.40	Calibration slope	1.292	[1.105, 1.480]	1000	0.003
UK DCD	0.40	Net benefit to transplant no one	0.152	[0.087, 0.207]	1000	0.001
UK DCD	0.40	Net benefit to transplant all	0.740	[0.628, 0.847]	1000	0.002
UK DCD	0.40	AUC	0.786	[0.756, 0.813]	1000	0.000
UK DCD	0.45	Calibration intercept	-0.741	[-0.882, -0.604]	1000	0.002
UK DCD	0.45	Calibration slope	1.292	[1.102, 1.486]	1000	0.003

UK DCD	0.45	Net benefit to transplant no one	0.140	[0.078, 0.192]	1000	0.001
UK DCD	0.45	Net benefit to transplant all	0.808	[0.682, 0.923]	1000	0.002
UK DCD	0.45	AUC	0.785	[0.756, 0.811]	1000	0.000
UK DCD	0.50	Calibration intercept	-0.754	[-0.899, -0.624]	1000	0.002
UK DCD	0.50	Calibration slope	1.294	[1.106, 1.486]	1000	0.003
UK DCD	0.50	Net benefit to transplant no one	0.129	[0.071, 0.178]	1000	0.001
UK DCD	0.50	Net benefit to transplant all	0.876	[0.749, 0.995]	1000	0.002
UK DCD	0.50	AUC	0.783	[0.756, 0.811]	1000	0.000
Swisstransplant	0.00	Calibration intercept	-1.410	[-1.576, -1.219]	1000	0.003
Swisstransplant	0.00	Calibration slope	0.015	[-0.059, 0.179]	1000	0.002
Swisstransplant	0.00	Net benefit to transplant no one	0.026	[-0.070, 0.112]	1000	0.001
Swisstransplant	0.00	Net benefit to transplant all	-0.007	[-0.070, 0.058]	1000	0.001
Swisstransplant	0.00	AUC	0.514	[0.475, 0.553]	1000	0.001
Swisstransplant	0.02	Calibration intercept	-1.365	[-1.538, -1.169]	1000	0.003
Swisstransplant	0.02	Calibration slope	0.030	[-0.048, 0.241]	1000	0.002
Swisstransplant	0.02	Net benefit to transplant no one	0.028	[-0.065, 0.115]	1000	0.001
Swisstransplant	0.02	Net benefit to transplant all	0.015	[-0.049, 0.080]	1000	0.001
Swisstransplant	0.02	AUC	0.526	[0.488, 0.565]	1000	0.001
Swisstransplant	0.05	Calibration intercept	-1.297	[-1.467, -1.098]	1000	0.003
Swisstransplant	0.05	Calibration slope	0.061	[-0.033, 0.324]	1000	0.003
Swisstransplant	0.05	Net benefit to transplant no one	0.027	[-0.065, 0.109]	1000	0.001
Swisstransplant	0.05	Net benefit to transplant all	0.048	[-0.019, 0.114]	1000	0.001
Swisstransplant	0.05	AUC	0.543	[0.504, 0.582]	1000	0.001
Swisstransplant	0.10	Calibration intercept	-1.191	[-1.377, -0.992]	1000	0.003
Swisstransplant	0.10	Calibration slope	0.119	[-0.006, 0.435]	1000	0.004
Swisstransplant	0.10	Net benefit to transplant no one	0.026	[-0.067, 0.106]	1000	0.001
Swisstransplant	0.10	Net benefit to transplant all	0.103	[0.026, 0.176]	1000	0.001
Swisstransplant	0.10	AUC	0.567	[0.528, 0.607]	1000	0.001
Swisstransplant	0.15	Calibration intercept	-1.110	[-1.291, -0.933]	1000	0.003
Swisstransplant	0.15	Calibration slope	0.194	[0.018, 0.482]	1000	0.004
Swisstransplant	0.15	Net benefit to transplant no one	0.022	[-0.068, 0.102]	1000	0.001
Swisstransplant	0.15	Net benefit to transplant all	0.157	[0.073, 0.236]	1000	0.001
Swisstransplant	0.15	AUC	0.587	[0.549, 0.627]	1000	0.001
Swisstransplant	0.20	Calibration intercept	-1.047	[-1.206, -0.882]	1000	0.003
Swisstransplant	0.20	Calibration slope	0.253	[0.039, 0.520]	1000	0.004
Swisstransplant	0.20	Net benefit to transplant no one	0.020	[-0.063, 0.098]	1000	0.001
Swisstransplant	0.20	Net benefit to transplant all	0.209	[0.123, 0.302]	1000	0.001
Swisstransplant	0.20	AUC	0.602	[0.564, 0.640]	1000	0.001
Swisstransplant	0.25	Calibration intercept	-0.993	[-1.144, -0.852]	1000	0.002
Swisstransplant	0.25	Calibration slope	0.298	[0.069, 0.539]	1000	0.004
Swisstransplant	0.25	Net benefit to transplant no one	0.018	[-0.067, 0.092]	1000	0.001
Swisstransplant	0.25	Net benefit to transplant all	0.262	[0.169, 0.355]	1000	0.002
Swisstransplant	0.25	AUC	0.614	[0.577, 0.651]	1000	0.001
Swisstransplant	0.30	Calibration intercept	-0.948	[-1.087, -0.810]	1000	0.002
Swisstransplant	0.30	Calibration slope	0.326	[0.098, 0.556]	1000	0.004
Swisstransplant	0.30	Net benefit to transplant no one	0.015	[-0.067, 0.090]	1000	0.001
Swisstransplant	0.30	Net benefit to transplant all	0.318	[0.218, 0.412]	1000	0.002
Swisstransplant	0.30	AUC	0.624	[0.586, 0.661]	1000	0.001
Swisstransplant	0.35	Calibration intercept	-0.915	[-1.043, -0.782]	1000	0.002
Swisstransplant	0.35	Calibration slope	0.348	[0.112, 0.559]	1000	0.004
Swisstransplant	0.35	Net benefit to transplant no one	0.014	[-0.062, 0.085]	1000	0.001
Swisstransplant	0.35	Net benefit to transplant all	0.373	[0.274, 0.468]	1000	0.002
Swisstransplant	0.35	AUC	0.629	[0.593, 0.665]	1000	0.001
Swisstransplant	0.40	Calibration intercept	-0.883	[-1.006, -0.758]	1000	0.002
Swisstransplant	0.40	Calibration slope	0.363	[0.135, 0.564]	1000	0.004
Swisstransplant	0.40	Net benefit to transplant no one	0.012	[-0.060, 0.081]	1000	0.001
Swisstransplant	0.40	Net benefit to transplant all	0.425	[0.322, 0.533]	1000	0.002
Swisstransplant	0.40	AUC	0.633	[0.597, 0.669]	1000	0.001

Swisstransplant	0.45	Calibration intercept	-0.855	[-0.977, -0.727]	1000	0.002
Swisstransplant	0.45	Calibration slope	0.373	[0.148, 0.566]	1000	0.003
Swisstransplant	0.45	Net benefit to transplant no one	0.010	[-0.060, 0.077]	1000	0.001
Swisstransplant	0.45	Net benefit to transplant all	0.479	[0.372, 0.584]	1000	0.002
Swisstransplant	0.45	AUC	0.634	[0.600, 0.668]	1000	0.001
Swisstransplant	0.50	Calibration intercept	-0.830	[-0.947, -0.700]	1000	0.002
Swisstransplant	0.50	Calibration slope	0.378	[0.162, 0.571]	1000	0.003
Swisstransplant	0.50	Net benefit to transplant no one	0.008	[-0.057, 0.072]	1000	0.001
Swisstransplant	0.50	Net benefit to transplant all	0.532	[0.422, 0.645]	1000	0.002
Swisstransplant	0.50	AUC	0.632	[0.599, 0.666]	1000	0.001

Table Results-4: Simulation results of the variation of the sample size used (n) in the target population. The median over all simulations for each condition together with the 2.5% and 97.5% quantiles as well as the Monte Carlo standard error (MCse) are reported.

Outcome	n	Performance measure	Median	95% quantiles	n_{sim}	MCse
UK DCD	10	Calibration intercept	-0.073	[-30.300, 59.704]	1000	0.759
UK DCD	10	Calibration slope	2.440	[-1.395, 249.197]	1000	1.966
UK DCD	10	Net benefit to transplant no one	0.200	[-0.800, 0.800]	1000	0.013
UK DCD	10	Net benefit to transplant all	0.100	[-0.500, 0.800]	1000	0.011
UK DCD	10	AUC	0.786	[0.458, 1.000]	1000	0.005
UK DCD	50	Calibration intercept	-0.434	[-1.581, 0.849]	1000	0.019
UK DCD	50	Calibration slope	1.722	[0.258, 4.299]	1000	0.034
UK DCD	50	Net benefit to transplant no one	0.260	[-0.161, 0.580]	1000	0.006
UK DCD	50	Net benefit to transplant all	0.020	[-0.280, 0.380]	1000	0.005
UK DCD	50	AUC	0.745	[0.546, 0.903]	1000	0.003
UK DCD	200	Calibration intercept	-0.439	[-1.038, 0.101]	1000	0.009
UK DCD	200	Calibration slope	1.624	[0.850, 2.528]	1000	0.014
UK DCD	200	Net benefit to transplant no one	0.240	[0.030, 0.415]	1000	0.003
UK DCD	200	Net benefit to transplant all	0.025	[-0.130, 0.195]	1000	0.003
UK DCD	200	AUC	0.741	[0.650, 0.818]	1000	0.001
UK DCD	400	Calibration intercept	-0.457	[-0.918, -0.095]	1000	0.007
UK DCD	400	Calibration slope	1.606	[0.815, 2.193]	1000	0.011
UK DCD	400	Net benefit to transplant no one	0.237	[0.107, 0.368]	1000	0.002
UK DCD	400	Net benefit to transplant all	0.027	[-0.090, 0.137]	1000	0.002
UK DCD	400	AUC	0.739	[0.677, 0.793]	1000	0.001
UK DCD	600	Calibration intercept	-0.445	[-0.783, -0.146]	1000	0.005
UK DCD	600	Calibration slope	1.592	[0.991, 2.085]	1000	0.008
UK DCD	600	Net benefit to transplant no one	0.240	[0.118, 0.350]	1000	0.002
UK DCD	600	Net benefit to transplant all	0.028	[-0.058, 0.120]	1000	0.001
UK DCD	600	AUC	0.738	[0.690, 0.787]	1000	0.001
UK DCD	800	Calibration intercept	-0.453	[-0.771, -0.200]	1000	0.005
UK DCD	800	Calibration slope	1.586	[1.044, 1.977]	1000	0.007
UK DCD	800	Net benefit to transplant no one	0.241	[0.131, 0.326]	1000	0.002
UK DCD	800	Net benefit to transplant all	0.029	[-0.055, 0.109]	1000	0.001
UK DCD	800	AUC	0.738	[0.697, 0.777]	1000	0.001
UK DCD	1000	Calibration intercept	-0.450	[-0.709, -0.224]	1000	0.004
UK DCD	1000	Calibration slope	1.600	[1.180, 1.963]	1000	0.006
UK DCD	1000	Net benefit to transplant no one	0.243	[0.152, 0.323]	1000	0.001
UK DCD	1000	Net benefit to transplant all	0.029	[-0.037, 0.101]	1000	0.001
UK DCD	1000	AUC	0.740	[0.702, 0.777]	1000	0.001
UK DCD	1200	Calibration intercept	-0.449	[-0.695, -0.218]	1000	0.004
UK DCD	1200	Calibration slope	1.593	[1.191, 1.945]	1000	0.006
UK DCD	1200	Net benefit to transplant no one	0.242	[0.162, 0.319]	1000	0.001
UK DCD	1200	Net benefit to transplant all	0.030	[-0.033, 0.094]	1000	0.001
UK DCD	1200	AUC	0.741	[0.707, 0.772]	1000	0.001
UK DCD	1400	Calibration intercept	-0.455	[-0.680, -0.248]	1000	0.003
UK DCD	1400	Calibration slope	1.585	[1.208, 1.909]	1000	0.005
UK DCD	1400	Net benefit to transplant no one	0.241	[0.168, 0.311]	1000	0.001
UK DCD	1400	Net benefit to transplant all	0.029	[-0.031, 0.091]	1000	0.001
UK DCD	1400	AUC	0.739	[0.707, 0.771]	1000	0.001
UK DCD	1600	Calibration intercept	-0.452	[-0.663, -0.256]	1000	0.003
UK DCD	1600	Calibration slope	1.595	[1.229, 1.900]	1000	0.005
UK DCD	1600	Net benefit to transplant no one	0.241	[0.169, 0.304]	1000	0.001
UK DCD	1600	Net benefit to transplant all	0.028	[-0.028, 0.089]	1000	0.001
UK DCD	1600	AUC	0.740	[0.708, 0.769]	1000	0.000
UK DCD	1800	Calibration intercept	-0.453	[-0.653, -0.274]	1000	0.003
UK DCD	1800	Calibration slope	1.587	[1.267, 1.854]	1000	0.005

UK DCD	1800	Net benefit to transplant no one	0.238	[0.178, 0.297]	1000	0.001
UK DCD	1800	Net benefit to transplant all	0.028	[-0.022, 0.085]	1000	0.001
UK DCD	1800	AUC	0.740	[0.712, 0.766]	1000	0.000
UK DCD	2000	Calibration intercept	-0.451	[-0.631, -0.285]	1000	0.003
UK DCD	2000	Calibration slope	1.599	[1.282, 1.841]	1000	0.005
UK DCD	2000	Net benefit to transplant no one	0.239	[0.179, 0.296]	1000	0.001
UK DCD	2000	Net benefit to transplant all	0.028	[-0.022, 0.082]	1000	0.001
UK DCD	2000	AUC	0.740	[0.712, 0.765]	1000	0.000
Swisstransplant	10	Calibration intercept	-1.160	[-126.545, 33.494]	1000	1.194
Swisstransplant	10	Calibration slope	0.253	[-85.366, 131.632]	1000	1.483
Swisstransplant	10	Net benefit to transplant no one	0.100	[-1.100, 0.700]	1000	0.015
Swisstransplant	10	Net benefit to transplant all	-0.200	[-0.700, 0.500]	1000	0.010
Swisstransplant	10	AUC	0.688	[0.429, 1.000]	1000	0.005
Swisstransplant	50	Calibration intercept	-1.263	[-2.541, -0.308]	1000	0.018
Swisstransplant	50	Calibration slope	0.145	[-0.863, 1.591]	1000	0.019
Swisstransplant	50	Net benefit to transplant no one	0.030	[-0.400, 0.440]	1000	0.007
Swisstransplant	50	Net benefit to transplant all	-0.180	[-0.440, 0.100]	1000	0.004
Swisstransplant	50	AUC	0.565	[0.435, 0.744]	1000	0.002
Swisstransplant	200	Calibration intercept	-1.314	[-1.761, -0.824]	1000	0.008
Swisstransplant	200	Calibration slope	0.094	[-0.198, 0.688]	1000	0.007
Swisstransplant	200	Net benefit to transplant no one	0.030	[-0.195, 0.240]	1000	0.004
Swisstransplant	200	Net benefit to transplant all	-0.190	[-0.320, -0.045]	1000	0.002
Swisstransplant	200	AUC	0.535	[0.447, 0.623]	1000	0.001
Swisstransplant	400	Calibration intercept	-1.342	[-1.645, -0.954]	1000	0.006
Swisstransplant	400	Calibration slope	0.038	[-0.105, 0.542]	1000	0.005
Swisstransplant	400	Net benefit to transplant no one	0.025	[-0.140, 0.185]	1000	0.003
Swisstransplant	400	Net benefit to transplant all	-0.184	[-0.280, -0.082]	1000	0.002
Swisstransplant	400	AUC	0.529	[0.466, 0.599]	1000	0.001
Swisstransplant	600	Calibration intercept	-1.353	[-1.619, -1.063]	1000	0.004
Swisstransplant	600	Calibration slope	0.036	[-0.076, 0.418]	1000	0.004
Swisstransplant	600	Net benefit to transplant no one	0.023	[-0.105, 0.153]	1000	0.002
Swisstransplant	600	Net benefit to transplant all	-0.185	[-0.262, -0.107]	1000	0.001
Swisstransplant	600	AUC	0.525	[0.478, 0.582]	1000	0.001
Swisstransplant	800	Calibration intercept	-1.354	[-1.571, -1.114]	1000	0.004
Swisstransplant	800	Calibration slope	0.032	[-0.065, 0.319]	1000	0.003
Swisstransplant	800	Net benefit to transplant no one	0.029	[-0.091, 0.131]	1000	0.002
Swisstransplant	800	Net benefit to transplant all	-0.184	[-0.255, -0.114]	1000	0.001
Swisstransplant	800	AUC	0.526	[0.481, 0.575]	1000	0.001
Swisstransplant	1000	Calibration intercept	-1.366	[-1.559, -1.114]	1000	0.003
Swisstransplant	1000	Calibration slope	0.033	[-0.049, 0.303]	1000	0.003
Swisstransplant	1000	Net benefit to transplant no one	0.030	[-0.081, 0.121]	1000	0.002
Swisstransplant	1000	Net benefit to transplant all	-0.183	[-0.243, -0.126]	1000	0.001
Swisstransplant	1000	AUC	0.526	[0.489, 0.570]	1000	0.001
Swisstransplant	1200	Calibration intercept	-1.365	[-1.538, -1.169]	1000	0.003
Swisstransplant	1200	Calibration slope	0.030	[-0.048, 0.241]	1000	0.002
Swisstransplant	1200	Net benefit to transplant no one	0.028	[-0.065, 0.115]	1000	0.001
Swisstransplant	1200	Net benefit to transplant all	-0.183	[-0.237, -0.127]	1000	0.001
Swisstransplant	1200	AUC	0.526	[0.488, 0.565]	1000	0.001
Swisstransplant	1400	Calibration intercept	-1.364	[-1.533, -1.186]	1000	0.003
Swisstransplant	1400	Calibration slope	0.035	[-0.043, 0.230]	1000	0.002
Swisstransplant	1400	Net benefit to transplant no one	0.025	[-0.053, 0.107]	1000	0.001
Swisstransplant	1400	Net benefit to transplant all	-0.184	[-0.237, -0.129]	1000	0.001
Swisstransplant	1400	AUC	0.525	[0.491, 0.562]	1000	0.001
Swisstransplant	1600	Calibration intercept	-1.367	[-1.518, -1.220]	1000	0.003
Swisstransplant	1600	Calibration slope	0.030	[-0.047, 0.187]	1000	0.002
Swisstransplant	1600	Net benefit to transplant no one	0.026	[-0.054, 0.105]	1000	0.001
Swisstransplant	1600	Net benefit to transplant all	-0.184	[-0.234, -0.128]	1000	0.001
Swisstransplant	1600	AUC	0.524	[0.491, 0.561]	1000	0.001

Swisstransplant	1800	Calibration intercept	-1.362	[-1.510, -1.213]	1000	0.002
Swisstransplant	1800	Calibration slope	0.036	[-0.034, 0.191]	1000	0.002
Swisstransplant	1800	Net benefit to transplant no one	0.027	[-0.047, 0.101]	1000	0.001
Swisstransplant	1800	Net benefit to transplant all	-0.183	[-0.227, -0.136]	1000	0.001
Swisstransplant	1800	AUC	0.526	[0.494, 0.558]	1000	0.001
Swisstransplant	2000	Calibration intercept	-1.372	[-1.504, -1.228]	1000	0.002
Swisstransplant	2000	Calibration slope	0.034	[-0.032, 0.164]	1000	0.002
Swisstransplant	2000	Net benefit to transplant no one	0.028	[-0.038, 0.097]	1000	0.001
Swisstransplant	2000	Net benefit to transplant all	-0.185	[-0.229, -0.138]	1000	0.001
Swisstransplant	2000	AUC	0.525	[0.493, 0.557]	1000	0.001