



Domas Budrys Assignment 7 Screenshots


Create tables:




Question 1:




Exec:




Question 2:




Exec:



Question 3:



Exec



Trigger 1:

The screenshot displays the Microsoft SQL Server Management Studio (SSMS) interface. The title bar indicates the window is titled "SQLQuery1.sql - DOMAS-PC\SQLLEXPRESS.Budrys_db (Domas-PC\Domas (54))* - Microsoft SQL Server Management Studio". The menu bar includes File, Edit, View, Query, Project, Debug, Tools, Window, and Help. The toolbar contains various icons for file operations, query execution, and debugging. The Object Explorer on the left shows the database structure for "DOMAS-PC\SQLLEXPRESS (SQL Server)". Under "Databases", there are folders for "System Databases", "AdventureWorks2012 (Read-Only)", "Budrys_db", and "TSQL2012". The "Security" folder is expanded, showing "Server Objects". The main query editor displays the following SQL code:

```
CREATE TRIGGER Seating_Table_Error ON Seating
FOR INSERT, UPDATE
AS

DECLARE @seat_num INT

IF EXISTS (
SELECT *
FROM Seating AS S
JOIN [Table] AS T
ON S.TABLE_ID = T.TABLE_ID

WHERE T.TABLE_ID < @seat_num
)
```

The Messages pane at the bottom shows the command completed successfully:

Command(s) completed successfully.

The status bar at the bottom indicates the query was executed successfully, with the following details: DOMAS-PC\SQLLEXPRESS (11.0 RTM) | Domas-PC\Domas (54) | Budrys_db | 00:00:00 | 0 rows. The status bar also shows "Matches: BEGIN" and "Ln 7 Col 5 Ch 5 INS".

Trigger 2:

