Front End Technologies Week 8 Coding Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are concise and clear.	25
Creativity	Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: In VS Code, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your JavaScript project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

- 1. Style the website you made last week using CSS. Below are the requirements:
 - a. Use only external CSS file (no internal or inline styling)
 - b. Every element must be styled
 - c. Create style rules using class, id, and element selectors

Screenshots of Code:

```
# styles.css > 😝 nav.navbar a
      /* 1. Style the website you made last week using CSS. Below are the require
          a. Use only external CSS file (no internal or inline styling)
          b. Every element must be styled
          c. Create style rules using class, id, and element selectors */
      body{
          margin: 0;
          font-family: "Source Sans Pro", "Arial", sans-serif;
          background-color: Dblack;
      p{
          color: ■gray;
11
12
      #list{
          color: white;
          opacity: 0.8;
      button{
          margin: 0;
          border: 0;
          padding: 5px 12px;
          background-color: □red;
      button:hover{
          border: 1px solid ■red;
          color: ■red;
          background-color: □ black;
      form{
          margin: 0;
          border: 0;
          padding: 5px 12px;
          background-color: ■red;
```

```
# styles.css > 😝 form
          display: inline-block;
      form:hover{
          border: 1px solid ■red;
          color: □red;
          background-color: □black;
      h1.header{
          color: ■red;
          padding: 15px;
          background-color: □black;
          margin: 0;
      .shadow-text{
          text-shadow: ■gray 1px 1px;
      /* .... Navbar.... */
      nav.navbar{
          padding: 15px;
          background-color: ■ gray;
          display: flex;
          justify-content: space-between;
          color: □ black
      nav.navbar a{
          color: □ black;
          text-decoration: none;
      .row{
          max-width: 850px;
          margin: 0 auto;
          margin-bottom: 20px;
```

```
# styles.css > 😭 .wrapper
      .jumbo-index{
          height: 500px;
          background-image: url(https://external-content.duckduckgo.com/iu/?u=h
          ttps%3A%2F%2Ftse2.mm.bing.net%2Fth%3Fid%3DOIP.oVZIXbpV2pwKeLXn4ePEDwH
          aEo%26pid%3DApi&f=1);
          background-size: cover;
          overflow: hidden;
          /* alt="A picture of a spook, that is a spy."; */
78
      .jumbo-about{
          height: 500px;
          background-image: url(https://external-content.duckduckgo.com/iu/?u=h
          ttps%3A%2F%2Fassets.wired.com%2Fphotos%2Fw 1183%2Fwp-content%2Fupload
          s%2F2016%2F11%2FUSB-129099832-600x338-e1479253253340.jpg&f=1&nofb=1);
          background-size: cover;
          overflow: hidden;
          height: 500px;
          background-size: cover;
          overflow: hidden;
          background-image: url(https://external-content.duckduckgo.com/iu/?u=
          https%3A%2F%2Fassets.wired.com%2Fphotos%2Fw 1183%2Fwp-content%2Fuplo
          ads%2F2016%2F11%2FUSB-129099832-600x338-e1479253253340.jpg&f=1&nofb=
          1);
      .jumbo-contact{
         height: 500px:
```

```
# styles.css > 😭 .wrapper
          background-image: url(https://external-content.duckduckgo.com/iu/?u
          =https%3A%2F%2Fi0.wp.com%2Fbrushbeater.org%2Fwp-content%2Fuploads%2
105
          F2020%2F11%2Fta 312.jpg%3Ffit%3D1280%252C640%26ssl%3D1&f=1&nofb=1);
          background-size: cover;
          overflow: hidden;
      /* Same here - make new class and mae h2 id */
110
111
      .jumbo-index h2 {
          color: Dblack;
          opacity: 0.5;
113
          font-size: 4rem;
114
          padding: 10px;
115
          border-radius:10px;
116
      .jumbo-about h2 {
118
          color: □black;
119
120
          opacity: 0.5;
121
          font-size: 4rem;
122
          margin:20px;
123
          padding: 10px;
          border-radius:10px;
124
125
126
      .make-red{
          color: □red;
127
128
          text-shadow: ■red 1px 1px;
129
130
132
      .wrapper {
          width: 835px; /* GIVE THE WRAPPING ELEMENT A WIDTH */
          margin-top: 0;
134
135
          margin-right: auto;
          margin-bottom: 0;
          margin-left: auto; /* USE MARGIN (0 AUTO) TO CENTER THE WRAPPER ON
137
```

```
# styles.css > ધ .wrapper
139
      table{
           width: 100%;
          margin: 0;
142
          padding: 15px;
          padding-left: 180px;
          background-color: ■gray;
145
          justify-content: space-between;
          color: □black;
          position: absolute;
          left: 0px;
150
151
152
153
154
      .a{
          color: □black;
155
          text-decoration: none;
156
158
      td, th{
159
          text-align: left;
      #photo-text{
          font-size: 75%;
```

```
› index.html > � html > � body > � div.container > � div.row > � div
    d. 3 images
     <!DOCTYPE html>
     <html lang="en">
         <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible" content="IE=edge">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Document</title>
         <link rel="stylesheet" href="styles.css">
         <h1 class="header">Home</h1>
         <nav class="navbar">
             <a href="index.html">Home</a>
              <a href="About.html">About</a>
              <a href="Contact.html">Contact</a>
         <div class="container">
             <div class="row">
                  <div class="jumbo-index">
                      <h2>Be a Spy!
```

```
| Comparison of the content of the c
```

```
About.html > \Theta html > \Theta div > \Theta div.row > \Theta ul#list > \Theta li
   <!DOCTYPE html>
  <html lang="en">
     <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-scale=1.0">
      <title>Document</title>
      <h1 class="header">About</h1>
        A modern intelligence asset's main tool: the thumbdrive.
              <h2 id="list">About tradecraft</h2>
              Tradecraft, within the intelligence community, refers to the techniques, methods and technologies used in modern espionage
              <button>READ MORE</button>
              <h2 id="list">Why spy?</h2>
              The identification of potential agents is termed "agent spotting" (also termed "talent spotting") and it's fun and profita
              Our accelerated program teaches the fundamentals needed for the rewarding field of industrial espionage. bootcamps and other
```


```
◆ About.html > ♦ html > ♦ div > ♦ div.row > ♦ ul#list > ♦ li
            d="list">
               Agent handling
               Analytic tradecraft
               Black bag operations
               Concealment devices
               Cryptography
               Cut-out methods
               Dead drops
               Drycleaning
46
               Eavesdropping
               False flag operations
               Front organizations
               Honey traps
               Interrogation
               Legends
               Limited hangouts
               Microdots
               One-time pads
               One-way voice
               Stenography
               Surveillance
               TEMPEST
               And many other FUN and PROFITIBLE activities
            <button>READ MORE</button>
         </div>
      </div>
```

```
◇ Contact.html > ♦ html > ♦ body > ♦ div.row > ♦ br
     <!DOCTYPE html>
     <html lang="en">
         <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible" content="IE=edge">
         <meta name="viewport" content="width=device-width, initial-scale=1.0">
         <title>Document</title>
         <link rel="stylesheet" href="styles.css">
         <h1 class="header">Contact Us</h1>
         <nav class="navbar">
             <a href="index.html">Home</a>
             <a href="About.html">About</a>
             <a href="Contact.html">Contact</a>
         <div class="row">
             <div class="jumbo-contact" >
             <div id="photo-text">
                 We're just a phone call away..
            <br>
                READ MORE
            <br>
```

```
O Contact.html ) ② html ) ② body ) ② div.row

cth>Sites (th)
cth>Link
cth>Link</t
```

Screenshots of Running Application:





Tradecraft, within the intelligence community, refers to the techniques, methods and technologies used in mespinange (spying) and generally, as part of the activity of intelligence assessment. This includes general topics or techniques (dead drops, for example), or the specific techniques of a nation or organization (the particular form of encryption (encoding) used by the National Security Agency, for example).


Why spy?

The identification of potential agents is termed "agent spotting" (also termed "talent spotting") and it's fun and profitable identifying potential agents, and investigating the details of their personal and professional fives, involves the granular verification of their bona fides. Such activities can include uncovering personal details that leave potential agents

Our accelerated program teaches the fundamentals needed for the rewarding field of industrial espionage, bootcamps and others

- . Agent handling
- A polytic tradegrafi
- Black bag operation
- Concealment devices
- Cut out method
- Cut-out metric
 Dead draps
- Drycleaning
- Eavesdropping
- False flag operation
- Honey traps
- Legends
- Limited hangou
- Microdots
- One-way voice
- One-way voice
- Stenography
 Suproillance
- Surveillance
- And many other FUN and PROFITIBLE activities

Home About Contact



URL to GitHub Repository: