

12.4 Navigating Graphs



Figure 12.68 Visitors navigate a garden maze. (credit: “Longleat Maze” by Niki Odolphie/Wikimedia, CC BY 2.0)

Learning Objectives

After completing this section, you should be able to:

1. Describe and identify walks, trails, paths, and circuits.
2. Solve application problems using walks, trails, paths, and circuits.
3. Identify the chromatic number of a graph.
4. Describe the Four-Color Problem.
5. Solve applications using graph colorings.

Now that we know the basic parts of graphs and we can distinguish one graph from another, it is time to really put our graphs to work for us. Many applications of graph theory involve navigating through a graph very much like you would navigate through a maze. Imagine that you are at the entrance to a maze. Your goal is to get from one point to another as efficiently as possible. Maybe there are treasures hidden along the way that make straying from the shortest path worthwhile, or maybe you just need to get to the end fast. Either way, you definitely want to avoid any wrong turns that would cause unnecessary backtracking. Luckily, graph theory is here to help!

Walks

Suppose [Figure 12.69](#) is a maze you want to solve. You want to get from the start to the end.




Figure 12.69 Your Maze

You can approach this task any way you want. The only rule is that you can't climb over the wall. To put this in the context of graph theory, let's imagine that at every intersection and every turn, there is a vertex. The edges that join the vertices must stay within the walls. The graph within the maze would look like [Figure 12.70](#).




Figure 12.70 The Graph in Your Maze

One approach to solving a maze is to just start walking. It is not the most efficient approach. You might cross through the same intersection twice. You might backtrack a bit. It's okay. We are just out for a walk. It might look something like the black sequence of vertices and edges in [Figure 12.71](#).




Figure 12.71 The Walk Through the Graph in Your Maze

This type of sequence of adjacent vertices and edges is actually called a **walk** (or **directed walk**) in graph theory too!

A walk can be identified by naming the sequence of its vertices (or by naming the sequence of its edges if those are labeled). Let's take the graph out of the context of the maze and give each vertex a name and each edge of the walk a direction as in [Figure 12.72](#).




Figure 12.72 The Graph without Your Maze

The name of this walk from p to r is $p \rightarrow q \rightarrow o \rightarrow n \rightarrow i \rightarrow j \rightarrow c \rightarrow d \rightarrow c \rightarrow j \rightarrow k \rightarrow s \rightarrow r$. When a particular edge on our graph was traveled in both directions, it had arrows in both directions and the letters of vertices that were visited more than once had to be repeated in the name of the walk.

! Not every list of vertices or list of edges makes a path. The order must take into account the way in which the edges and vertices are connected. The list must be a sequence, which means they are in order. No edges or vertices can be skipped and you cannot go off the graph.




Figure 12.73 A Walk or Not a Walk?

The highlighted edges in Graph Y in Figure 12.73 represent a walk between f and b . The highlighted edges in Graph X do **not** represent a walk between f and b , because there is a turn at a point that is not a vertex. This is like climbing over a wall when you are walking through a maze. Another way of saying this is that $b \rightarrow d \rightarrow f$ is not a walk, because there is no edge between b and d .

 A point on a graph where two edges cross is not a vertex.

EXAMPLE 12.19

Naming a Walk Through A House

Figure 12.74 shows the floor plan of a house. Use the floor plan to answer each question.




Figure 12.74 Floor Plan of a House

1. Draw a graph to represent the floor plan in which each vertex represents a different room (or hallway) and edges represent doorways between rooms.
2. Name a walk through the house that begins in the living room, ends in the garage and visits each room (or hallway) at least once.

Solution

1. **Step 1:** We will need a vertex for each room and it is convenient to label them according to the names of the rooms. Visualize the scenario in your head as shown in Figure 12.75. You don't have to write this step on your paper.




Figure 12.75 Assigning Vertices to Rooms

Step 2: Draw a graph to represent the scenario. Start with the vertices. Then connect those vertices that share a doorway in the floorplan as shown in [Figure 12.76](#).





Figure 12.76 Graph of the Floor plan

2. **Step 1:** Draw a path that begins at vertex L , representing the living room, and ending at vertex G , representing the garage making sure to visit every room at least once. There are many ways this can be done. You may want to number the edges to keep track of their order. One example is shown in [Figure 12.77](#).

Figure 12.77 Draw the Path from L to G

Step 2: Name the path that you followed by listing the vertices in the order you visited them.


$L \rightarrow R \rightarrow L \rightarrow K \rightarrow L \rightarrow H \rightarrow B \rightarrow H \rightarrow M \rightarrow H \rightarrow G$

> YOUR TURN 12.19

- Recall from the Graph Basics section that a graph in which there are multiple edges between the same pair of vertices is called a multigraph. The figure shows a map of the four bridges that link Staten Island to Brooklyn and New Jersey and a multigraph representing the map. In the multigraph, the edges are labeled instead of the vertices. The edges represent the bridges, G (Goethals Bridge), B (Bayonne Bridge), C (Outerbridge Crossing), and V (Verrazzano-Narrows Bridge). The vertices represent New Jersey, Staten Island, and Brooklyn.



Map



Multigraph

Map and Multigraph of Staten Island Bridges

A walk can be named by a sequence of edges instead of a sequence of vertices. Determine which of the following sequences of edges is a walk.

- $B \rightarrow V \rightarrow C \rightarrow G \rightarrow C$
- $V \rightarrow C \rightarrow B \rightarrow G \rightarrow C$
- $C \rightarrow V \rightarrow G \rightarrow B \rightarrow B$
- $G \rightarrow V \rightarrow B \rightarrow V \rightarrow C$

Paths and Trails

A walk is the most basic way of navigating a graph because it has no restrictions except staying on the graph. When there are restrictions on which vertices or edges we can visit, we will call the walk by a different name. For example, if we want to find a walk that avoids travelling the same edge twice, we will say we want to find a **trail** (or **directed trail**). If we want to find a walk that avoids visiting the same vertex twice, we will say, we want to find a **path** (or **directed path**).

Walks, trails, and paths are all related.

- All paths are trails, but trails that visit the same vertex twice are not paths.
- All trails are walks, but walks in which an edge is visited twice would not be trails.

We can visualize the relationship as in [Figure 12.78](#).




Figure 12.78 Walks, Trails, and Paths

Let's practice identifying walks, trails, and paths using the graphs in [Figure 12.79](#).




Figure 12.79 Graphs A and K

EXAMPLE 12.20**Identifying Walks, Paths, and Trails**

Consider each sequence of vertices from Graph A in [Figure 12.79](#). Determine if it is only a walk, both a walk and a path, both a walk and a trail, all three, or none of these.

1. $b \rightarrow c \rightarrow d \rightarrow e \rightarrow f$
2. $c \rightarrow b \rightarrow d \rightarrow b \rightarrow e$
3. $c \rightarrow f \rightarrow e \rightarrow d \rightarrow b \rightarrow c$
4. $b \rightarrow e \rightarrow f \rightarrow c \rightarrow b \rightarrow d$

✓ Solution

1. First, check to see if the sequence of vertices is a walk by making sure that the vertices are consecutive. As you can see in [Figure 12.80](#), there is no edge between vertex c and vertex d .




Figure 12.80

This means that the sequence is not a walk. If it is not a walk, then it can't be a path and it cannot be a trail, so, it is none of these.

2. First, check to see if the sequence is a walk. As you can see in [Figure 12.81](#), the vertices are consecutive.




Figure 12.81

This means that the sequence is a walk. Since the vertex b is visited twice, this walk is not a path. Since edge bd is traveled twice, this walk is not a trail. So, the sequence is only a walk.

3. First, check to see if the sequence is a walk. We can see in [Figure 12.82](#) that the vertices are consecutive, which means it is a walk.




Figure 12.82

Next, check to see if any vertex is visited twice. Remember, we do **not** consider beginning and ending at the same

vertex to be visiting a vertex twice. So, no vertex was visited twice. This means we have a walk that is also a path. Next check to see if any edge was visited twice; none were. So, the sequence is a walk, a path, and a trail.

4. First, check to see if the sequence is a walk. We can see in [Figure 12.83](#) that the vertices are consecutive, which means it is a walk.




Figure 12.83

Next check to see if any vertex is visited twice. Since vertex *b* is visited twice, this is not a path. Finally, check to see if any edges are traveled twice. Since no edges are traveled twice, this is a trail. So, the sequence of vertices is a walk and a trail.

> YOUR TURN 12.20

Consider each sequence of vertices from Graph *K* in Figure 12.79. Determine if it is only a walk, both a walk and a path, both a walk and a trail, all three, or none of these.

1. $n \rightarrow q \rightarrow o \rightarrow p$
2. $p \rightarrow n \rightarrow q \rightarrow o \rightarrow n \rightarrow m$
3. $m \rightarrow n \rightarrow o \rightarrow p \rightarrow q$

▶ VIDEO

[Walks, Trails, and Paths in Graph Theory \(https://openstax.org/r/walks_trails_paths\)](https://openstax.org/r/walks_trails_paths)

Circuits

In many applications of graph theory, such as creating efficient delivery routes, beginning and ending at the same location is a requirement. When a walk, path, or trail end at the same location or vertex they began, we call it **closed**. Otherwise, we call it **open** (does not begin and end at the same location or vertex). Some examples of closed walks, closed trails, and closed paths are given in the following table.




DESCRIPTION	EXAMPLE	CHARACTERISTICS
A closed walk is a walk that begins and ends at the same vertex.	 $d \rightarrow f \rightarrow b \rightarrow c \rightarrow f \rightarrow d$	Alternating sequence of vertices and edges Begins and ends at the same vertex
A closed trail is a trail that begins and ends at the same vertex. It is commonly called a circuit .	 $d \rightarrow f \rightarrow b \rightarrow c \rightarrow f \rightarrow e \rightarrow d$	No repeated edges Begins and ends at the same vertex
A closed path is a path that begins and ends at the same vertex. It is also referred to as a directed cycle because it travels through a cyclic subgraph.	 $d \rightarrow f \rightarrow b \rightarrow c \rightarrow d$	No repeated edges or vertices Begins and ends at the same vertex

Table 12.4 Closed Walks, Trails, and Paths

Since walks, trails, and paths are all related, closed walks, circuits, and directed cycles are related too.

1. All circuits are closed walks, but closed walks that visit the same edge twice are not circuits.
2. All directed cycles are circuits, but circuits in which a vertex is visited twice are not directed cycles.

We can visualize the relationship as in [Figure 12.84](#).




Figure 12.84 Closed Walks, Circuits, and Directed Cycles

The same circuit can be named using any of its vertices as a starting point. For example, the circuit $d \rightarrow f \rightarrow b \rightarrow c \rightarrow d$ can also be referred to in the following ways.

$a \rightarrow b \rightarrow c \rightarrow d \rightarrow a$ is the same as

$$\begin{cases} b \rightarrow c \rightarrow d \rightarrow a \rightarrow b \\ c \rightarrow d \rightarrow a \rightarrow b \rightarrow c \\ d \rightarrow a \rightarrow b \rightarrow c \rightarrow d \end{cases}$$

Let's practice working with closed walks, circuits (closed trails), and directed cycles (closed paths). In the graph in [Figure 12.85](#), the vertices are major central and south Florida airports. The edges are direct flights between them.




Figure 12.85 Major Central and South Florida Airports

EXAMPLE 12.21

Determining a Closed Walk, Circuit, or Directed Cycle

Suppose that you need to travel by air from Miami (MIA) to Orlando (MCO) and you were restricted to flights represented on the graph. For the trip to Orlando, you decide to purchase tickets with a layover in Key West (EYW) as shown in [Figure 12.86](#), but you still have to decide on the return trip. Determine if your roundtrip itinerary is a closed walk, a circuit, and/or a directed cycle, based on the return trip described in each part.




Figure 12.86 MIA to EYW to MCO

1. You returned to Miami (MIA) by reversing your route.
2. Your direct flight back left Orlando (MCO) but was diverted to Fort Lauderdale (FLL)! From there you flew to Tampa (TPA) before returning to Miami (MIA).

✓ Solution

1. The whole trip was $MIA \rightarrow EYW \rightarrow MCO \rightarrow EYW \rightarrow MIA$. This is a closed walk, because it is a walk that begins and ends at the same vertex. It is not a circuit, because it repeats edges. If it is not a circuit, then it cannot be a directed cycle.
2. The whole trip was $MIA \rightarrow EYW \rightarrow MCO \rightarrow FLL \rightarrow TPA \rightarrow MIA$. This is a closed walk, because it is a walk that begins and ends at the same vertex. It is a circuit because no edges were repeated. It is also a directed cycle because no vertices were repeated either. So, it is all three!

> YOUR TURN 12.21

Suppose that you want to travel from Palm Beach (PBI) to any other city listed in Figure 12.86 and then return to Palm Beach.

1. Why is it impossible to find an itinerary that is a circuit?
2. How is this related to the degree of the vertex PBI?

▶ VIDEO

[Closed Walks, Closed Trails \(Circuits\), and Closed Paths \(Directed Cycles\) in Graph Theory \(https://openstax.org/r/closed_walks\)](https://openstax.org/r/closed_walks)

Graph Colorings

In this section so far, we have looked at how to navigate graphs by proceeding from one vertex to another in a sequence that does not skip any vertices, but in some applications we may want to skip vertices. Remember the camp Olympics at Camp Woebegone in [Comparing Graphs](#)? You were planning a camp Olympics with four events. The campers signed up for the events. You drew a graph to help you visualize which events have campers in common. The vertices of Graph E in [Figure 12.87](#) represent the events and adjacent vertices indicate that there are campers who are participating in both.




Figure 12.87 Graphs of Camp Olympics

In this case, we do NOT want events represented by two adjacent vertices to occur in the same timeslot, because that would prevent the campers who wanted to participate in both from doing so. We can use the graph in [Figure 12.87](#) to count the timeslots we need so there are no conflicts. Let's assign each timeslot a different color. We could categorize events that happen at 1 pm as Red; 2 pm, Purple; 3 pm, Blue; and 4 pm, Green. Then assign different colors to any pair of adjacent vertices to ensure that the events they represent do not end up in the same timeslot. [Figure 12.88](#) shows several of the ways to do this while obeying the rule that no pair of adjacent vertices can be the same color.




Figure 12.88 Graph Colorings

In [Figure 12.88](#), the graphs with vertices colored so that no adjacent vertices are the same color are called **graph colorings**. Notice that Graph 3 has the fewest colors, which means it shows us how to have the fewest number of timeslots. The events marked in red, *a* and *d*, can be held at the same time because they are not adjacent and do not have conflicts. Also, the events marked in purple, *b* and *c*, can be held at the same time. We would not need green or blue timeslots at all!

A graph that uses n colors is called an **n -coloring**. The smallest number of colors needed to color a particular graph is called its **chromatic number**.

Graph colorings can be used in many applications like the scheduling scenario at camp Woebegone. Let's look at how they work in more detail. [Figure 12.89](#) shows two different colorings of a particular graph. Coloring A is called a four-coloring, because it uses four colors, red (R), green (G), blue (B), and purple (P). Coloring B is called a three-coloring because it uses three. The colors allow us to visually subdivide the graphs into groups. The only rule is that adjacent vertices are different colors so that they are in different groups.




Figure 12.89 Two Colorings of the Same Graph

It turns out that a three-coloring is the best we can do with the graph in [Figure 12.89](#). No matter how many different patterns you try with only two colors, you will never find one in which the adjacent vertices are always different colors. In other words, the graph has a chromatic number of three. For large graphs, computer assistance is usually required to find the chromatic numbers. There is no formula for finding the chromatic number of a graph, but there are some facts that are helpful in [Table 12.5](#).




Fact	Example
Recall that planar graphs are untangled; that is, they can be drawn on a flat surface so that no two edges are crossing. If a graph is planar, it can be colored with four colors or possibly fewer.	 Tangled Untangled 4 or fewer colors
Each vertex in a complete graph is adjacent to every other vertex forcing us to color them all different colors. The chromatic number of a complete graph is the same as the number of vertices.	 5 vertices, 5 colors 4 vertices, 4 colors
If a graph has a clique, a complete subgraph, then each vertex in the clique must have a different color and the vertices outside the clique may or may not have even more colors. The chromatic number of a graph is at least the number of vertices in its biggest clique.	 3 colors 4 colors

Table 12.5 Facts about Graph Colorings

Creating Colorings to Solve Problems

Let's see how these facts can help us color the graph in [Figure 12.90](#).

- Since the graph is planar, the chromatic number is *no more than* four.
- The graph is not complete, but it has complete subgraphs of three vertices. In other words, it has triangles like the one shown with blue vertices in [Figure 12.90](#). This means that the chromatic number is *at least* three.




Figure 12.90 A Graph with Triangles

We know we can color this graph in three or four colors. It is usually best to start by coloring the vertex of highest degree as shown in [Figure 12.91](#). In this case, we used red (R). The color is not important.




Figure 12.91 Color Highest Degree Vertex First

We want to color as many of the vertices the same color as possible; so, we look at all the vertices that are not adjacent to the red vertex and begin to color them, red starting with the one among them of highest degree. Since the only vertices that are not adjacent are both degree 2, choose either one and color it red as shown in [Figure 12.92](#).




Figure 12.92 Color More Red from Highest to Lowest Degree

Now, there is only one vertex left that is not adjacent to a red; so, color it red. Of the remaining vertices, the highest degree is four; so, color one of the vertices of degree four in a different color. These two steps are shown in [Figure 12.93](#).




Figure 12.93 Complete the Reds and Start Another Color

Repeat the same procedure. There are three remaining vertices that are not adjacent to a blue. Color as many blue as possible, with priority going to vertices of higher degree as shown in [Figure 12.94](#).




Figure 12.94 Repeat Procedure for Color Blue

All the remaining vertices are adjacent to blue. So, it is time to repeat the procedure with another color as shown in [Figure 12.95](#).




Figure 12.95 Repeat Procedure for Color Purple

All the vertices are now colored with a three-coloring so we know the chromatic number is *at most* three, but we knew the chromatic number was *at least* three because the graph has a triangle. So, we are now certain it is *exactly* three.

▶ VIDEO

[Coloring Graphs Part 1: Coloring and Identifying Chromatic Number \(https://openstax.org/r/Coloring_and_Identifying\)](https://openstax.org/r/Coloring_and_Identifying)

Suppose the vertices of the graph in Figure 12.96 represented the nine events in the Camp Woebegone Olympics, and edges join any events that have campers in common, but nonadjacent vertices do not.




Figure 12.96 Coloring for Nine Event Camp Woebegone Olympics

Any vertices of the same color are nonadjacent; so, they have no conflicts. Since this graph is a three-coloring, all nine events could be scheduled in just three timeslots!

EXAMPLE 12.22

Understanding Chromatic Numbers

In Example 12.17, we discussed a high school, which holds end-of-course exams in (E3) English 3, (E4) English 4, (M) Advanced Math, (C) Calculus, (W) World History, (U) U.S. History, (B) Biology, and (P) Physics. We were given a list of courses that had no students in common. We used that information to find the graph in Figure 12.63, which shows edges between exams with students in common. Use the graph we found in Example 12.17 to answer each question.




Figure 12.97 Graph of Exams with Students in Common

1. The graph contains a clique of size 4 formed by the vertices P, E3, C, and U. What does this tell you about the chromatic number?
2. The graph is not planar, meaning that you cannot untangle it. What does this tell you about the chromatic number?
3. Create a coloring by coloring vertex of highest degree first, coloring as many other vertices as possible each color from highest to lowest degree, then repeating this process for the remaining vertices.

4. Do you know what the minimum number of timeslots is? If so, what is it and how do you know? If not, what are the possibilities?

Solution

- 1. We would need four different colors just for the clique with four vertices; so, the chromatic number is *at least* four.
- 2. It is possible for the chromatic number to be greater than four.
- 3. The process is shown in [Table 12.6](#).

This is the original graph. Vertex B has highest degree.	Color vertex B. Vertex E3 is the only remaining vertex that is NOT adjacent to B.	Color vertex E3 the same color. Vertices P, U, W, and C are the remaining vertices with highest degree. Pick one to color.
Color vertex P a new color. Vertices E4 and M are NOT adjacent to P, and M has higher degree.	Color vertex M the same color. Vertex E4 is the only remaining vertex NOT adjacent to P or M.	Color vertex E4 the same color. Vertices U, W, and C are the remaining vertices with highest degree. Pick one to color.
Color U a new color. Vertex W is the only remaining vertex NOT adjacent to U.	Color vertex W the same color. Vertex C is the only remaining vertex that has NOT been colored.	Color vertex C a new color. The coloring is final. We used four colors.

Table 12.6 Coloring the Graph

The last graph in [Table 12.6](#) is the final coloring.


4. Yes, the minimum number of times slots is the chromatic number. We knew the chromatic number had to be at least

four because there was a clique with four vertices. Now we have found a four-coloring of the graph which tells us that the chromatic number is at most four. So, we know four must be the chromatic number.

 The procedure used in Example 22 to color the graph is not guaranteed to result in a graph that has the minimum number of colors possible, but it usually results in a coloring that is close to the chromatic number.

YOUR TURN 12.22

The given figure shows the same graph colored in several ways. The largest clique of the graph has three vertices. Use this information to answer each question.



Possible Colorings of the Same Graph

1. Is the graph planar? What does your answer tell you about the chromatic number?
2. What is the lowest possible chromatic number of this graph based on the size of any cliques?
3. What are the possible chromatic numbers?
4. Which graph or graphs meet the definition of a valid graph coloring?
5. Draw an n -coloring for the graph where n is the answer to Exercise 2.

The Four Color Problem




Figure 12.98 Using only four colors, no two adjacent regions have the same color.

The idea of coloring graphs to solve problems was inspired by one of the most famous problems in mathematics, the “four color problem.” The idea was that, no matter how complicated a map might be, only four colors were needed to color the map so that no two regions that shared a boundary would be the same color. For many years, everyone suspected this to be true, because no one could create a map that needed more than four colors, but they couldn’t prove it was true in general. Finally, graphs were used to solve the problem!

VIDEO

[The Four Color Map Theorem – Numberphile \(https://openstax.org/r/The_Four\)](https://openstax.org/r/The_Four)

We saw how maps can be represented as graphs in [Graph Basics](#). [Figure 12.99](#) from [Example 12.4](#) shows a map of the midwestern region of the United States.




Figure 12.99 Map of Midwestern States

[Figure 12.100](#) shows how this map can be associated with a graph in which each vertex represents a state and each edge indicates the states that share a common boundary. [Figure 12.101](#) shows the final graph.




Figure 12.100 Edge Assigned to Each Pair of Midwestern States with Common Border




Figure 12.101 Final Graph Representing Common Boundaries between Midwestern States

Notice that the graph representing the common boundaries between midwestern states is planar, meaning that it can be drawn on a flat surface without edges crossing. As we have seen, any planar graph has a chromatic number of four or less. This very well-known fact is called the **Four-Color Theorem**, or **Four-Color Map Theorem**.

▶ VIDEO

[Coloring Graphs Part 2: Coloring Maps and the Four Color Problem \(https://openstax.org/r/Coloring_Maps\)](https://openstax.org/r/Coloring_Maps)



PEOPLE IN MATHEMATICS

Four-Color Theorem

In the 19th century, Francis Guthrie was coloring a map of British counties and noticed that he could color so that no two adjacent counties were the same color using only four colors. This seemed to be the case for other maps as well, but he could not figure out why. He shared this with his brother, Frederick, who subsequently took the problem to his professor, August De Morgan, one of the most famous mathematicians of all time. De Morgan never was able to solve the problem, but he shared it with his colleagues. The problem continued to intrigue and perplex mathematicians for over a hundred years, inspiring discoveries in several areas of mathematics. It was finally proven by Kenneth Appel and Wolfgang Haken from the University of Illinois in 1976 using a combination of computer-aided calculations and graph theory. This was the first time in history that a mathematical theorem was proven using a computer! (Jesus Najera, "The Four-Color Theorem," *Cantor's Paradise*, a Medium publication, October 22, 2019)

EXAMPLE 12.23

Using Four Colors or Fewer to Color a Graph

Find a coloring of the graph in [Figure 12.99](#), which uses four colors or fewer. Use the resulting coloring as a guide to recolor the map in [Figure 12.99](#). How many colors did you use? Does this support the conclusion of the Four-Color Theorem? If so, how?

✓ Solution

The steps to color the graph are shown in [Table 12.7](#).

Step 1: Graph with degrees of vertices labeled. Vertex IA has highest degree.	Step 2: Color vertex IA any color. Vertices ND, KS, MI, OH, and IN are NOT adjacent to IA. MI and IN have highest degree, 3.	Step 3: Color either MI or IN the same color as IA. Vertex ND and KS are the only remaining vertices not adjacent to a red vertex. They both have degree 2.

Table 12.7 Steps to Color Graph of Midwestern States

Step 4: Since KS and ND are not adjacent to each other, we can save a step and color both red. The highest degree of remaining vertices is four.	Step 5: Choose one of the vertices of degree 4, SD, to color with a new color, blue. The vertices WI, IL, MO, IN, and OH are NOT adjacent to blue. WI, IL, and MO have the highest degree.	Step 6: Choose one of WI, IL, or MO to color. We color WI blue. MO, IN and OH are NOT adjacent to blue. MO has the highest degree of these.
Step 7: Color MO blue. All remaining vertices are adjacent to blue. Choose a new color. Four vertices remain, MN, NE, IL, and OH. MN, NE, and IL have the highest degree.	Step 8: Since MN, IL, and NE are not adjacent, save steps and color all three the new color, purple. Vertex OH is the only remaining vertex that has NOT been colored.	Step 9: Since vertex OH is not adjacent to purple, color it purple. This is the final graph. We used three colors.

Table 12.7 Steps to Color Graph of Midwestern States

The final graph in Table 12.7 shows how we would color the map. In Figure 12.102 we have colored the map to correspond to the colors on the graph.





Figure 12.102 Midwestern States in Three Colors

We used three colors to color the graph. This supports the Four-Color Theorem, because the graph is planar and its chromatic number is less than four.

> YOUR TURN 12.23

1. The first figure shows a map of the Island of Oahu in the State of Hawaii divided into regions, and the second figure shows a graph of the map. What is the chromatic number? Find a graph coloring that reflects the chromatic number of the graph.





Graph Representing Common Boundaries between Regions of Oahu

?? WHO KNEW?

Coloring A Möbius Strip

Have you ever heard of a Möbius strip? It is a flat object with only one side. This might sound theoretical, but you can make one for yourself. Take a narrow strip of paper, make a half twist in it, and tape the ends together. To prove to yourself that it has only one side, pick a point anywhere on the paper and start drawing a line. You can draw the line continuously without lifting your pen from the paper and eventually, you will get back to the point at which you started. Since you never had to flip over the paper, you have just proved it has one side!

Now, you might be wondering what this has to do with Graph Theory. It turns out that a map drawn on a Möbius strip cannot necessarily be drawn using four colors. This doesn't contradict the Four-Color Theorem, which only applies to graphs that are planar. A Möbius strip does not live on a "plane," or flat surface, which means the maps are not always planar like those drawn on a flat piece of paper. In the case of a Möbius strip, it is the Six-Color Map Theorem! [Figure 12.103](#) is an example of a Möbius strip with a map that requires five colors.




Figure 12.103 A Five-Coloring on a Möbius Strip

▶ VIDEO

[Neil deGrasse Tyson Explains the Möbius Strip \(https://openstax.org/r/Neil_de_Grasse\)](https://openstax.org/r/Neil_de_Grasse)

Check Your Understanding

For the following exercises, determine whether each statement is always true or sometimes true.

25. A trail is a path.
26. A trail is a walk.
27. A walk is a path.
28. A circuit is a trail.
29. A directed cycle is a path.
30. A circuit is a directed cycle.
31. A directed cycle is a circuit.
32. If a graph has an n -coloring, then its chromatic number is n .
33. If the chromatic number of a graph is n , then it has an n -coloring.
34. If a graph is planar, then it has a chromatic number of at most four.


For the following exercise, fill in the blanks to make the statement true.

35. A walk that _____ is a trail.
36. A trail that _____ is a circuit.
37. A circuit that _____ is a directed cycle.
38. A closed walk that _____ is a circuit.
39. A complete graph with n vertices has a chromatic number of _____.
40. A graph with a clique with n -vertices has a chromatic number of _____ n .



SECTION 12.4 EXERCISES

For the following exercises, identify each sequence of vertices from the figure as a walk, trail, and/or path. Select all that apply.




1. $A \rightarrow B \rightarrow F \rightarrow G \rightarrow K \rightarrow J \rightarrow F \rightarrow B$
2. $G \rightarrow K \rightarrow O \rightarrow N \rightarrow J \rightarrow K \rightarrow L$
3. $F \rightarrow J \rightarrow K \rightarrow G \rightarrow B \rightarrow A$
4. $I \rightarrow J \rightarrow K \rightarrow L \rightarrow K \rightarrow J \rightarrow N$
5. $M \rightarrow N \rightarrow O \rightarrow K \rightarrow L \rightarrow H$
6. $A \rightarrow F \rightarrow K \rightarrow P$
7. $N \rightarrow J \rightarrow F \rightarrow B \rightarrow C \rightarrow G \rightarrow F \rightarrow E$
8. $E \rightarrow F \rightarrow J \rightarrow I \rightarrow E$


For the following exercises, identify each sequence of vertices from Figure 12.134 as a closed walk, circuit (closed trail), and/or directed cycle (closed path). Select all that apply.

9. $A \rightarrow B \rightarrow F \rightarrow G \rightarrow K \rightarrow J \rightarrow F \rightarrow B \rightarrow A$
10. $G \rightarrow K \rightarrow O \rightarrow N \rightarrow J \rightarrow K \rightarrow L$
11. $F \rightarrow J \rightarrow N \rightarrow O \rightarrow K \rightarrow J \rightarrow I \rightarrow E \rightarrow F$
12. $I \rightarrow J \rightarrow K \rightarrow G \rightarrow F \rightarrow E \rightarrow I$
13. $M \rightarrow N \rightarrow O \rightarrow K \rightarrow J \rightarrow I \rightarrow M$
14. $N \rightarrow J \rightarrow F \rightarrow B \rightarrow C \rightarrow G \rightarrow F \rightarrow J \rightarrow N$
15. $A \rightarrow B \rightarrow G \rightarrow F \rightarrow E \rightarrow A$
16. $E \rightarrow F \rightarrow G \rightarrow K \rightarrow J \rightarrow F \rightarrow B \rightarrow A \rightarrow E$


For the following exercises, use the graphs shown. Identify the graph or graphs with the given characteristics.




Graph 1



Graph 2




Graph 3




Graph 4


17. The colors do not follow the definition of a graph coloring.
18. The graph is a two-coloring.
19. The graph is a three-coloring.
20. The graph is a four-coloring.
21. The graph is planar.
22. The graph has a chromatic number of two.
23. Fewer colors could be used to color the graph.
24. The chromatic number is more than four.
25. The Four-Color Theorem applies to the graph.



41. An open knight's tour on a five-by-five board is shown in the figure. Is it most accurately described as a walk, a trail, or a path?




42. A knight's tour is not possible on a four-by-four board like the one shown in the figure. Find an open tour of the board in which the knight is permitted to travel through a given space more than once to achieve the goal of visiting every space. Is your tour most accurately described as a walk, trail, or path? Explain why.




The neighborhood of Pines West has three cul-de-sacs that meet at an intersection as shown in the figure. A postal delivery person starts at the intersection and visits each house in a cul-de-sac once, returns to the intersection, visits each house in the next cul-de-sac, and so on, returning to the intersection when finished.

43. Describe how the route can be represented as a graph. If there is no backtracking, in other words, the person never reverses direction, is the route followed by the postal delivery person best described as a walk, trail, path, closed walk, circuit, or directed cycle? Explain your reasoning.



44. Draw the graph for the route described in the neighborhood. Find its chromatic number. Find a map coloring that shows the chromatic number.
45. When radio towers are within range of each other, they must use different frequencies. In the graph, the vertices represent the towers, and the edges indicate the towers are in range of each other. Use graph colorings to determine the number of frequencies needed to avoid two towers in the same range being assigned the same frequency. Give an example of a coloring to support your conclusion.



46. A Sudoku puzzle consists of a nine-by-nine grid which is subdivided into nine three-by-three smaller grids. Given an incomplete grid, the goal is to complete it in such a way that each row contains the numbers 1 through 9, each column contains the numbers 1 through 9, and each three by three grid contains the numbers 1 through 9 as shown in the figure. If a graph were drawn with a vertex to represent each entry in the grid, what should the edges represent so that a nine-coloring of the graph would be a solution to the puzzle?

Sudoku Puzzle

8			9	3				2
		9					4	
7		2	1			9	6	
2							9	
	6						7	
	7				6			5
	2	7			8	4		6
	3					5		
5				6	2			8


Solution to Puzzle

8	4	6	9	3	7	1	5	2
3	1	9	6	2	5	8	4	7
7	5	2	1	8	4	9	6	3
2	8	5	7	1	3	6	9	4
4	6	3	8	5	9	2	7	1
9	7	1	2	4	6	3	8	5
1	2	7	5	9	8	4	3	6
6	3	8	4	7	1	5	2	9
5	9	4	3	6	2	7	1	8

At a wedding reception, the bride and groom would like their family and friends to get to know each other better. They have decided that if two people know each other, they will not seat them at the same table. The following is a list of guests and who they know. Guests *A*, *B*, *C*, and *D* all know each other; guests *E*, *F*, *G*, and *H* all know each other; guests *I*, *J*, and *K* all know each other; guests *P*, *Q* and *R* all know each other, guests *L*, *M*, and *O* all know each other. Additionally, *I* knows *D* and *I* knows *G*, *J* knows *M*, *K* knows *P*, *N* knows *L*, and *N* knows *O*.

47. Draw a graph to show the relationships.
48. Determine the minimum number of tables needed to seat the guests so that they will sit with people they don't know.
49. Give a coloring to support your conclusion.

The map of the states of Imaginaria is given. Use the figure to answer the following exercises.



50. Draw a graph to represent the map.
51. Determine the chromatic number of the graph you found.
52. Give a graph coloring that supports your answer in the previous question.
53. Color the provided map to correspond with the coloring you found in the previous question.